

# **SAFETY DATA SHEET**

Version 6.13 Revision Date 07/08/2025 Print Date 07/09/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Sodium bromide

Product Number : 310506 Brand : SIGALD CAS-No. : 7647-15-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

Specific target organ : Category 3 (Central nervous system)

toxicity - single exposure

SIGALD - 310506

Page 1 of 14



Specific target organ toxicity - repeated

exposure

: Category 2 (Central nervous system)

#### Other hazards

None known.

#### **GHS label elements**

Hazard pictograms





Signal Word : Warning

Hazard Statements : H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn

child.

H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary statements:

#### **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood. P260 Do not breathe dust.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves, protective clothing, eye

protection and face protection.

## Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep

container tightly closed. P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

SIGALD - 310506

Page 2 of 14



## Components

| Chemical name  | CAS<br>No./Unique ID | Concentration (% w/w) | Trade<br>secret |
|----------------|----------------------|-----------------------|-----------------|
| sodium bromide | 7647-15-6*           | >= 80 - <= 100        | TSC             |

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

SIGALD - 310506 Page 3 of 14

Hazardous combustion

products

: Hydrogen bromide gas

Sodium oxides

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on

: Tightly closed.

storage conditions

Dry.

SIGALD - 310506

**MILLIPORE** 

Page 4 of 14

Storage class : 11, Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Hygroscopic.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.11 mm

Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing

SIGALD - 310506

**AilliPORE** 

Page 5 of 14

with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-  $\,$ 

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Preventive skin

protection recommended. Wash hands after working

with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : crystalline

Color : colourless

Odor : odourless

Odor Threshold : Not applicable

pH : 5.74 (72.5 °F / 22.5 °C)

Concentration: 430 g/l

Melting point/ range : 1391 °F / 755 °C

Method: lit.

Boiling point : 2,534 °F / 1,390 °C (ca. 1,013 hPa)

Flash point : Not applicable

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

SIGALD - 310506



Vapor pressure : 1 hPa (1483 °F / 806 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 3.2 g/cm3 (77 °F / 25 °C)

Solubility(ies)

Water solubility : 946 g/l soluble (77 °F / 25 °C)

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : Not applicable

Decomposition temperature

: > 1382 °F / > 750 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 2550 mm2/s

Method: OPPTS 830.7100

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 102.89 g/mol

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Risk of explosion with:

Alkali metals

halogen-halogen compounds

Generates dangerous gases or fumes in contact with:

Strong acids Release of:

hydrogen bromide

SIGALD - 310506 Page 7 of 14

Conditions to avoid : Avoid moisture.

Heat

no information available

Incompatible materials : No data available

Hazardous decomposition : In the event of fire: see section 5

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 4,200 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(US-EPA)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation

(US-EPA)

# Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: mammalian cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 482

Result: negative

SIGALD - 310506



Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: The value is given in analogy to the following substances: ammonium bromide

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

# Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Central nervous system

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level -

100 mg/kg - Lowest observed adverse effect level - 225 mg/kg

Remarks: The value is given in analogy to the following substances: ammonium bromide

RTECS: VZ3150000

Effects due to ingestion may include:, sedation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

Tiredness

After uptake of large quantities:

ataxia (impaired locomotor coordination) confusion

Convulsions

Coma

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

SIGALD - 310506

4illiPORE

Page 9 of 14

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

#### **Components:**

#### sodium bromide:

Toxicity to fish : LC50 (Fish): > 440 mg/l

Exposure time: 96 h

Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): >= 1,000 mg/l

Exposure time: 48 h Test Type: static test Method: US-EPA

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Skeletonema costatum (marine diatom)): >

440 ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic

toxicity)

: NOEC (Poecilia reticulata (guppy)): 10 mg/l

Exposure time: 124 d Test Type: semi-static test

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 7.5 mg/l

Exposure time: 21 d Test Type: semi-static test

Remarks: (ECHA)

Toxicity to

microorganisms

: EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

SIGALD - 310506

IilliPORE

Page 10 of 14

# Persistence and degradability

#### **Components:**

#### sodium bromide:

Biodegradability : Remarks: The methods for determining

biodegradability are not applicable to inorganic

substances.

# **Bioaccumulative potential**

#### **Components:**

#### sodium bromide:

Bioaccumulation : Bioconcentration factor (BCF): 0.23

Exposure time: 7 d

Temperature: 77 °F / 25 °C Concentration: 53.11 mg/l

Partition coefficient: n-

octanol/water

: Remarks: Not applicable for inorganic substances

# Mobility in soil

No data available

#### Other adverse effects

## **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

# IATA-DGR

Not regulated as a dangerous good

SIGALD - 310506

Page 11 of 14

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

#### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

# **Special precautions for user**

Remarks : Not classified as dangerous in the meaning of

transport regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

**Hazards** 

: Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

SIGALD - 310506

Page 12 of 14



This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

## **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No

SIGALD - 310506 Page 13 of 14



Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Accelerating Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/08/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD - 310506

