

# **SAFETY DATA SHEET**

Version 6.20 Revision Date 05/06/2025 Print Date 05/07/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Aluminum chloride

Product Number : 237051
Brand : SIGALD
Index-No. : 013-003

Index-No. : 013-003-00-7 CAS-No. : 7446-70-0

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Category 1B

Serious eye damage : Category 1

SIGALD - 237051

Page 1 of 14



#### Other hazards

Reacts violently with water. Corrosive to the respiratory tract.

#### **GHS label elements**

Hazard pictograms



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Components

SIGALD - 237051

Page 2 of 14

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
aluminium(III) chloride, anhydrous	7446-70-0*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

Dry powder

Sand

Unsuitable extinguishing

media

: Foam Water

Specific hazards during

fire fighting

: Not combustible.

SIGALD - 237051



May not get in touch with: Water

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Hydrogen chloride gas

Aluminum oxide

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

SIGALD - 237051

Page 4 of 14



Advice on safe handling : Keep workplace dry. Do not allow product to come

into contact with water.

Further information on

storage conditions

: Tightly closed.

Dry.

Materials to avoid : Never allow product to get in contact with water

during storage.

Storage class : 8A, Combustible, corrosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Store under inert gas. Vent periodically.

Handle and open container with care.

Reacts violently with water.

Packaging material : Suitable material: Amber Glass Bottle/Jar

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# **Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
aluminium(III) chloride, anhydrous	7446-70-0	TWA	2 mg/m3 (Aluminum)	NIOSH REL

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : Where risk assessment shows air-purifying

respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

SIGALD - 237051

Millipore SiGMa Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Acid-resistant protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : solid

Color : No data available

Odor : stinging

Odor Threshold : No data available pH : 2.4 (68 °F / 20 °C)

Concentration: 100 g/l

Melting point/ range : 374 °F / 190 °C

Method: lit.

Boiling point : 358.2 °F / 181.2 °C (1,013 hPa)

(ECHA)

Flash point : Not applicable

Evaporation rate : No data available

SIGALD - 237051 Page 6 of 14



Burning rate : No data available

Upper explosion limit / Upper flammability limit

: Not applicable

Lower explosion limit / Lower flammability limit

: Not applicable

Vapor pressure : 1 hPa (68 °F / 20 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 2.44 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : 450 g/l (decomposition) (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : Not applicable

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 133.34 g/mol

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Reactivity : Reacts violently with water.

Chemical stability : sensitive to moisture

SIGALD - 237051 Page 7 of 14

Possibility of hazardous

reactions

: Violent reactions possible with:

Water alkenes **Alcohols** Alkali metals

Alkaline earth metals

Ethylene oxide halogen oxides Oxidizing agents

organic nitro compounds

phenols **Bases** 

Conditions to avoid : Moisture.

Incompatible materials : Strong oxidizing agents

products

Hazardous decomposition : In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 3,450 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rabbit - > 2,000 mg/kg

Remarks: (RTECS)

# Skin corrosion/irritation

Skin - Human

Result: Causes burns. Remarks: (IUCLID) Skin - In vitro study Result: Corrosive

(OECD Test Guideline 435)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Eyes - Human

Result: Causes burns. Remarks: (IUCLID)

# Respiratory or skin sensitization

Patch test: - Human Result: negative Remarks: (IUCLID)

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

# Germ cell mutagenicity

SIGALD - 237051

Test Type: In vivo micronucleus test

Species: Rat

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: (in analogy to similar products)

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 1,000 mg/kg

RTECS: BD0525000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, prolonged or repeated exposure can cause:, Damage to the lungs.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Damage to the lungs. - Irregularities - Based on Human Evidence

Damage to the lungs. - Irregularities - Based on Human Evidence

# **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

# aluminium(III) chloride, anhydrous:

SIGALD - 237051

Page 9 of 14



Toxicity to daphnia and

other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 27.3 mg/l

Exposure time: 48 h Test Type: static test Method: EG 84/449

GLP: yes

Remarks: (ECHA)

Toxicity to microorganisms : EC10 (activated sludge): > 1,000 mg/l

Exposure time: 180 min

Method: OECD Test Guideline 209

# **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

# Persistence and degradability

#### **Components:**

# aluminium(III) chloride, anhydrous:

Biodegradability : Remarks: Not applicable for inorganic substances

# **Bioaccumulative potential**

# **Components:**

# aluminium(III) chloride, anhydrous:

octanol/water

Partition coefficient: n- : Remarks: Not applicable for inorganic substances

# Mobility in soil

No data available

# Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

# **Components:**

# aluminium(III) chloride, anhydrous:

Results of PBT and vPvB

assessment

: Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

SIGALD - 237051

**MILLIPORE** 

Page 10 of 14

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

# **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

IATA-DGR

UN/ID No. : UN 1726

Proper shipping name : Aluminium chloride, anhydrous

Class : 8 Packing group : II

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 863)

aircraft)

Packing instruction : 859

(passenger aircraft)

IMDG-Code

UN number : UN 1726

Proper shipping name : ALUMINIUM CHLORIDE, ANHYDROUS

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A

EmS Code : F-A, S-B Marine pollutant : yes

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National regulation**

49 CFR Road

UN/ID/NA number : UN 1726

Proper shipping name : Aluminum chloride, anhydrous

Class : 8 Packing group : II

Labels : Class 8 - Corrosive substances

ERG Code : 137 Marine pollutant : no

Poison Inhalation Hazard : No

SIGALD - 237051

Millipore

# **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

#### **Massachusetts Right To Know**

aluminium(III) chloride, anhydrous 7446-70-0

# **Pennsylvania Right To Know**

aluminium(III) chloride, anhydrous 7446-70-0

# **Maine Chemicals of High Concern**

SIGALD - 237051 Page 12 of 14



Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the

SIGALD - 237051 Page 13 of 14



European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD - 237051

