

# SAFETY DATA SHEET

Version 6.16 Revision Date 04/30/2025 Print Date 05/01/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Carbon tetrachloride

Product Number : 319961 Brand : SIGALD Index-No. : 602-008-00-5

CAS-No. : 56-23-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : After June 16, 2025, this chemical substance (as defined in

TSCA section 3(2)) may not be distributed in commerce or processed in greater than trace quantities for the following purposes: Incorporation into formulation, mixture or reaction products in petrochemical-derived manufacturing except in the manufacture of vinyl chloride; Industrial and commercial use as

an industrial processing aid in the manufacture of

petrochemicals-derived products except in the manufacture of

vinyl chloride; Industrial and commercial use in the

manufacture of other basic chemicals (including manufacturing of chlorinated compounds used in solvents, adhesives, asphalt, and paints and coatings), except for use in the elimination of nitrogen trichloride in the production of chlorine and caustic soda and the recovery of chlorine in tail gas from the production of chlorine; Industrial and commercial use in metal recovery; Industrial and commercial use as an additive; and beginning December 18, 2025, industrial and commercial specialty uses

by the U.S. Department of Defense.

The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

SIGALD - 319961

Page 1 of 17



3050 SPRUCE ST ST. LOUIS MO 63103 **UNITED STATES** 

Telephone +1 314 771-5765 Fax +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation)

: Category 3

Acute toxicity (Dermal) : Category 3

Skin sensitization : Sub-category 1B

Carcinogenicity : Category 2

Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Liver, Kidney)

Short-term (acute) aquatic hazard

: Category 3

Long-term (chronic) aquatic hazard

: Category 3

Hazardous to the ozone

laver

: Category 1

### Other hazards

None known.

## **GHS label elements**

Hazard pictograms







Signal Word : Danger

**Hazard Statements** : H301 + H311 + H331 Toxic if swallowed, in contact

SIGALD - 319961

Page 2 of 17



with skin or if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

H420 Harms public health and the environment by

destroying ozone in the upper atmosphere.

## Precautionary Statements:

### **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P311 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

P502 Refer to manufacturer/ supplier for information on recovery/ recycling.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

SIGALD - 319961

Page 3 of 17



Substance / Mixture : Substance

## Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Carbon tetrachloride	56-23-5*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No. Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

> Call in ophthalmologist. Remove contact lenses.

If swallowed : If swallowed: give water to drink (two glasses at

most). Seek medical advice immediately. In

exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and

consult a doctor as quickly as possible.

Most important

symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SIGALD - 319961

Page 4 of 17



Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Carbon oxides

Hydrogen chloride gas

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g.

SIGALD - 319961

Page 5 of 17



#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on

storage conditions

: Tightly closed.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to

qualified or authorized persons.

Storage class : 6.1B, Non-combustible, acute toxic Cat. 1 and 2 /

very toxic hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon tetrachloride	56-23-5	TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
		ST	2 ppm 12.6 mg/m3	NIOSH REL
		TWA	10 ppm	OSHA Z-2
		CEIL	25 ppm	OSHA Z-2
		Peak	200 ppm (5 mins. in any 4 hrs.)	OSHA Z-2

**Engineering measures** : No data available

## Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter : Filter A (acc. to DIN 3181) for vapours of organic

SIGALD - 319961 Page 6 of 17



type: compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Viton®
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Material : Nitrile rubber
Break through time : 240 min
Glove thickness : 0.4 mm

Protective index : Splash contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colorless

Odor : sweet

SIGALD - 319961

Page 7 of 17



Odor Threshold : No data available pH : No data available

Melting point/ range : -9 °F / -23 °C

Method: lit.

Boiling point/boiling range : 169 - 171 °F / 76 - 77 °C

Method: lit.

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : The product is not flammable.

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 4,524 Pa (32.5 °F / 0.3 °C)

12,046 Pa (67.6 °F / 19.8 °C)

14,549 hPa (75 °F / 24 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 1.594 g/cm3 (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility :  $0.8461 \text{ g/l} (68 \degree \text{F} / 20 \degree \text{C})$ 

pH: 5.7

Partition coefficient: n-

octanol/water

: log Pow: 2.83 (77 °F / 25 °C)

pH: 7

Method: OECD Test Guideline 107

Autoignition temperature : > 1800 °F / > 982 °C

Decomposition

temperature

: No data available

SIGALD - 319961

Viscosity

Viscosity, dynamic : 0.928 mPa.s (77 °F / 25 °C)

1.321 mPa.s (32 °F / 0 °C)

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 26.7 mN/m, 68 °F / 20 °C

19.5 mN/m, 176 °F / 80 °C

Molecular weight : 153.82 g/mol

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Risk of explosion with:

Alkali metals

powdered aluminium

Barium Boranes

calcium silicide

halogen-halogen compounds

peroxi compounds

Fluorine

powdered magnesium Powdered metals sodium amide

silanes

silver perchlorate nitrogen dioxide

alkenes Oxygen

(as liquefied gas)

Oxygen with

SIGALD - 319961 Page 9 of 17

alkali hydroxides calcium hypochlorite

with heat

Violent reactions possible with:

Alkaline earth metals Dimethylformamide aluminium chloride

with

triethylaluminium

Conditions to avoid : no information available

Incompatible materials : various plastics

> Light metals metal alloys Metals

products

Hazardous decomposition : In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 2,350 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Rat - 4 h - 8000 ppm - vapor

LD50 Dermal - Rabbit - > 20,000 mg/kg

No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation - 24 h

(Draize Test)

### Respiratory or skin sensitization

- Mouse

Result: The product is a skin sensitizer, sub-category 1B.

(OECD Test Guideline 429)

### Germ cell mutagenicity

No data available

## Carcinogenicity

Suspected of causing cancer.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Carbon tetrachloride)

SIGALD - 319961

Page 10 of 17



NTP: RAHC - Reasonably anticipated to be a human carcinogen (Carbon tetrachloride)

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Liver, Kidney

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: FG4900000

Vomiting, Diarrhea, Abdominal pain, Nausea, Dizziness, Headache, Damage to the eyes., Liver injury may occur., Kidney injury may occur., Exposure to and/or consumption of alcohol may increase toxic effects., Contact with skin can cause:, Pain, Erythema, hyperemia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

## **Components:**

## **Carbon tetrachloride:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 24.3 mg/l

Exposure time: 96 h Test Type: mortality

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 35 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Algae): 20 mg/l Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC (Danio rerio (zebra fish)): 2.5 mg/l

Exposure time: 14 d

SIGALD - 319961

AilliPORE

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 3.1 mg/l

Exposure time: 21 d

## Persistence and degradability

## **Components:**

### Carbon tetrachloride:

Biodegradability : Remarks: No data available

## **Bioaccumulative potential**

### **Components:**

#### Carbon tetrachloride:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill)

Bioconcentration factor (BCF): 30

Exposure time: 21 d Concentration: 52.3 µg/l

Partition coefficient: n-

octanol/water

: log Pow: 2.83 (77 °F / 25 °C)

pH: 7

Method: OECD Test Guideline 107

### Mobility in soil

### **Components:**

# **Carbon tetrachloride:**

Stability in soil : Remarks: No data available

#### Other adverse effects

## **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Warning: Manufactured with Carbon tetrachloride, a substance which harms public health and environment

by destroying ozone in the upper atmosphere.

# **Components:**

#### Carbon tetrachloride:

Ozone-Depletion Potential: 1.1

Regulation: UNEP - Handbook for the Montreal

Protocol on Substances that Deplete the Ozone Layer

(Update: 2020-01-01)

Group: Annex B - Group II: Carbon tetrachloride

SIGALD - 319961

Page 12 of 17

1.1

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances (Update: 2007-07-01)

Group: Group IV

Additional ecological

information

: No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### **IATA-DGR**

UN/ID No. : UN 1846

Proper shipping name : Carbon tetrachloride

Class : 6.1 Packing group : II

Labels : Division 6.1 - Toxic substances

Packing instruction (cargo: 661

aircraft)

Packing instruction : 654

(passenger aircraft)

### IMDG-Code

UN number : UN 1846

Proper shipping name : CARBON TETRACHLORIDE

Class : 6.1
Packing group : II
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **National regulation**

#### 49 CFR Road

UN/ID/NA number : UN 1846

Proper shipping name : Carbon tetrachloride

SIGALD - 319961 Page 13 of 17

Class : 6.1 Packing group : II

Labels : Division 6.1 - Toxic substances

ERG Code : 151 Marine pollutant : yes

Poison Inhalation Hazard : No

# **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
Carbon tetrachloride	56-23-5	10	10
Carbon tetrachloride	56-23-5	10	10 (D019)
Carbon tetrachloride	56-23-5	10	10 (F001)

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Carbon 56-23-5 >= 90 - <= 100 %

tetrachloride

#### **Clean Air Act**

Warning: Manufactured with Carbon tetrachloride, a substance which harms public health

and environment by destroying ozone in the upper atmosphere.

UNEP - Handbook for the : carbon tetrachloride 56-23-5

UNEP - Handbook for the : carbon tetrachloride
Montreal Protocol on
Substances that Deplete
the Ozone LayerOzoneDepletion Potential

SIGALD - 319961



40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone -CAA Section 602 Class I SubstancesOzone-

**Depletion Potential** 

: Carbon Tetrachloride 56-23-5

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

## **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

This product contains the following priority pollutants related to the U.S. Clean Water Act: Carbon tetrachloride 56-23-5 >= 90 - <= 100 %

# **US State Regulations**

# **Massachusetts Right To Know**

Carbon tetrachloride 56-23-5

## **Pennsylvania Right To Know**

Carbon tetrachloride 56-23-5

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## California Prop. 65

WARNING: This product can expose you to chemicals including Carbon tetrachloride, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## **International Regulations**

Montreal Protocol : Carbon tetrachloride

SIGALD - 319961

Page 15 of 17



### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

Carbon tetrachloride 56-23-5

After June 16, 2025, this chemical substance (as defined in TSCA section 3(2)) may not be distributed in commerce or processed in greater than trace quantities for the following purposes: Incorporation into formulation, mixture or reaction products in petrochemical-derived manufacturing except in the manufacture of vinyl chloride; Industrial and commercial use as an industrial processing aid in the manufacture of petrochemicals-derived products except in the manufacture of vinyl chloride; Industrial and commercial use in the manufacture of other basic chemicals (including manufacturing of chlorinated compounds used in solvents, adhesives, asphalt, and paints and coatings), except for use in the elimination of nitrogen trichloride in the production of chlorine and caustic soda and the recovery of chlorine in tail gas from the production of chlorine; Industrial and commercial use in metal recovery; Industrial and commercial use as an additive; and beginning December 18, 2025, industrial and commercial specialty uses by the U.S. Department of Defense.

#### **SECTION 16. OTHER INFORMATION**

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-2 : USA. Occupational Exposure Limits (OSHA) - Table Z-

2

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be

exceeded at any time during a workday

OSHA Z-2 / TWA : 8-hour time weighted average OSHA Z-2 / CEIL : Acceptable ceiling concentration

OSHA Z-2 / Peak : Acceptable maximum peak above the acceptable

ceiling concentration for an 8-hr shift

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous

SIGALD - 319961 Page 16 of 17



Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/30/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD - 319961

Page 17 of 17

