

Numbers and figures requested for Prelim report

2020-12-15

Contents

1	Specific numbers requested	2
2	Tables and Figures Requested	3
2.1	Sample characteristics table	3
2.2	Seropositivity breakdown by age and sex figure	4
2.3	Seropositivity breakdown table	4
2.4	Symptoms reported (since March 1st)	6
2.5	Questions on respect of hygiene behavior	9

1 Specific numbers requested

- Date of first survey: 14 October
- Date of last survey: 26 November, 2020
- Number of households surveyed: 192
- Number of individuals surveyed: 1007
- Mean number of adults per household: 4.6
- Mean number of children per household: 1.8
- Number of household where the head was not interviewed: 15
- Percentage of household where the head was not interviewed: 7.8%
- Number of households where the breadwinner was interviewed: 136
- Percentage of households where the breadwinner was interviewed: 70.8%
- Percentage of households in which the father is the breadwinner: 55.7%
- Percentage of households in which the mother is the breadwinner: 36.5%
- Top four occupations: Student, Small trader, Businessperson, Unemployed
- Percentage of households where there has been a death since March 1st: 5.7
- Mean age of those who died since March 1st: 69.5454545
- Number of households where a prior positive test was reported: 6
- Number of individuals who have reported any COVID-like symptoms: 302
- Percentage of individuals who have reported any COVID-like symptoms: 30
- Percentage of individuals who are completely or partially complying with social distancing: 57.8%
- Number seropositive (either IgG or IgM): 328
- Number seronegative (both IgG and IgM): 642

2 Tables and Figures Requested

2.1 Sample characteristics table


Below is the sample table. Still needs lots of work: More variables, percentages. A similar table that is faceted by seropositivity instead of sex may also be good.

Table 1

Characteristic	Female	Male	Total
n	570	437	1007
Num. household heads	77	101	178
Mean Age (SD)	29.6 (17.4)	28.5 (17.6)	29.1 (17.5)
Mean BMI (SD)	27.3 (26.7)	23.2 (6.26)	25.5 (20.6)
<i>Age groups, n (% of sex in each group)</i>			
5-15	137 (24%)	128 (29.3%)	265 (26.3%)
16-29	186 (32.6%)	136 (31.1%)	322 (32%)
30-45	140 (24.6%)	89 (20.4%)	229 (22.7%)
46-65	79 (13.9%)	66 (15.1%)	145 (14.4%)
>65	28 (4.9%)	18 (4.1%)	46 (4.6%)
<i>Education Level, n (% of sex in each group)</i>			
Secondary	258 (45.3%)	184 (42.1%)	442 (43.9%)
Primary	191 (33.5%)	137 (31.4%)	328 (32.6%)
University	76 (13.3%)	81 (18.5%)	157 (15.6%)
No formal instruction	35 (6.1%)	18 (4.1%)	53 (5.3%)
Doctorate	7 (1.2%)	13 (3%)	20 (2%)
Other	3 (0.5%)	4 (0.9%)	7 (0.7%)
<i>Profession, n (% of sex in each group)</i>			
Student	216 (36.5%)	202 (43.3%)	418 (39.5%)
Small trader	86 (14.5%)	136 (29.1%)	222 (21%)
Businessperson	81 (13.7%)	50 (10.7%)	131 (12.4%)
Home-maker	74 (12.5%)	0 (0%)	74 (7%)
Unemployed	52 (8.8%)	21 (4.5%)	73 (6.9%)
Salaried worker	38 (6.4%)	22 (4.7%)	60 (5.7%)
Retired	18 (3%)	17 (3.6%)	35 (3.3%)
Other	17 (2.9%)	15 (3.2%)	32 (3%)
Farmer	10 (1.7%)	4 (0.9%)	14 (1.3%)
<i>Chronic conditions, n (% of sex with that condition)</i>			
Hypertension	25 (4.3%)	12 (2.7%)	37 (3.6%)
Respiratory illness	9 (1.6%)	8 (1.8%)	17 (1.7%)
Diabetes	7 (1.2%)	4 (0.9%)	11 (1.1%)
Cardiovascular illness	0 (0%)	3 (0.7%)	3 (0.3%)
Chronic neurologic disease	1 (0.2%)	2 (0.5%)	3 (0.3%)
HIV	1 (0.2%)	1 (0.2%)	2 (0.2%)
Cancer	0 (0%)	1 (0.2%)	1 (0.1%)
No response	0 (0%)	1 (0.2%)	1 (0.1%)
Tuberculosis	0 (0%)	1 (0.2%)	1 (0.1%)
Other	22 (3.8%)	19 (4.3%)	41 (4%)

2.2 Seropositivity breakdown by age and sex figure

Anyone who had either a positive IgG or IgM is shown as positive here. Inconclusive results are not included in the denominator for the percentages.



2.3 Seropositivity breakdown table


(see next page)

Table 2


Characteristic	Positive	Negative
n	328	642
Mean Age (SD)	30.6 (18)	28.2 (17)
Mean BMI (SD)	27.3 (32.5)	24.6 (10.9)
<i>Age groups, n (% of all positive/negatives that are of each sex)</i>		
Female	169 (51.5%)	380 (59.2%)
Male	159 (48.5%)	262 (40.8%)
<i>Age groups, n (% of all positive/negatives that are in each age group)</i>		
5-15	79 (24.1%)	179 (27.9%)
16-29	102 (31.1%)	206 (32.1%)
30-45	77 (23.5%)	145 (22.6%)
46-65	53 (16.2%)	89 (13.9%)
above 65	17 (5.2%)	23 (3.6%)
<i>Education Level, n (% of all positive/negatives that are in each education class)</i>		
Secondary	138 (42.1%)	294 (45.8%)
Primary	117 (35.7%)	201 (31.3%)
University	54 (16.5%)	91 (14.2%)
No formal instruction	12 (3.7%)	40 (6.2%)
Doctorate	6 (1.8%)	11 (1.7%)
Other	1 (0.3%)	5 (0.8%)
<i>Profession, n (% of all positive/negatives that are in each profession class)</i>		
Student	129 (39.3%)	273 (42.5%)
Small trader	79 (24.1%)	139 (21.7%)
Businessperson	44 (13.4%)	84 (13.1%)
Home-maker	26 (7.9%)	48 (7.5%)
Unemployed	25 (7.6%)	45 (7%)
Salaried worker	21 (6.4%)	33 (5.1%)
Retired	9 (2.7%)	23 (3.6%)
Other	9 (2.7%)	20 (3.1%)
Farmer	5 (1.5%)	9 (1.4%)
<i>Symptoms, n (% of all positive/negatives that reported each symptom)</i>		
No symptoms	212 (64.6%)	463 (72.1%)
Fever	60 (18.3%)	83 (12.9%)
Headache	59 (18%)	76 (11.8%)
Cough	59 (18%)	71 (11.1%)
Runny or stuffy nose	39 (11.9%)	49 (7.6%)
Sneezing	23 (7%)	25 (3.9%)
Fatigue	14 (4.3%)	27 (4.2%)
Muscle pain	18 (5.5%)	18 (2.8%)
Smell or taste loss	13 (4%)	13 (2%)
Sore throat	8 (2.4%)	10 (1.6%)
Stomach ache	8 (2.4%)	9 (1.4%)
Diarrhoea	2 (0.6%)	11 (1.7%)
Nausea, Vomiting	4 (1.2%)	10 (1.6%)
Shortness of breath	2 (0.6%)	4 (0.6%)
Other	1 (0.3%)	3 (0.5%)

2.4 Symptoms reported (since March 1st)


All respondents. Denominator of percentages is everyone who was surveyed.




Subset of those who have had symptoms. Denominator of percentages is everyone who was surveyed.



Subset of those who had a positive IgG or IgM test and have reported symptoms. Denominator of percentages is everyone who was seropositive.




Subset of those who had negative test results for both the IgG and IgM and have reported symptoms. Denominator of percentages is everyone who was seronegative




2.5 Questions on respect of hygiene behavior

Do you follow the basic hygiene protocols (wash hands frequently, sneeze in your elbow, use a disposable tissue, etc.)

■ Definitely yes
 ■ Partly
 ■ Definitely not



Do you follow social distancing rules (avoid handshakes or hugs, avoid unnecessary outings, etc.)



Since March 1st, have you stayed confined?

