

Augmented Tasks: A Study of Leveraging Augmented Reality Head-worn Displays in Procedural and Analytical Tasks

by

Kenny Hong

A thesis proposal submitted in partial fulfillment of
the requirements for the degree of

Master of Science

Under the supervision of
Dr. Pourang Irani

Department of Computer Science
The University of Manitoba
Winnipeg, Manitoba, Canada

May 2018

Abstract

The vast health industry is always looking for innovative ways to use technology to create or improve the experiences of a variety of areas from analysing relevant health data to improving the delivery of medical education and training. With advancements in head-worn immersive mixed reality displays (HWD) such as the Microsoft Hololens, we must look into the feasibility of leverage the technology to aid us in the ongoing challenge of creating these meaningful and educational experiences. In this research, I will be evaluating the efficiency of using an immersive HWD in order to perform procedural and analytical tasks. The objective of this research is to develop a set of guidelines that assists in the creation of 2D information spaces that would enable opportunities to create mixed reality applications that would improve the educational and training aspects of the health field. I hope to create a framework that would inspire discussion as well as the creation and evaluation of different information space designs on HWDs.

Contents

1	Introduction	3
2	Literature Review	4
3	Problem Statement	7
4	Potential Solution	8
5	Evaluation	9
6	Timeline	10
7	Conclusion	11
	Bibliography	12

1 Introduction

I propose to investigate the potential outcomes of providing supplementary information on a mixed reality device while performing an intricate procedural task. I plan to explore if there is a significant difference between using a mixed reality head worn display to provide the information and the current conventional ways, such as using posters, charts, and other physical mediums. Procedural tasks require a set of step by step instructions in general. If the task at hand is complex, the instructions need to be simple in order to reduce the cognitive load. For example, medical procedures often require the task to be completed piecemeal, so the task can be completed successfully and importantly, in a timely manner. Indeed, various medical procedures often consist of numerous convoluted steps, and thus challenging. I believe that having new technology, which allows users to view informative data while they are executing a procedural task, will be beneficial. By using a modern wearable mixed reality device such as the Hololens, various types of useful/important information can be provided consistently across multiple areas in an assistive information space: We are able to leverage the new head-worn display's spatial mapping and positional tracking technology to maintain consistent positioning of the information space layout. By providing the user essential information concerning their task (e.g., instruction) and supplementary data in an adaptive information space, I hope to reduce the users' cognitive load to facilitate their performance.

2 Literature Review

Augmented reality systems (AR) are defined as systems that enable real time interactions with virtual and real objects that coexist in the same space [1]. These systems come in many different forms such as head-worn displays, projections, and mobile devices that allow you to view virtual objects in the real world. For decades, researchers have observed the great potential of using augmented reality to enhance certain aspects in fields such as education and health. [5] highlight the usage of mobile phones and tablets to overlay media onto the real world in order to make information available to students when they need it, on the spot. Bower et al. discuss the potential reduction of cognitive overload by providing students real time information. Augmented reality has also found a home within the health field, specifically the medical field, where it is used in various medical tasks and procedures.

In recent years, researchers have investigated the use of AR in order to improve surgical navigation. Both [12] and [7] developed AR-based simulations with the aim to improve the safety and reliability of surgery. Okamoto et al. developed an application for navigation surgery in the abdominal field. Their system leverage a see through display and a rigid scope that enables the surgeons to obtain a 3D view. Through their study, they are able to identify several problems such as organ deformity, evaluation of utility, portability and cost. In the same year, Chen et al. leveraged a head-worn display and created an application that was tested against actual patient structure data in a real world scenario. They verified and demonstrated the accuracy of their application was sufficient to meet clinical requirements. However, this is so far only true with a simulated environment.

[2] details the effectiveness of augmented reality applications in medical training. These applications are used to blend virtual and digital elements with a physical environment in order to introduce new educational opportunities for medical professionals. Barsom et al. review seven applications over twenty-six studies and concluded that although these promising applications are generating public as well as scientific interest, they are lacking evidence in the literature that the applications are able to transfer information to the user.

This work will primarily be focused on head-worn see-through display such as the Microsoft HoloLens [11], a new headset that enables users to interact with virtual objects in the real world. Due to the novelty of this display and the ongoing development of the software required to create applications for this display, there are not many studies involving the HoloLens as of yet. This however, has not stopped researchers in studying the design concepts of interactions with augmented displays.

Designing interactions in AR has been a topic of discussion for as long as the concept of AR existed. In 1993, [10] looked into implementing 2D windows in a 3D augmented reality. This was one of the earliest works in augmented reality, and they were able to create a system that overlaid images on a see through display, simulating virtual windows containing information in a real-world environment. (Figure Here)

In a survey done by [1] to provide a beginning point for researchers interested in this area, outlined the advancements in 1997, the applications of AR, and some issues such as real-time tracking and portability. Many issues outlined by Azuma in his survey have been address in recent years. The hardware is only one part of the design required to create a smooth augmented experience. Future research focuses more on the interface and interactions with the virtual objects in the real world environment.

Early works, such as [3] describe maintaining visual constraints on the virtual objects projected on the view plane. Simply put, they attempted to design an algorithm to aid in managing constraints such as locating related virtual objects or preventing the objects from occluding each other. Their algorithm yielded comfortable interactions, however, Bell et al. believed it could have been significantly improved.

In subsequent years, a plethora of research on AR becomes a cycle and blend of outlining potentials, addressing issues at the time, and a survey of the state of AR. Works such as [13] and [4] outline the potential in using AR in industrial training. [5] look into the applications in education and its potential to improve learning in schools. In the health industry, researchers such as [2,6,7,12] look at AR's potential in surgery and medical training. However, many of the works outlining potentials do not develop as well as evaluate the application leading to inconclusive results.

Although in the past, there have seen very few works involving the use of a head-

worn displays (HWDs), the popularity of the concept due to its portability has been steadily increasing. Although, work such as The Personal Cockpit [9], an evaluated design space for effective task switching on HWDs and Ethreal Planes [8], an extensively reviewed design framework provide guidelines to assist in the creation of meaningful layouts and interfaces to experiment with. As far as I know, there has not been any work done on determining the efficiency of using AR head-worn displays such as the HoloLens to act as an aid in completing procedural or analytical tasks.

3 Problem Statement

Only in the past few years have we seen advancements in the technology enabling us to effectively implement this type of research. With new head-worn displays (HWD) such as the Hololens [11], we are given the opportunity to create spaces using the design framework [8] or implementing the spaces in order to test the effectiveness of them while performing in-situation tasks. In the field of medicine, augmented reality applications (ARAs) are used to help educate medical practitioners in various techniques: These applications are used to support their training and provide them with a way to practice with simulated experiences. [2] reviewed the validity and the effectiveness of using ARAs in medical training. They investigated various applications, from giant workstations to virtual reality, and found that mixed reality can bring digital information into the real world. Using the HWDs as an assistive tool in procedural tasks is a novel topic in HCI, and can be beneficial in various fields (e.g., medical). Thus far, researchers have focused on designing and developing mixed reality interfaces. However, perhaps due to hardware limitations, there is no research testing these interfaces while performing a complicated task on a dedicated HWD thus far, despite the prospective benefits. Therefore, we propose to study the effectiveness and the potential benefits of performing a procedural task while receiving supplementary information from a dedicated HWD.

4 Potential Solution

- I will be exploring the current technology being used for training and simulation in the health field. Getting familiar with tools and devices being used is important, with no prior knowledge of medical procedures or analytical procedures to observe data, taking measures to understand the current state, as well as interviewing primary users such as medical professionals and scientists is crucial to developing effective guidelines for creating virtual information spaces for ARHWDs.
- There are many different procedures to draw inspiration from to create experiments that measure important variables such as accuracy, error rate, and time efficiency. It is important to create experiments where important aspects of many procedures can be tested such as completing tasks using information given by the ARHWD while evaluating the variables above.
- By drawing results from the studies, I hope to develop a set of guidelines for researchers and developers of ARHWD applications to consider in order to create effective and efficient interfaces and interaction for users.

5 Evaluation

This research will be based on three studies:

1. The first study will determine the design space for the application. Based on professional interviews and questionnaires, a few virtual layouts will be discussed and implemented for a study that determines how the users interact with the different virtual layouts in a within-subject study where each participant will be testing all three layouts. I will be observing the effects of each layout and answering questions such as: Which had the greatest error rate? Which was the most accurate? In this study, qualitative feedback will also be obtained from the participants and looked at as well. An Analysis of Variance (ANOVA) will be used to determine the effects of each virtual layout.
2. Based on the results of study 1, the experiment will be modified to test the dynamicity of the information spaces. Using the layout(s) which show significant effect, I will be evaluating the effectiveness of mesh-aware information spaces and the space's ability to adapt to the user's head position. This study will determine the effectiveness of having the virtual 2D windows adapt to certain real-world spaces such as walls, tables, and other objects. Simply put, in this study, I would like to observe the effects having the information space adapt to visually busy areas and see how variables such as the direction that the information adapts to (in front, behind, up, down, right left of the busy area) effect the same variables tested above.
3. Finally based on both studies, I hope to create an experiment involving the primary users of the design framework in order to validate the results of both studies. I hope to combine aspects of study one and two in order to create an experience that would prove the results of both studies and in turn, validate the guidelines created.

6 Timeline

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum

7 Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum

Bibliography

- [1] R. Azuma. A Survey of Augmented Reality. 4(August):355–385, 1997.
- [2] E. Z. Barsom, M. Graafland, and M. P. Schijven. Systematic review on the effectiveness of augmented reality applications in medical training. *Surgical Endoscopy and Other Interventional Techniques*, 30(10):4174–4183, 2016.
- [3] B. Bell and S. Feiner. . . . View management for virtual and augmented reality. *Proceedings of the 14th annual ACM . . .*, 2001:101–110, 2001.
- [4] P. Boulanger. Application of augmented reality to industrial Tele-training. *Proceedings - 1st Canadian Conference on Computer and Robot Vision*, pages 320–328, 2004.
- [5] M. Bower, C. Howe, N. McCredie, A. Robinson, and D. Grover. Augmented Reality in education - cases, places and potentials. *Educational Media International*, 51(1):1–15, 2014.
- [6] E. Chan, C. Anslow, T. Seyed, and F. Maurer. *Envisioning the emergency operations centre of the future*. 2017.
- [7] X. Chen, L. Xu, Y. Wang, H. Wang, F. Wang, X. Zeng, Q. Wang, and J. Egger. Development of a surgical navigation system based on augmented reality using an optical see-through head-mounted display. *Journal of Biomedical Informatics*, 55:124–131, 2015.
- [8] B. Ens, J. D. Hincapié-Ramos, and P. Irani. Ethereal Planes: A Design Frame-

- work for 2D Information Space in 3D Mixed Reality Environments. *Proceedings of the 2Nd ACM Symposium on Spatial User Interaction*, pages 2–12, 2014.
- [9] B. M. Ens, R. Finnegan, and P. P. Irani. The personal cockpit: A Spatial Interface for Effective Task Switching on Head-Worn Displays. *Proceedings of the 32nd annual ACM conference on Human factors in computing systems - CHI '14*, (August 2016):3171–3180, 2014.
- [10] S. Feiner, B. MacIntyre, M. Haupt, and E. Solomon. Windows on the world. *Proceedings of the 6th annual ACM symposium on User interface software and technology - UIST '93*, (July):145–155, 1993.
- [11] Microsoft. Microsoft hololens. <https://www.microsoft.com/en-ca/hololens>, 2018.
- [12] T. Okamoto, S. Onda, K. Yanaga, N. Suzuki, and A. Hattori. Clinical application of navigation surgery using augmented reality in the abdominal field. *Surgery Today*, 45(4):397–406, 2015.
- [13] X. Zhong, P. Liu, and N. D. Georganas. Designing a Vision-based Collaborative Augmented Reality Application for Industrial Training. 45:7–19, 2003.