# **RX / MEDICAL NECESSITY FORM**

PATIENT INFORMATION				
TAYLOR	BARBARA			
LAST NAME	FIRST NAME	MI		
FEMALE	06/09/1939	5124462774	SHIPPING METHOD:  SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	SHIP TO PATIENT'S PHYSICIAN CLINIC	
1704 ALCOA AVE	ROCKDALE	TX 76567		
ADDRESS	CITY	STATE & ZIPCODE		
INSURANCE INFORMAT	ION			
MEDICARE		SECONDARY INSURANCE		
PRIMARY INSURANCE	_			
5QE7NG2CP33		MEMBER ID	-	
MEMBER ID				
PHYSICIAN INFORMATION	_			
COURTNEY PAULSEN RN, NP	-C	1700015534		
PHYSICIAN NAME		NPI#		
		5128984001		
200 SYDNEY THORNDALE TX	76577	PHONE NUMBER		
PRACTICE LOCATION		5128984201		
		FAX NUMBER		
PRESCRIPTION SELECT	TON			
□ L3960 / L3670 - Shoulder Brace L3660 - Shoulder Brace (Side: L0650 - Lumbar Brace (Waist: L0447 - Lumbar Brace (Waist: L0457 - Lumbar Brace (Waist: L0648 - Lumbar Brace (Waist: E0100 - Electric Heat Pad L1690 - Hip Brace (Side: □ L1686 - Hip Brace (Side: □ L12624 - Hip Joint Adjustable Fluid L3760 - Elbow Brace (Side: □	□ L □ R) (Size: ) ) ) ) ) ) ) □ R) (Waist: ) □ R) (Waist: ) exion, Extension (Side: □ L □ R)	□ L3916 – Wrist H □ L3915 - Wrist H □ L1852 – Knee E □ L1851 – Knee E □ L1833 – Knee E □ L2397 – Knee E □ L2425 – Dial Lo □ L2820 – Lower □ L1906 / L1971 – □ L0174 – Cervica	Extremity Ortho  - Ankle Brace (Side:   L   R) (Shoe Size: )	
MEDICAL INFORMATION	I			
ICD 10 (Diagnosis Code(s)):  ☐ M54.50- Low back pain, unspeci  ☐ M17.12- Unilateral primary osteo  ☐ M25.512-Pain in the left shoulde  ☐ M25.511-Pain in the right should  ☐ M25.552- Pain in Left Hip	arthritis left knee arthritis right knee r	☐ M19.071- Os ☐ M25.522 Pair	ain in right wrist steoarthritis Left Ankle steoarthritis Right Ankle	
☐ M25.551- Pain in Right Hip  Length of Need: ☑ 12+ mor	oths (long term) □# of mo	☐ M54.2-Cervio	calgia Pain in Neck	

#### DV MEDICAL SUPPLY

ИE		$\sim ^{\Lambda}$			07	$\overline{}$		v
┅	υı	LA	۱L	п	.5	u	ĸ	T

**Previous treatments: TAKING MEDICATION** 

**Doctor's Notes:** The patient reports chronic **LEFT KNEE AND RIGHT KNEE** pain for **7 YEARS**. Patient states pain is **SHARP** with a pain scale of **8** and pain worsens with movements. Pain is caused by **ARTHRITIS** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE		
<b>Physician Verification:</b> By my signature, I am prindicated and necessary and consistent with current	, ,	. , ,
	COURTNE	EY PAULSEN RN, NP-C
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:	DATE:

Patient Name: BARBARA TAYLOR

Patient Address: 1704 ALCOA AVE ROCKDALE TX 76567

Patient Phone: 5124462774

Physician Name: **COURTNEY PAULSEN RN, NP-C** Address: 200 SYDNEY THORNDALE TX 76577

Telephone: 5128984001 Fax: 5128984201 Patient: BARBARA TAYLOR Date of Birth: 06/09/1939 Visit Date: April 2024 Reason for visit: CHECK-UP

# **Clinical Summary**

**Patient Demographics** 

ratient beinographics			
Patient Name:	BARBARA TAYLOR	Date of Birth:	06/09/1939
Age:	85	Phone Number:	5124462774
Address:	1704 ALCOA AVE	City:	ROCKDALE
State:	тх	Zip Code:	76567
Gender:	FEMALE	Height:	5'6
Weight:	200	Waist Size	XL

#### **Patient Insurance**

der: MEDICARE	Member ID: 5QE7NG2CP33	
---------------	------------------------	--

#### **Medications**

Current Medication	ADVIL (AS NEEDED), ASPIRIN (ONCE A DAY)
Medical History	NONE

# **Medical Diagnosis**

The pain level was indicated on a scale of 1-10 as the following: 8

The patient's pain started on or around 7 YEARS

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: TAKING MEDICATION

The patient described their pain as the following: SHARP

The activities that make the patient's pain worse is as follows: MOVING AROUND, BENDING, WALKING

The pain is located in the patient's LEFT KNEE AND RIGHT KNEE

The patient's pain is caused by ARTHRITIS

The last time the patient has seen the doctor was on April 2024

#### **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE AND RIGHT KNEE

# **Subjective Notes**

The patient reports chronic **LEFT KNEE AND RIGHT KNEE** pain for **7 YEARS**. Patient states pain is **SHARP** with a pain scale of **8** and pain worsens with movement. The pain is caused by **ARTHRITIS** and is experienced **CONSTANTLY**. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

# Objective of Assessment (Review of Symptoms)

Patient has chronic pain for 7 YEARS located in their LEFT KNEE AND RIGHT KNEE related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **SHARP** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **8**. The following activities make the patient's pain worse: **MOVING AROUND**, **BENDING**, **WALKING**. Patient needs a **LEFT KNEE AND RIGHT KNEE** Brace to provide support and reduce pain level.

#### **Plan & Treatment Goals**

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIALLATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

### **ICD 10 (Diagnostic Codes)**

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee

#### Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

#### **Physician Information**

Provider Name: COURTNEY PAULSEN RN, NP-C

Address: 200 SYDNEY THORNDALE TX 76577

Physician's Signature:

Date:

Patient Name: BARBARA TAYLOR

Patient Address: 1704 ALCOA AVE ROCKDALE TX 76567

Patient Phone: 5124462774

#### LETTER OF MEDICAL NECESSITY

Re: BARBARA TAYLOR

Orthotic Device Need Assessment

Exam Date: 07/22/2024

Height: **5'6** Weight: **200** DOB: **06/09/1939** 

Ms TAYLOR is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE AND RIGHT KNEE.

Ms TAYLOR reports chronic LEFT KNEE AND RIGHT KNEE pain for 7 YEARS. Patient states pain is SHARP with a pain scale of 8 and pain worsens with MOVING AROUND, BENDING, WALKING. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee.

Based on my conversation with Ms TAYLOR and evaluation of his/her condition, I am ordering the following: L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE.

Patient is ambulatory and has weakness of the **LEFT KNEE AND RIGHT KNEE** requiring stabilization for improvement of functionality. I am prescribing this **KNEE** orthosis for the following indication(s): to aid when the patient is **MOVING AROUND**, **BENDING, WALKING**, to aid in stabilization of the **KNEE**. My treatment goal(s) for the use of the prescribed **KNEE** orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms TAYLOR** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms TAYLOR** continue medical follow-up as part of an ongoing plan of care.

Re: BARBARA TAYLOR DOB: Jur	ne 09, 1939
performed the assessment of the patient for the	I confirm this order for the above-named patient, and certify that I have personally prescribed treatment and device and verify that it is reasonably and medically medical practice within the community, for this patient's medical condition.
COURTNEY PAULSEN RN, NP-C Signature	Date Signed:

# Comprehensive Knee Laxity Test (Check All Applicable)

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

# Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive