# **RX / MEDICAL NECESSITY FORM**

PATIENT INFORMATION	N			
SMITH	JEANNE			
LAST NAME	FIRST NAME	MI		
FEMALE	04/21/1951	3368536098	SHIPPING METHOD:  SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	☐ SHIP TO PATIENT'S PHYSICIAN CLINIC	
4898 S NC HIGHWAY 150	LEXINGTON	NC 27295		
ADDRESS	CITY	STATE & ZIPCODE		
INSURANCE INFORMAT	rion .			
MEDICARE				
PRIMARY INSURANCE	_	SECONDARY INSURANCE		
5JQ8P95ND63				
MEMBER ID		MEMBER ID		
PHYSICIAN INFORMATI	ON			
STEVEN SPIVEY M.D.		1659634061		
PHYSICIAN NAME		NPI#		
		3362380235		
13 MEDICAL PARK DR LEXIN	GTON NC 27292	PHONE NUMBER		
PRACTICE LOCATION		3362438624		
FAX NUMBER				
PRESCRIPTION SELECT	TION			
□ L3670 – Shoulder Brace (Side: □ L3960 – Shoulder Brace (Side: □ L3660 – Shoulder Brace (Side: □ L0650 – Lumbar Brace (Waist: □ L0642 – Lumbar Brace (Waist: □ L0457 – Lumbar Brace (Waist: □ L0648 – Lumbar Brace (Waist: □ E0100 – Electric Heat Pad □ L1690 – Hip Brace (Side: □ L □ L1686 – Hip Brace (Side: □ L □ L2624 – Hip Joint Adjustable F □ L3760 – Elbow Brace (Side: □	□ L □ R) (Size: ) □ L □ R) (Size: ) ) ) ) )  □ R) (Waist: ) □ R) (Waist: ) lexion, Extension (Side: □ L □ R)	□ L3916 − Wrist Har □ L3915 - Wrist Har □ L1852 − Knee Bra □ L1833 − Knee Bra □ L2397 − Knee Sle □ E0100 − Cane □ L2425 − Dial Lock □ L2820 − Lower Ex □ L1971 − Ankle Bra □ L1906 − Ankle Bra □ L0174 − Cervical I	tremity Ortho ace (Side: □ L □ R) (Shoe Size: ) ace (Side: □ L □ R) (Shoe Size: )	
MEDICAL INFORMATIO ICD 10 (Diagnosis Code(s)):	cified oarthritis left knee oarthritis right knee er	<ul> <li>□ M19.071- Oste</li> <li>□ M25.522 Pain i</li> <li>□ M25.521 Pain i</li> <li>□ M54.2-Cervical</li> </ul>	in right wrist oarthritis Left Ankle oarthritis Right Ankle n left elbow	

#### DV MEDICAL SUPPLY

٨л		ICA		ш	2	$\overline{}$	$\mathbf{D}$	•
ΙVΙ	EIJ	IL.A	\ L	п	.5	ı ()	ĸ	T

**Previous treatments: TAKING MEDICATION** 

**Doctor's Notes:** The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **A YEAR**. Patient states pain is **ACHY** with a pain scale of **7** and pain worsens with movements. Pain is caused by **WEAR AND TEAR** and is experienced **SOMETIMES**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE		
<b>Physician Verification:</b> By my signature, I am prescribing th indicated and necessary and consistent with current accepted	, ,	
	STEVEN S	SPIVEY M.D.
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:	DATE:

Patient Name: JEANNE SMITH

Patient Address: 4898 S NC HIGHWAY 150 UNIT 3 LEXINGTON NC 27295

Patient Phone: 3368536098

Physician Name: STEVEN SPIVEY M.D.

Address: 13 MEDICAL PARK DR LEXINGTON NC 27292

Telephone: **3362380235** Fax: **3362438624** 

Patient: **JEANNE SMITH**Date of Birth: **04/21/1951**Visit Date: **May 2024**Reason for visit: **CHECK-UP** 

# **Clinical Summary**

**Patient Demographics** 

r aticiti Demograpinos			
Patient Name:	JEANNE SMITH	Date of Birth:	04/21/1951
Age:	73	Phone Number:	3368536098
Address:	4898 S NC HIGHWAY 150 UNIT 3	City:	LEXINGTON
State:	NC	Zip Code:	27295
Gender:	FEMALE	Height:	5'9
Weight:	145	Waist Size	L

#### **Patient Insurance**

Provider: MEDICARE Member ID: 5JQ8P95ND63
---

#### Medications

Current Medication	ASPIRIN (ONCE A DAY) LOZARTAN (ONCE A DAY), HIGHBLOOD PRESSURE PILL(2X A DAY)
Medical History	HIGH BLOOD PRESSURE

# **Medical Diagnosis**

Medical Diagnosis
The pain level was indicated on a scale of 1-10 as the following: 7
The patient's pain started on or around A YEAR
The surgery addressed the following: NA
The pain is experienced <b>SOMETIMES</b>
The patient has attempted the following previous treatments/therapies: TAKING MEDICATION
The patient described their pain as the following: ACHY
The activities that make the patient's pain worse is as follows: WALKING
The pain is located in the patient's LEFT KNEE, RIGHT KNEE
The patient's pain is caused by WEAR AND TEAR
The last time the patient has seen the doctor was on May 2024

# **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE, RIGHT KNEE

#### Subjective Notes

The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **A YEAR**. Patient states pain is **ACHY** with a pain scale of **7** and pain worsens with movement. The pain is caused by **WEAR AND TEAR** and is experienced **SOMETIMES**. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

# **Objective of Assessment (Review of Symptoms)**

Patient has chronic pain for A YEAR located in their LEFT KNEE, RIGHT KNEE related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee,. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **ACHY** and occurs **SOMETIMES**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **7**. The following activities make the patient's pain worse: **WALKING**. Patient needs a **BACK**, **LEFT KNEE**, **RIGHT KNEE**, **RIGHT WRIST AND LEFT WRIST** Brace to provide support and reduce pain level.

#### **Plan & Treatment Goals**

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

#### ICD 10 (Diagnostic Codes)

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee,

#### Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

# Physician Information

mysician information	
Provider Name:	STEVEN SPIVEY M.D.
Address:	13 MEDICAL PARK DR LEXINGTON NC 27292
Physician's Signature:	
Date:	

Patient Name: **JEANNE SMITH** 

Patient Address: 4898 S NC HIGHWAY 150 UNIT 3 LEXINGTON NC 27295

Patient Phone: 3368536098

### LETTER OF MEDICAL NECESSITY

Re: **JEANNE SMITH** 

Orthotic Device Need Assessment

Exam Date: 08/02/2024

Height: **5'9** Weight: **145** DOB: **04/21/1951** 

Ms SMITH is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE, RIGHT KNEE.

Ms SMITH reports chronic LEFT KNEE, RIGHT KNEE pain for A YEAR. Patient states pain is ACHY with a pain scale of 7 and pain worsens with WALKING. Pain is experienced SOMETIMES. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, Based on my conversation with Ms SMITH and evaluation of his/her condition, I am ordering the following: L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE)

Patient is ambulatory and has weakness of the **LEFT KNEE**, **RIGHT KNEE** requiring stabilization for improvement of functionality. I am prescribing this **KNEE** orthosis for the following indication(s): to aid when the patient is **WALKING**, to aid in stabilization of the **KNEE**. My treatment goal(s) for the use of the prescribed **KNEE** orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms SMITH** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms SMITH** continue medical follow-up as part of an ongoing plan of care.

Re: JEANNE SMITH			
STEVEN SPIVEY M.D.	Date Signed:		

# Comprehensive Knee Laxity Test (Check All Applicable)

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

# Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive