RX / MEDICAL NECESSITY FORM

PATIENT INFORMATIO	N			
FRANCIS RHODES	CARLA			
LAST NAME	FIRST NAME	MI		
FEMALE	06/10/1963	5732189021	SHIPPING METHOD: SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	SHIP TO PATIENT'S PHYSICIAN CLINIC	
640 BURKS RD	FARMINGTON	MO 63640		
ADDRESS	CITY	STATE & ZIPCODE		
INSURANCE INFORMA	TION			
MEDICARE				
PRIMARY INSURANCE		SECONDARY INSURANCE		
8RV7MR7CX33		MEMBER IR		
MEMBER ID		MEMBER ID		
PHYSICIAN INFORMAT	ION			
LAURENCE LUM DO		1932193554		
PHYSICIAN NAME		NPI #		
		5734314449		
330 N STATE ST SUITE C DE	SLOGE MO 63601	PHONE NUMBER		
PRACTICE LOCATION		5734312443		
		FAX NUMBER		
PRESCRIPTION SELEC	TION			
□ L3670 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3761 - Elbow Brace (Side: □ L □ R) (Size:) □ L3960 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3916 - Wrist Hand Finger (Side: □ L □ R) (Size: SMALL) □ L3660 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3915 - Wrist Hand Finger (Side: □ L □ R) (Size:) □ L0650 - Lumbar Brace (Waist:) □ L1852 - Knee Brace (Side: □ L □ R) (Size: MEDIUM) □ L0457 - Lumbar Brace (Waist: LARGE) □ L1833 - Knee Brace (Side: □ L □ R) (Size:) □ L0648 - Lumbar Brace (Waist:) □ L2397 - Knee Sleeve (Size: MEDIUM) (Qty: 2) □ L0648 - Lumbar Brace (Waist:) □ E0100 - Cane □ L1690 - Hip Brace (Side: □ L □ R) (Waist:) □ L2425 - Dial Lock Hinge ROM □ L1686 - Hip Brace (Side: □ L □ R) (Waist:) □ L1971 - Ankle Brace (Side: □ L □ R) (Shoe Size:) □ L1971 - Ankle Brace (Side: □ L □ R) (Shoe Size:) □ L1906 - Ankle Brace (Side: □ L □ R) (Shoe Size:) □ L3760 - Elbow Brace (Side: □ L □ R) □ L174 - Cervical Brace □ L3170 - Heel Stabilizer (Side: □ L □ R)		ad Finger (Side: ⊠ L ⊠ R) (Size: SMALL) d Finger (Side: □ L □ R) (Size:) ce (Side: ⊠ L ⊠ R) (Size: MEDIUM) ce (Side: □ L □ R) (Size:) eve (Size: MEDIUM) (Qty: 2) Hinge ROM tremity Ortho toe (Side: □ L □ R) (Shoe Size:) toce (Side: □ L □ R) (Shoe Size:) Brace		
MEDICAL INFORMATIO ICD 10 (Diagnosis Code(s)):	ocified eoarthritis left knee eoarthritis right knee der Ider		in right wrist parthritis Left Ankle parthritis Right Ankle n left elbow n right elbow	

FIRST STEP DME INC.

MEDICAL HISTORY

Previous treatments: PHYSICAL THERAPY, TAKING MEDICATION

Doctor's Notes: The patient reports chronic **LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST** pain for **A YEAR**. Patient states pain is **THROBBING** with a pain scale of **8** and pain worsens with movements. Pain is caused by **ARTHRITIS AND NEUROPATHY** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE			
Physician Verification: By my signature, I am prescribing the indicated and necessary and consistent with current accepted		, ,	` '
		LAURENCE LUM DO	
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:		DATE:

Patient Name: CARLA FRANCIS RHODES

Patient Address: 640 BURKS RD FARMINGTON MO 63640

Patient Phone: 5732189021

Physician Name: LAURENCE LUM DO

Address: 330 N STATE ST SUITE C DESLOGE MO 63601

Telephone: **5734314449** Fax: **5734312443**

Patient: CARLA FRANCIS RHODES

Date of Birth: 06/10/1963 Visit Date: 06/06/2024 Reason for visit: CHECK-UP

Clinical Summary

Patient Demographics

· anom Domograpines			
Patient Name:	CARLA FRANCIS RHODES	Date of Birth:	06/10/1963
Age:	61	Phone Number:	5732189021
Address:	640 BURKS RD	City:	FARMINGTON
State:	мо	Zip Code:	63640
Gender:	FEMALE	Height:	5'3
Weight:	150	Waist Size	L

Patient Insurance

Medications

Current Medication	GABAPENTIN 300MG, HYDROCODONE 325MG	
Medical History	DIABETES	

Medical Diagnosis

The pain level was indicated on a scale of 1-10 as the following: 8

The patient's pain started on or around A YEAR

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: PHYSICAL THERAPY, TAKING MEDICATION

The patient described their pain as the following: THROBBING

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST

The patient's pain is caused by ARTHRITIS AND NEUROPATHY

The last time the patient has seen the doctor was on 06/06/2024

Chief Complaint

The patient's main complaint is that they experience chronic pain located in the following location(s): LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST

Subjective Notes

The patient reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST pain for A YEAR. Patient states pain is THROBBING with a pain scale of 8 and pain worsens with movement. The pain is caused by ARTHRITIS AND NEUROPATHY and is experienced CONSTANTLY. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for A YEAR located in their LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST related to M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **THROBBING** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **8**. The following activities make the patient's pain worse: **DOING DAILY ACTIVITIES**. Patient needs a **BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST** Brace to provide support and reduce pain level.

Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF), including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment. I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary

ICD 10 (Diagnostic Codes)

M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist

Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information Provider Name:	LAURENCE LUM DO	
Address:	330 N STATE ST SUITE C DESLOGE MO 63601	
Physician's Signature:		
Date:		

Patient Name: CARLA FRANCIS RHODES

Patient Address: 640 BURKS RD FARMINGTON MO 63640

Patient Phone: 5732189021

LETTER OF MEDICAL NECESSITY

Re: CARLA FRANCIS RHODES
Orthotic Device Need Assessment

Exam Date: 07/02/2024

Height: 5'3 Weight: 150 DOB: 06/10/1963

Ms FRANCIS RHODES is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST.

Ms FRANCIS RHODES reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST pain for A YEAR. Patient states pain is THROBBING with a pain scale of 8 and pain worsens with DOING DAILY ACTIVITIES. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Based on my conversation with Ms FRANCIS RHODES and evaluation of his/her condition, I am ordering the following: L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF).

Patient is ambulatory and has weakness of the LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST requiring stabilization for improvement of functionality. I am prescribing this BACK, WRIST AND KNEE orthosis for the following indication(s): to aid when the patient is DOING DAILY ACTIVITIES, to aid in stabilization of the BACK, WRIST AND KNEE. My treatment goal(s) for the use of the prescribed BACK, WRIST AND KNEE orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms FRANCIS RHODES** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms FRANCIS RHODES** continue medical follow-up as part of an ongoing plan of care.

examination, and I have recommended that	Ms FRANCIS RHODES continue medical follow-up as part of an ongoing plan of care.	
	this order for the above-named patient, and certify that I have personally performed the assessme device and verify that it is reasonably and medically necessary, according to accepted standards or	
LAURENCE LUM DO Signature	Date Signed:	

Comprehensive Knee Laxity Test (Check All Applicable)

Objective Tests: (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

Pivot Shift Test (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive