### **RX / MEDICAL NECESSITY FORM**

PATIENT INFORMATIO	N		
TASSEY	KEVIN		
LAST NAME	FIRST NAME	MI	CUIDDING METUOD
MALE	03/22/1974	9176742120	SHIPPING METHOD:  SHIP TO PATIENT'S HOME ADDRESS
GENDER	DATE OF BIRTH	PHONE NUMBER	☐ SHIP TO PATIENT'S PHYSICIAN CLINIC
5 BLACK OAK LANE	FREEHOLD	NJ 07728	
ADDRESS	CITY	STATE & ZIPCODE	
INSURANCE INFORMA	TION		
MEDICARE			
PRIMARY INSURANCE		SECONDARY INSURANCE	
4TQ5UD2FJ58			
MEMBER ID		MEMBER ID	
PHYSICIAN INFORMAT	TION		
JACLYN GULIANO MD		1225445737	
PHYSICIAN NAME		NPI#	
		7327801601	
479 NEWMAN SPRINGS RD	STE 101A MARLBORO NJ 07746	PHONE NUMBER	
PRACTICE LOCATION		7328340438	
		FAX NUMBER	
PRESCRIPTION SELEC	CTION		
□ L3670 - Shoulder Brace (Sid L3960 - Shoulder Brace (Sid L3660 - Shoulder Brace (Sid L0650 - Lumbar Brace (Wais L0642 - Lumbar Brace (Wais L0457 - Lumbar Brace (Wais E0100 - Electric Heat Pad L1690 - Hip Brace (Side: □ L1686 - Hip Brace (Side: □ L2624 - Hip Joint Adjustable L3760 - Elbow Brace (Side:	e:	<ul> <li>■ L3916 – Wrist Har</li> <li>■ L3915 · Wrist Har</li> <li>■ L1852 – Knee Bra</li> <li>■ L1833 – Knee Bra</li> <li>■ L2397 – Knee Sle</li> <li>■ E0100 – Cane</li> <li>■ L2425 – Dial Lock</li> <li>■ L2820 – Lower Ex</li> <li>■ L1971 – Ankle Bra</li> <li>■ L1906 – Ankle Bra</li> <li>■ L0174 – Cervical</li> </ul>	xtremity Ortho ace (Side: □ L □ R) (Shoe Size: ) ace (Side: □ L ⊠ R) (Shoe Size: 14)
MEDICAL INFORMATION ICD 10 (Diagnosis Code(s)):  M54.50- Low back pain, unspound for the second form of the	ecified eoarthritis left knee eoarthritis right knee der	☐ M25.522 Pain i ☐ M25.521 Pain i	n in right wrist coarthritis Left Ankle coarthritis Right Ankle in left elbow

**Length of Need:** ⊠ 12+ months (long term) □ \_\_\_\_\_ # of months (1-11)

#### FIRST STEP DME INC.

#### **MEDICAL HISTORY**

**Previous treatments: TAKING MEDICATION** 

Doctor's Notes: The patient reports chronic LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST pain for MORE THAN A YEAR. Patient states pain is ACHY, DULL with a pain scale of 9 and pain worsens with movements. Pain is caused by WEAR AND TEAR and is experienced CONSTANTLY. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE		
<b>Physician Verification:</b> By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.		
	JACLYN GULIANO MD	
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:	DATE:

Patient Name: KEVIN TASSEY

Patient Address: 5 BLACK OAK LANE FREEHOLD NJ 07728

Patient Phone: 9176742120

Physician Name: JACLYN GULIANO MD

Address: 479 NEWMAN SPRINGS RD STE 101A MARLBORO NJ

Telephone: **7327801601** Fax: **7328340438** 

Patient: **KEVIN TASSEY** Date of Birth: **03/22/1974** Visit Date: **03/14/2024** Reason for visit: **CHECK-UP** 

## **Clinical Summary**

**Patient Demographics** 

ratient beinographics			
Patient Name:	KEVIN TASSEY	Date of Birth:	03/22/1974
Age:	50	Phone Number:	9176742120
Address:	5 BLACK OAK LANE	City:	FREEHOLD
State:	NJ	Zip Code:	07728
Gender:	MALE	Height:	6'5
Weight:	215	Waist Size	36

#### **Patient Insurance**

Provider:	MEDICARE	Member ID:	4TQ5UD2FJ58
-----------	----------	------------	-------------

#### **Medications**

Current Medication	MELOXICAM AS NEEDED
Medical History	NONE

#### **Medical Diagnosis**

The pain level was indicated on a scale of 1-10 as the following: 9

The patient's pain started on or around MORE THAN A YEAR

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: TAKING MEDICATION

The patient described their pain as the following: ACHY, DULL

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST

The patient's pain is caused by WEAR AND TEAR

The last time the patient has seen the doctor was on 03/14/2024

#### **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST

#### **Subjective Notes**

The patient reports chronic LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST pain for MORE THAN A YEAR. Patient states pain is ACHY, DULL with a pain scale of 9 and pain worsens with movement. The pain is caused by WEAR AND TEAR and is experienced CONSTANTLY. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

#### Objective of Assessment (Review of Symptoms)

Patient has chronic pain for MORE THAN A YEAR located in their LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST related to M54.50- Low back pain, unspecified, M17.12- Unilateral primary osteoarthritis left knee, M19.071- Osteoarthritis Right Ankle, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

#### FIRST STEP DME INC.

Patient's chronic pain is described ACHY, DULL and occurs CONSTANTLY. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level 9. The following activities make the patient's pain worse: DOING DAILY ACTIVITIES. Patient needs a LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST Brace to provide support and reduce pain level

#### **Plan & Treatment Goals**

Based on my evaluation of the patient's condition, I am ordering the following device(s) L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF), L1906 ANKLE FOOT ORTHOSIS, MULTILIGAMENTOUS ANKLE SUPPORT, PREFABRICATED, OFF-THE-SHELF INCLUDES L3170 HEEL STABILIZER., including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

#### ICD 10 (Diagnostic Codes)

M54.50- Low back pain, unspecified, M17.12- Unilateral primary osteoarthritis left knee, M19.071- Osteoarthritis Right Ankle, M25.532-Pain in left wrist, M25.531- Pain in right wrist

#### Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Provider Name:	JACLYN GULIANO MD
Address:	479 NEWMAN SPRINGS RD STE 101A MARLBORO NJ 07746
Physician's Signature:	
Date:	

Patient Name: KEVIN TASSEY

Patient Address: 5 BLACK OAK LANE FREEHOLD NJ 07728

Patient Phone: 9176742120

#### LETTER OF MEDICAL NECESSITY

Re: KEVIN TASSEY

Orthotic Device Need Assessment

Exam Date: 08/13/2024

Height: 6'5 Weight: 215 DOB: 03/22/1974

Mr TASSEY is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST.

Mr TASSEY reports chronic LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST pain for MORE THAN A YEAR. Patient states pain is ACHY, DULL with a pain scale of 9 and pain worsens with DOING DAILY ACTIVITIES. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M54.50- Low back pain, unspecified, M17.12- Unilateral primary osteoarthritis left knee, M19.071- Osteoarthritis Right Ankle, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Based on my conversation with Mr TASSEY and evaluation of his/her condition, I am ordering the following: L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF), L1906 ANKLE FOOT ORTHOSIS, MULTILIGAMENTOUS ANKLE SUPPORT, PREFABRICATED, OFF-THE-SHELF INCLUDES L3170 HEEL STABILIZER.

Patient is ambulatory and has weakness of the LOWER BACK, LEFT KNEE, RIGHT ANKLE, RIGHT WRIST AND LEFT WRIST requiring stabilization for improvement of functionality. I am prescribing this BACK, KNEE, ANKLE, WRIST orthosis for the following indication(s): to aid when the patient is DOING DAILY ACTIVITIES, to aid in stabilization of the BACK, KNEE, ANKLE, WRIST. My treatment goal(s) for the use of the prescribed BACK, KNEE, ANKLE, WRIST orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Mr TASSEY** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Mr TASSEY** continue medical follow-up as part of an ongoing plan of care.

	the above-named patient, and certify that I have personally performed the assessment erify that it is reasonably and medically necessary, according to accepted standards of lical condition.
JACLYN GULIANO MD Signature	Date Signed:

# <u>Comprehensive Knee Laxity Test (Check All Applicable)</u>

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

#### Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive