

1 Application of the XT3D Multi-Point Flux Approximation to  
2 Vertically Staggered Grids  
3 or maybe

4 Application of the XT3D Multi-Point Flux Approximation and  
5 Enhanced Grid Connectivity to Improve Accuracy of Flows in  
6 MODFLOW 6 Models With Steeply Sloping Layers

7 Xt3d Enthusiast1, Affiliation1

8 Xt3d Enthusiast2, Affiliation2

9 Xt3d Enthusiast3, Affiliation3

10 Xt3d Enthusiast4, Affiliation4

11 August 23, 2022

12 **Conflict of interest:** None.

13 **Key words:** Key words ...

14 **Article impact statement:** Article impact statement ...

15 **Abstract**

16 This is the best paper ever...

17 **1 Introduction**

18 Some intro stuff here about MODFLOW (Hughes et al., 2017; Langevin et al., 2017, 2022) and XT3D  
19 (Provost et al., 2017)... Horizontal tops and bottoms of cells... Connection length issue...

Reference and summarize VO results in Bardot et al. (2022). This is an extreme case (virtually impermeable domain surrounding the channel) that nicely accentuates the problem, but there should be some error in any application involving VO grids. Obviously expect it to be a bigger issue for greater offsets. XT3D didn't help, which was initially surprising since it takes into account connection angles and lengths. Not specifying all the angles in the NPF input would cause XT3D to default to "nozee" and therefore assume "horizontal" connections are strictly horizontal, but that was not the case in Bardot et al. (2022).

We explain in this note that it's not just a connection angle and length issue, though that has an effect. The main problem with a VO grid is insufficient hydraulic communication between grid cells in adjacent layers. (It's not restricted to layered models, but it's convenient to describe it in terms of layers.) We propose and test a solution to the problem that involves enhanced connectivity between cells.

We present three test models that demonstrate 1) how a VO grid effectively creates wormholes for flow, 2) results on an unmodified VO DIS grid, 3) results on corresponding DISU grid with enhanced connectivity. Results suggest that enhanced connectivity resolves the issue.

## 2 Theoretical Background

Explain vertically offset (VO) grids and the connection angle/length issue in more detail than in the Intro. Discuss areas.

Summarize XT3D and how it accounts for connection angle/length. Reference demonstration by Bardot et al. (2022) that, in spite of that, XT3D doesn't really improve things for a steeply sloping grid. Must be something else going on in VO grids.

Explain wormholes and how they induce horizontal flow in the sloping channel regardless of XT3D.

- Grid with "connector cells"
- Role of flows between layers
- Shutting off flows between layers using extreme anisotropy in connector cells
  - Sloping flow in connector cells
  - Horizontal flow in flat-top cells
- Squashing of connector cells VO grid with horizontal flows and "wormholes"

Proposed solution is to introduce cross-connections between layers.

### 3 Approach

Summarize the overall approach here.

Will use a DISV plan-view model with connector cells and XT3D to demonstrate the "wormhole" effect discussed in the Theoretical Background in the limit as connector cells are squashed out. (Also can look at the other limit, as flat-top cells are squashed and connector cells dominate, so grid follows the channel boundary.)

Will use a DIS cross-sectional model to show results you get on a vertically staggered grid (without cross-connections), with and without XT3D. Basically show that we can reproduce what Bardot et al. (2022) found.

Will convert the DIS grid to a DISU grid with cross-connections and show improved results, with and without XT3D.

### 4 Description of Test Problems

Describe the test problem setups here.

#### 4.1 Test problem 1 (DISV plan-view with connector cells)

Test problem 1...

#### 4.2 Test problem 2 (DIS cross-sectional)

Test problem 2...

#### 4.3 Test problem 3 (DISU cross-sectional with cross-connections)


Test problem 3...

### 5 Results and Discussion


### 6 Conclusions

### 7 Acknowledgments


Thank all those reviewers.




**Figure 1:** Connector cells are conceptually useful.



**Figure 2:** Smooth is good.



**Figure 3:** Wormholes are bad.



**Figure 4:** Cross-connections are good.

## 8 Supporting Information

## 9 Appendix

## References

- Bardot, K., Lesueur, M., Siade, A. J., and McCallum, J. L. (2022). Revisiting MODFLOW’s capability to model flow through sedimentary structures. *Groundwater*, 00(0):000–000.
- Hughes, J. D., Langevin, C. D., and Banta, E. R. (2017). *Documentation for the MODFLOW 6 framework*. U.S. Geological Survey Techniques and Methods, book 6, chap. A57, 36 p.
- Langevin, C. D., Hughes, J. D., Provost, A. M., Banta, E. R., Niswonger, R. G., and Panday, S. (2017). *Documentation for the MODFLOW 6 Groundwater Flow (GWF) Model*. U.S. Geological Survey Techniques and Methods, book 6, chap. A55, 197 p.
- Langevin, C. D., Provost, A. M., Panday, S., and Hughes, J. D. (2022). *Documentation for the MODFLOW 6 Groundwater Transport (GWT) Model*. U.S. Geological Survey Techniques and Methods, book 6, chap. A61, 56 p.
- Provost, A. M., Langevin, C. D., and Hughes, J. D. (2017). *Documentation for the “XT3D” Option in the Node Property Flow (NPF) Package of MODFLOW 6*. U.S. Geological Survey Techniques and Methods, book 6, chap. A56, 46 p.