Zero-weighted Exercise (0%): Introduction to C

CS2002 - Jon Lewis < jon.lewis@st-andrews.ac.uk>

Due date: Friday 26th January (Week 2), 21:00 MMS is the definitive source for all coursework deadlines

This exercise does not count towards your module grade. However, it is very much recommended that you attempt the exercise as it gives you the opportunity to get used to the C programming language, creating makefiles, development in C, and running stacscheck over your program developed in C.

As this is a zero-weighted exercise, a report is **not** required.

Objective

- to introduce you to programming in C
- to introduce you to creating and using makefiles
- to introduce you to running stacscheck over your program developed in C

Learning Outcomes

By the end of this practical you should understand:

- writing a makefile to build your program
- writing simple functions in C
- how to run the automated checker on your solution written in C

Getting started

We would very much recommend that you work in the labs for CS2002. To start with, you should create and change to a new directory for this CS2002 exercise on the lab machines, such as by

```
mkdir -p /cs/home/$USER/Documents/CS2002/W02-Exercise/src
cd /cs/home/$USER/Documents/CS2002/W02-Exercise/src
```

You will then have to decide which editor or IDE to use if you haven't already. If you are using an IDE such as VS Code, you can open the W02-Exercise folder in VS Code. If you right-click on the src sub-directory in the explorer in VS Code, you can create a new file called recursive_fib.c to which you will add code below. If you are using CLion or Eclipse (with CDT tools installed from market place) you can use the W02-Exercise directory as the base directory for your new project in that IDE. In any case, even if you are using an IDE, I would recommend that you use it merely as an editor and that you use a terminal window (in which you created the directory above) to compile and run your program and execute stacscheck.

Requirements

In this exercise, you will write a program, in three stages, to calculate a sequence of numbers called the "Weighted Fibonacci sequence". You will do this in two stages. You should submit a zip file containing:

Your source code, with a Makefile, which must be in a directory called src within your assignment directory, for stacscheck.

A C Program to Calculate The Weighted Fibonacci Sequence

You are expected to create correct Makefile entries for each stage. These should have correct dependencies, so if one file is changed the correct objects are rebuilt. The directory below contains some examples which may be of help.

https://studres.cs.st-andrews.ac.uk/CS2002/Examples/

The standard Weighted Fibonacci series begins 0, 1. After this, each term in the Weighted Fibonacci sequence is generated by adding the previous term, plus twice the term before that. Therefore the third element is 1 + 2 * 0 = 1, and the fourth element is 1 + 2 * 1 = 3.

Stage 1: Recursive Calculation

1) Write a function int fibcalc(int n) to calculate the Weighted Fibonacci of n recursively. This function should return 0 for fibcalc(0), 1 for fibcalc(1), and calculate other values recursively.

You should put the function implementation in a source code file called recursive_fib.c and the function prototype in a header file called fib.h. You will have to include the line #include "fib.h" near the top of any .c the files that need to use the function.

- 2) Write a function void print_fib() in a new file, print_fib.c and once again put the function declaration (prototype) into a file print_fib.h. Your void print_fib function should:
 - Print the prompt, Length?
 - Read an integer n from the user using scanf for example
 - Print the first n elements of the Weighted Fibonacci sequence, using the fibcalc function.

For example, with input '7' your program's output should look like the following (where the '7' is entered by the user). Note the list consists of a space after each comma. Empty lists should be denoted as "[]".

```
Length? 7 [0, 1, 1, 3, 5, 11, 21]
```

You are not required to check whether user input is valid. In order to use printf and scanf in print_fib.c, you will need to include stdio.h and in order to use the fibcalc function, you will need to include fib.h.

- 3) Write a main function in a new file run_fib.c. Your main function merely needs to call print_fib. In order to use print_fib in the file run_fib.c, you will have to include the relevant header file containing the print_fib prototype in run_fib.c.
- 4) Write a Makefile, to build an executable called stage1 by linking the .o files run_fib.o, print_fib.o and recursive_fib.o. The rule to build the "stage1" target should link all the relevant .o files together and produce the stage1 output. There should be lines to define the targets for each of the .o files mentioned above for which each rule compiles the associated .c file to a .o file. For example, for the target print_fib.o you might specify print_fib.c and fib.h as dependencies and the rule

(on the next line) might be clang -Wall -Wextra -c print_fib.c. Your Makefile should also have a target clean, which removes any .o object files and the executables (stage1 and stage2 - see below).

- 5) You should test your program using stacscheck. To do this you should:
 - Make sure that make clean works from inside your src directory and that make stage1 works and produces an executable called stage1.
 - From inside your W02-Exercise, run from a lab machine: stacscheck /cs/studres/CS2002/Coursework/W02-Exercise/Tests
 - Assuming you are using VS Code, you can use the Terminal in VS Code to execute these commands.

At this stage of the practical, the 'build-clean' and 'stage1' tests should pass. We will work on the 'stage2' and 'invalid-input' tests in later parts.

If nothing is working and you don't know why, please don't suffer in silence, ask one of the demonstrators in the lab.

Stage 2: Iterative Calculation

- 1) In a new file iterative_fib.c, write a new fibcalc implementation that calculates the Weighted Fibonacci of a variable iteratively, rather than recursively. In particular, this function should only calculate the fib of each value at most once for a given input and call to fibcalc. Give this function the same prototype as your original fibcalc function.
- 2) Add a rule to your Makefile which builds a new executable, stage2, using this new function, by linking the .o files run_fib.o, print_fib.o and iterative_fib.o.

Optional Checking input

Modify the files used in Stage 2 so your program doesn't misbehave for some inputs. Discuss the things you check for, and how you check.

If your program detects an invalid input from the user, it should print "Invalid input\n", then call 'exit'. If it detects an overflow, it should ideally print out regular output as normal and print out "Overflow\n" just prior to the overflow occurring and then call 'exit'. Some hints:

- Don't assume long is bigger than int (you can assume int is at least 32 bits, and long long is at least 64 bits, if you wish)
- You should reject negative inputs in all places.
- It is undefined behaviour to overflow an int.
- Read the documentation of scanf (type man scanf at the command line, or consult the web) to find out how to check the return value of scanf to see if there was an error.

Deliverables

Hand in via MMS, by the deadline of 9pm on Friday of Week 2, a zip file containing your assignment directory in which there is a src directory containing all source code files. As mentioned above, as this is a zero-weighted exercise, **a report is not required**.

Marking

The submission does **not** count towards your module grade and you will not receive a mark on MMS.

I would remind you to ensure you are following the relevant guidelines on good academic practice as outlined at

https://www.st-andrews.ac.uk/students/rules/academicpractice/