

Quiz 1

Problem 1 (15 points; 3 points each). Decide if each of the following are true or false and provide a justification or counterexample in each case. A justification could consist of a theorem from the text. All vector spaces are assumed to be finite-dimensional here.

(a) _____ Given a matrix with rational entries, it is possible to use elementary row operations with only rational constants in II and III to reduce the matrix to *reduced row echelon form (RREF)*?

(b) _____ Write $A \underset{\text{row-op}}{\sim} B$ iff there is a sequence of elementary row operations which when applied to A result in B . Is it true that $A \underset{\text{row-op}}{\sim} B$ iff $\text{rref}(A) = \text{rref}(B)$?

(c) _____ Every invertible matrix can be written as a product of elementary matrices.

(d) _____ If $AC = BC$ for all matrices C , then $A = B$.

(e) _____ Define $A \heartsuit B = AB - BA$ for $n \times n$ matrices A and B . Is \heartsuit associative? That is, is it true that $(A \heartsuit B) \heartsuit C = A \heartsuit (B \heartsuit C)$?

Problem 2 (10 points). Given

$$A = \begin{bmatrix} 1 & -2 & -4 & 3 \\ 4 & 0 & 1 & 2 \\ 0 & -2 & 2 & 2 \end{bmatrix} \text{ and } B = \begin{bmatrix} 3 & -2 & 9 & 3 \\ -1 & 4 & 2 & -5 \\ -8 & -2 & 0 & -2 \end{bmatrix}$$

Prove or disprove that $A \underset{\text{row-op}}{\sim} B$ (see (b) in the T/F part.)

Show all steps, that is indicate exactly what row operations are used.

Problem 3 (10 points). Find the solution set to $A\mathbf{x} = \mathbf{0}$. Write the solution set as $\{t\mathbf{v} \mid t \in \mathbb{R}\}$ for some $\mathbf{v} \in \mathbb{R}^4$. This way it is clear that the solution set is a line in \mathbb{R}^4 .