

● MEDIUM

● ALGEBRA

Linear functions

10 questions · ~15 min

05

Q1

GRID-IN ALGEBRA

$$j(x) = mx + 144$$

For the linear function j , m is a constant and $j(12) = 18$. What is the value of $j(10)$?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

A model predicts that a certain animal weighed 241 pounds when it was born and that the animal gained 3 pounds per day in its first year of life. This model is defined by an equation in the form $fx = a + bx$, where fx is the predicted weight, in pounds, of the animal x days after it was born, and a and b are constants. What is the value of a ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

In the xy-plane, the points $(-2, 3)$ and $(4, -5)$ lie on the graph of which of the following linear functions?

A. $f(x) = x + 5$

B. $f(x) = \frac{1}{2}x + 4$

C. $f(x) = -\frac{4}{3}x + \frac{1}{3}$

D. $f(x) = -\frac{3}{2}x + 1$

x	$f(x)$
0	-2
2	4
6	16

Some values of the linear function f are shown in the table above. What is the value of $f(3)$?

- A. 6
- B. 7
- C. 8
- D. 9

Q5

GRID-IN ALGEBRA

$$fx = 45x + 600$$

The function f gives the monthly fee fx , in dollars, a facility charges to keep x crates in storage. What is the monthly fee, in dollars, the facility charges to keep 50 crates in storage?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

$$f(x) = 2x + 244$$

The given function f represents the perimeter, in centimeters, of a rectangle with a length of x cm and a fixed width. What is the width, in cm, of the rectangle?

- A. 2
- B. 122
- C. 244
- D. 488

The boiling point of water at sea level is 212 degrees Fahrenheit ($^{\circ}\text{F}$). For every 550 feet above sea level, the boiling point of water is lowered by about 1°F . Which of the following equations can be used to find the boiling point B of water, in $^{\circ}\text{F}$, x feet above sea level?

A. $B = 550 + \frac{x}{212}$

B. $B = 550 - \frac{x}{212}$

C. $B = 212 + \frac{x}{550}$

D. $B = 212 - \frac{x}{550}$

The function f is defined by $fx = 4x + kx - 1$, where k is a constant, and $f5 = 32$.
What is the value of $f10$?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

The function f is defined by $f(x) = 7x - 84$. What is the x -intercept of the graph of $y = f(x)$ in the xy -plane?

- A. $-12, 0$
- B. $-7, 0$
- C. $7, 0$
- D. $12, 0$

According to a model, the head width, in millimeters, of a worker bumblebee can be estimated by adding 0.6 to four times the body weight of the bee, in grams. According to the model, what would be the head width, in millimeters, of a worker bumblebee that has a body weight of 0.5 grams?

STUDENT-PRODUCED RESPONSE

.	/.	/.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.