

# Combinatorial Game Theory

Keven Qiu

Instructor: Ryan Hayward

## 1 Introduction

### Definition 1.1: Combinatorial Game Theory (CGT)

The study of finite 2-player, alternating turns, deterministic rules/moves, perfect information games.

### Definition 1.2: Normal Play Games

Whoever cannot move loses.

We can represent combinatorial games with a tree of all continuations. This is a directed acyclic graph where each node contains the game state and the player to move.

Games are played with **Left** and **Right**. In the tree, solid lines represent L moving and dotted represents R moving.

### Definition 1.3: ptm

Player-to-move.

### Definition 1.4: optm

Opponent-to-move.

### Definition 1.5: WLD Game

A combinatorial game that can result in a win, loss, or draw.

### Theorem 1.6 (Zermelo)

In a Win-Loss-Draw game, one of the following holds:

- ptm (first player) has a winning strategy.
- optm (second player) has a winning strategy.
- ptm and optm each have a draw strategy (a non-losing strategy).

**Proof.** Consider a Tree of all Continuations (ToaC). We prove this by induction. Assume the theorem holds for all continuations from the root  $g_1, \dots, g_t$ . We label each node of the each subtree with  $+$ ,  $-$  or  $0$ . There are three cases:

Case 1 At least 1 of the  $g_i$  is labeled  $-$ , say  $g_j$ .  $g_j = -$  means the player-to-move at  $g_j$  loses. Thus,

if you are at  $g$  and you move to  $g_j$ , then opponent is the player-to-move at  $g_j$  and loses. You force a win, so ptm wins.

Cbse 2 Assume not case 1 and that some  $g_j = 0$ . All  $g_i$ 's are 0 or +. You move to the  $g_j = 0$  and therefore guarantee a ptm-draw. If opponent moves first, then they can either move to a + and we win, or they move to 0 and forces a draw. So optm-draw under optimal play.

Ccse 3 Every  $g_i = +$ . Every move ptm makes goes to +, so next player can always win. Thus, optm-win.

■

## 1.1 Outcome Classes

### Definition 1.7: $\mathcal{Y}$

Left wins, no matter if they are 1st or 2nd player.

### Definition 1.8: $\mathcal{R}$

Right wins, no matter if they are 1st or 2nd player.

### Definition 1.9: $\mathcal{P}$

The 2nd player wins ( $\oslash$ ).

### Definition 1.10: $\mathcal{N}$

The 1st player wins.

## 2 Clobber

Clobber is a normal play combinatorial game. Each player either controls X or O and each turn they can capture an adjacent opponent symbol. The player who cannot move loses.

Linear clobber is when the game is played on a path graph. We can represent this in options notation:

- $x = \{\} = \oslash$ . The game tree is a single root node.
- $xo = \{\oslash|\oslash\} = *$ .
- $xox = \{\oslash, \oslash|\oslash, \oslash\} = \{\oslash, \oslash\} = *$ .
- $xxo = \{\oslash|*\} = \uparrow$ .
- $oox = \{*|\oslash\} = \downarrow$ .
- $xoxo = \{\oslash, *, xxo|\oslash, *, oox\}$ .

**Definition 2.1: Equivalent Games**

Two games  $G, H$  are equivalent if they have the same canonical form.

**Definition 2.2: Sum of Games**

For games  $A, B$ ,

$$A + B = \{A^L + B, A + B^L | A^R + B, A + B^R\}$$

for all Left options  $A^L, B^L$  and Right options  $A^R, B^R$ .

**Theorem 2.3 (Alternate Equivalent Games)**

Two combinatorial games  $G, H$  are equivalent iff for all games  $X$ ,  $\text{oc}(G + X) = \text{oc}(H + X)$  (outcome class).

The negative clobber game swaps each  $x$  to  $o$  and  $o$  to  $x$ .

**Definition 2.4: Negative Game  $-G$** 

If  $G = \{G^L | G^R\}$ , then  $-G = \{-G^R | -G^L\}$ .

E.g.  $G = \{xox, xo, xxox | oox, ox\}$ , then

$$-G = \{xox, xo | oox, ox, ooox\}$$

**Theorem 2.5 (Alternate Equivalent Games 2)**

Two combinatorial games  $G, H$  are equivalent if  $G + -H \in \mathcal{P}$ .

**Proposition 2.6**

$$\downarrow + * = \downarrow * \equiv \{\oslash | *, \oslash\}.$$

**Proof.** We have  $\downarrow = \{* | \oslash\}$  and  $*$  is  $\{\oslash | \oslash\}$ . By sums of games definition,

$$\downarrow + * = \{* + *, \downarrow + \oslash | \oslash + *, \downarrow + \oslash\} = \{\oslash, \downarrow | *, \downarrow\}$$

Define  $G = \{\oslash | *, \oslash\}$  and  $H = \downarrow + * = \{\oslash, \downarrow | *, \downarrow\}$ . To prove  $G \equiv H$ , we need to show  $G + -H \in \mathcal{P}$ .

First,  $-H = \{*, \uparrow | \oslash, \uparrow\}$ . We can compute  $G + -H$ , but there are two cases:

1. L plays first on  $G + -H$ , show R can win. If  $G$  plays first, then the three options of the tree are  $-H, G + *, G + \uparrow$ .  
 If  $-H$ , R wins using  $\oslash$ .  
 If  $G + *$ , then R can win by  $* + * = \oslash$ .  
 If  $G + \uparrow$ , then R plays to  $G + *$ . L plays to either  $*$  or  $G$ , which then R can both play to  $\oslash$ .
2. R plays first on  $G + -H$ , show L can win.

■

### 3 Hex

A combinatorial game played on a grid of hexagons. The goal is for one player to connect their colored sides using their same symbol/rock.

Hex has no draws.

#### Theorem 3.1

For  $n \times n$  hex, the first player always wins.

**Proof.** We prove by contradiction. Let Left make the first play of the game, and assume that Right has a winning strategy. With Left's first move she puts a stone on any cell, a placement called "extra". With this move Left becomes Second, and she henceforth follows the winning strategy that is available to Right. At some point, if this strategy calls for Left to place a stone where the extra sits; then she will simply make another arbitrary placement. Thus Left can win in contradiction to the hypotheses. ■

### 4 Go

Go is played on a graph, typically a grid. It is a combinatorial game where the winning condition is more stones and territory occupied. A legal move must be played on an empty cell and the block (a connected component) must have at least 1 liberty/free space.

### 5 Nim

The game of Nim involves piles of items and on each turn, a player picks at least 1 item from a pile. The last person to pick items is the winner.

#### Theorem 5.1 (Bouton)

There is a winning move iff the XOR sum is nonzero.

Consider the piles 6, 3, 1. In binary this is 110,011,001. The XOR sum is 100, thus there is a winning move for ptm.

There is a legal move from each pile whose leftmost bit matches the leftmost 1 bit of XOR sum. For the example, we add 100 to 110 to get 010, so we pick 4 from the first pile of 6.

### 6 Domineering

#### Definition 6.1: Cram

A combinatorial, normal play game played on a grid of dots. On each move, you can cover 2 horizontally or vertically adjacent dots. Player who cannot make a move loses.

**Definition 6.2: Domineering**

A game of Cram, but Left can only play vertically and Right can only play horizontally.