

### CS 325 Final Exam practice:

1. What is the big O notation of  $f(n)$  ?  
 $F(n) = 2n(n-1)$
2. What is the time complexity of below pseudocode?

```
IsUnique(A[0..n - 1]):  
  for i = 0 to n - 2  
    for j = i + 1 to n - 1  
      if A[i] = A[j]  
        return false  
  return true
```

3. What are the definitions of Big O, Big Theta and Big Omega?
4. Given Problem A, that can be verified in polynomial time. If Hamiltonian Cycle problem reduces to Problem A in polynomial time, we can say A is in NP-Complete. (true/false)
5. Every problem in NP can be reduced to NP hard problems? (true/false)
6. How do we show a problem to be in NP-Complete?
7. The following pseudocode is for which of the algorithms?

```
def myAlgo(G):  
  
  Result = {}  
  visited = {} #pick one vertex from V  
  
  while(length(visited) < V):  
  
    find (a,b) where  
    (a is in visited and b is not in visited) and (Edge(a,b) is min)  
  
    Result.add((a,b))  
    visited.add(b)  
  
  return Result
```

- A. Dijkstra
- B. Prim's
- C. Topological Sort
- D. Kruskal's

8. The following pseudocode is for which of the algorithms?

```

helper(currentNode, G):
    mark currentNode as visited

    for node in currentNode.neighbours:
        if (node is not already visited):
            helper(node, G)
    Stack.insert(currentNode)

myAlgo(directed Graph G):
    Stack = []
    while (unvisited Nodes):
        currentNode = pick an unvisited node in G
        helper(currentNode, G)

    return Stack in reverse order

```

Which algorithm is myAlgo?

- A. Dijkstra
- B. Prim's
- C. Topological Sort
- D. Kruskal's

9. Activity selection problem is given as : You are given a list of activities  $\{a_1, a_2, \dots, a_n\}$  with their start times  $[s_1, s_2, \dots, s_n]$  and end times  $[e_1, e_2, \dots, e_n]$ . Your goal is to maximize the number of activities that you can perform. You cannot choose overlapping activities. Describe a greedy approach to solve this problem.

10. Which of the following data structures can be used to implement the Dijkstra algorithm most efficiently?

- A. Min priority queue
- B. Max priority queue
- C. Stack
- D. Circular queue

11. There are two problems, X and Y. 3SAT reduces to problem X and problem X reduces to Problem Y. (These reductions are poly-time reductions.)

Is it true that: Y is not in NP-hard.