

SER 321 B Session

SI Session

Tuesday, November 19th 2024

10:00 am - 11:00 am MST

Agenda



Threaded Server Tracing

Parallel vs. Distributed Algorithms

To Distribute or Not To Distribute

Process Flow in both Structures

Consensus!

SI Session Expectations

Thanks for coming to the **SER 321** SI session. We have a packed agenda and we are going to try to get through as many of our planned example problems as possible. This session will be recorded and shared with others.

- If after this you want to see additional examples, please visit the drop-in tutoring center.
- We will post the link in the chat now and at the end of the session.
 - tutoring.asu.edu
- Please keep in mind we are recording this session and it will be made available for you to review 24-48 hours after this session concludes.
- Finally, please be respectful to each other during the session.

Interact with us:

Zoom Features



Zoom Chat

- Use the chat feature to interact with the presenter and respond to presenter's questions.
- Annotations are encouraged

SER 321

Threads

1. Define Params

2. Create Socket

3-5. Mark Socket to Listen

6. Wait for Connection

7. Send Client **Socket** to Thread

8. Close Client Connection

9. Continue Listening

1

2 & 3-5

9

6

7

8

```
public static void main(String args[]) throws IOException {
    Socket sock = null;
    int id = 0;
    try {
        if (args.length != 1) {
            System.out.println
                ("Usage: gradle ThreadedSockServer --args=<port num>");
            System.exit(0);
        }
        int portNo = Integer.parseInt(args[0]);
        if (portNo <= 1024)
            portNo = 8888;
        ServerSocket serv = new ServerSocket(portNo);

        while (true) {
            System.out.println
                ("Threaded server waiting for connects on port " + portNo);
            sock = serv.accept();
            System.out.println
                ("Threaded server connected to client-" + id);
            // create thread
            ThreadedSockServer myServerThread =
                new ThreadedSockServer(sock, id++);
            // run thread and don't care about managing it
            myServerThread.start();
        }
    } catch (Exception e) {
        e.printStackTrace();
    } finally {
        if (sock != null) sock.close();
    }
}
```

Check out the recording for the discussion!

SER 321 Threads

```
public void run() {
    try {
        // setup read/write channels for connection
        ObjectInputStream in = new ObjectInputStream(conn.getInputStream());
        ObjectOutputStream out = new ObjectOutputStream(conn.getOutputStream());

        // read the digit being send
        String s = (String) in.readObject();
        int index;
        // while client hasn't ended
        while (!s.equals("end")) {
            Boolean validInput = true;

            // checks if input only contains digits
            if (!s.matches(expr: "\\d+")) {
                validInput = false;
                out.writeObject("Not a number: https://gph.is/2yDymkn");
            }
        }
    }
}
```

Client
A

Server

```
// if it contains only numbers
if (validInput) {
    // convert to an integer
    index = Integer.valueOf(s);
    System.out.println("From client " + id + " get string " + index);
    if (index > -1 & index < buf.length) {
        // if valid, pull the line from the buffer array above and write it to socket
        out.writeObject(buf[index]);
    } else if (index == 5) {
        // fun surprise for mostly correct
        out.writeObject("Close but out of range: https://youtu.be/dQw4w9WgXcQ");
    } else {
        // really wrong
        out.writeObject("index out of range");
    }
}

// wait for next token from the user
s = (String) in.readObject();
}

// on close, clean up
System.out.println("Client " + id + " closed connection.");
in.close();
out.close();
conn.close();
} catch (Exception e) {
    e.printStackTrace();
}
}
```

```
public static void main(String args[]) throws IOException {
    Socket sock = null;
    int id = 0;
    try {
        if (args.length != 1) {
            System.out.println
                ("Usage: gradle ThreadedSockServer --args=<port num>");
            System.exit( code: 0);
        }

        int portNo = Integer.parseInt(args[0]);
        if (portNo <= 1024)
            portNo = 8888;
        ServerSocket serv = new ServerSocket(portNo);

        while (true) {
            System.out.println
                ("Threaded server waiting for connects on port " + portNo);
            sock = serv.accept();
            System.out.println
                ("Threaded server connected to client-" + id);
            // create thread
            ThreadedSockServer myServerThread =
                new ThreadedSockServer(sock, id++);
            // run thread and don't care about managing it
            myServerThread.start();
        }
    } catch (Exception e) {
        e.printStackTrace();
    } finally {
        if (sock != null) sock.close();
    }
}
```

Check out the recording for the discussion!

SER 321 Threads

```
public void run() {
    try {
        // setup read/write channels for connection
        ObjectInputStream in = new ObjectInputStream(conn.getInputStream());
        ObjectOutputStream out = new ObjectOutputStream(conn.getOutputStream());

        // read the digit being send
        String s = (String) in.readObject();
        int index;
        // while client hasn't ended
        while (!s.equals("end")) {
            Boolean validInput = true;

            // checks if input only contains digits
            if (!s.matches(expr: "\\d+")) {
                validInput = false;
                out.writeObject("Not a number: https://gph.is/2yDymkn");
            }
        }
    }
}
```

Client
A

Server

Client
B

```
// if it contains only numbers
if (validInput) {
    // convert to an integer
    index = Integer.valueOf(s);
    System.out.println("From client " + id + " get string " + index);
    if (index > -1 & index < buf.length) {
        // if valid, pull the line from the buffer array above and write it to socket
        out.writeObject(buf[index]);
    } else if (index == 5) {
        // fun surprise for mostly correct
        out.writeObject("Close but out of range: https://youtu.be/dQw4w9WgXcQ");
    } else {
        // really wrong
        out.writeObject("index out of range");
    }
}

// wait for next token from the user
s = (String) in.readObject();
}

// on close, clean up
System.out.println("Client " + id + " closed connection.");
in.close();
out.close();
conn.close();
} catch (Exception e) {
    e.printStackTrace();
}
}
```

```
public static void main(String args[]) throws IOException {
    Socket sock = null;
    int id = 0;
    try {
        if (args.length != 1) {
            System.out.println
                ("Usage: gradle ThreadedSockServer --args=<port num>");
            System.exit(0);
        }

        int portNo = Integer.parseInt(args[0]);
        if (portNo <= 1024)
            portNo = 8888;
        ServerSocket serv = new ServerSocket(portNo);

        while (true) {
            System.out.println
                ("Threaded server waiting for connects on port " + portNo);
            sock = serv.accept();
            System.out.println
                ("Threaded server connected to client-" + id);
            // create thread
            ThreadedSockServer myServerThread =
                new ThreadedSockServer(sock, id++);
            // run thread and don't care about managing it
            myServerThread.start();
        }
    } catch (Exception e) {
        e.printStackTrace();
    } finally {
        if (sock != null) sock.close();
    }
}
```

Check out the recording for the discussion!

SER 321 Threads

```
public void run() {
    try {
        // setup read/write channels for connection
        ObjectInputStream in = new ObjectInputStream(conn.getInputStream());
        ObjectOutputStream out = new ObjectOutputStream(conn.getOutputStream());

        // read the digit being send
        String s = (String) in.readObject();
        int index;
        // while client hasn't ended
        while (!s.equals("end")) {
            Boolean validInput = true;

            // checks if input only contains digits
            if (!s.matches(expr: "\\d+")) {
                validInput = false;
                out.writeObject("Not a number: https://gph.is/2yDymkn");
            }
        }
    }
}
```



Client
A



Server

Client
B



```
// if it contains only numbers
if (validInput) {
    // convert to an integer
    index = Integer.valueOf(s);
    System.out.println("From client " + id + " get string " + index);
    if (index > -1 & index < buf.length) {
        // if valid, pull the line from the buffer array above and write it to socket
        out.writeObject(buf[index]);
    } else if (index == 5) {
        // fun surprise for mostly correct
        out.writeObject("Close but out of range: https://youtu.be/dQw4w9WgXcQ");
    } else {
        // really wrong
        out.writeObject("index out of range");
    }
}

// wait for next token from the user
s = (String) in.readObject();

// on close, clean up
System.out.println("Client " + id + " closed connection.");
in.close();
out.close();
conn.close();
} catch (Exception e) {
    e.printStackTrace();
}
```

```
public static void main(String args[]) throws IOException {
    Socket sock = null;
    int id = 0;
    try {
        if (args.length != 1) {
            System.out.println
                ("Usage: gradle ThreadedSockServer --args=<port num>");
            System.exit(0);
        }

        int portNo = Integer.parseInt(args[0]);
        if (portNo <= 1024)
            portNo = 8888;
        ServerSocket serv = new ServerSocket(portNo);

        while (true) {
            System.out.println
                ("Threaded server waiting for connects on port " + portNo);
            sock = serv.accept();
            System.out.println
                ("Threaded server connected to client-" + id);
            // create thread
            ThreadedSockServer myServerThread =
                new ThreadedSockServer(sock, id++);
            // run thread and don't care about managing it
            myServerThread.start();
        }
    } catch (Exception e) {
        e.printStackTrace();
    } finally {
        if (sock != null) sock.close();
    }
}
```


Check out the recording for the discussion!

SER 321

Distributed Systems

What do we mean by
“Distributed Systems”
or
“Distributed Algorithms”?

Check out the recording for the discussion!



SER 321

Systems

Parallel

Distributed

Check out the recording for the discussion!


A Venn diagram with two overlapping circles. The left circle is light blue with a blue outline and is labeled 'Parallel'. The right circle is light red with a red outline and is labeled 'Distributed'. The intersection of the two circles is shaded with a mix of blue and red. In the center of the intersection, the text 'Check out the recording for the discussion!' is written in a black, italicized font.

SER 321

Distributed Systems

When should
we *consider*
distributing?

Check out the recording for the discussion!




SER 321

Distributed Systems

When should
we *consider*
distributing?

Super Duper Extra Extra
Large Orders of Magnitude!




SER 321

Distributed Systems

Remember that we are operating in *reality*

- Nodes *will* fail
- Web of nodes *will constantly* change
- Network is not *always* reliable
- Latency is *always present*
- The path traversed *changes*
- Some resources *must be shared*
- *You* need to prevent the pitfalls!
 - No deadlocks
 - No starvation
 - No error states



Check out the recording for the discussion!

SER 321

Scratch Space

Upcoming Events

SI Sessions:

- Thursday, November 21st at 7:00 pm MST
- Sunday, November 24th at 7:00 pm MST
- Tuesday, November 26th at 10:00 am MST
- ~~Thursday, November 28th at 7:00 pm MST~~ **CANCELLED - Happy Thanksgiving!**

Review Sessions:

- Sunday, December 1st at 7:00 pm MST - **2 hour Review Session**
- Tuesday, December 3rd at 10:00 am MST - **Q&A Session**

Questions?

Survey:

<https://asuasn.info/ASNSurvey>



More Questions?

Check out our other resources!

tutoring.asu.edu



Academic Support

Academic Support Network (ASN) provides a variety of free services in-person and online to help currently enrolled ASU students succeed academically.

Services



Subject Area Tutoring

Need in-person or online help with math, science, business, or engineering courses? Just hop into our Zoom room or drop into a center for small group tutoring. We'll take it from there.

[Need help using Zoom?](#)

[View the tutoring schedule](#)

[View digital resources](#)

Go to Zoom



Writing Tutoring

Need help with undergraduate or graduate writing assignments? Schedule an in-person or online appointment, access your appointment link, or wait in our drop-in queue.

[Access your appointment link](#)

[Access the drop-in queue](#)

Schedule Appointment



Online Study Hub

Join our online peer communities to connect with your fellow Sun Devils. Engage with our tools to search our bank of resources, videos, and previously asked questions. Or, ask our Tutorbot questions.

Now supporting courses in Math, Science, Business, Engineering, and Writing.

Online Study Hub

1-

Go to Zoom

2-

[Need help using Zoom?](#)

[View the tutoring schedule](#)

[View digital resources](#)






1. Click on 'Go to Zoom' to log onto our Online Tutoring Center.
2. Click on 'View the tutoring schedule' to see when tutors are available for specific courses.

More Questions?

Check out our other resources!

tutoring.asu.edu/online-study-hub

 **Academic Support Network**

 [Services](#)  [Faculty and Staff Resources](#) [About Us](#) 

[University College](#)

Online Study Hub

Online peer communities for students and tutors, YouTube channels, and Tutorbots.



What are online peer communities?

Individual courses have an online peer community that allows you to connect with your peers to post and answer questions and to develop study groups.



How can tutoring center videos help?

Videos can help supplement the learning you're doing in and outside of class and include step-by-step methods for how to understand concepts.



How does the Tutorbot work?

You can ask the Tutorbot questions about course concepts and the Tutorbot will recommend additional resources and examples to help address your questions.

Select a subject

- Any -

Apply



Academic Support Network



[Services](#) 

[Faculty and Staff Resources](#)

[About Us](#) 

[University College](#)

Select a subject

- Any -

Apply

Business


ACC 231

Uses of Accounting Info I

 [Peer Community](#)

ACC 241

Uses of Accounting Info II

 [Peer Community](#)

CIS 105


Computer Applications and Information Technology


 [Peer Community](#)

Don't forget to check out the Online Study Hub for additional resources!

Expanded Writing Support Available

Including Grammarly for Education, at no cost!





Activate your Grammarly for Education account now!

Use the button below and we'll use your ASU login to create a Grammarly for Education premium account. See ya on the AI side!

[Sign up](#)



tutoring.asu.edu/expanded-writing-support

*Available slots for this pilot are limited

Additional Resources

- [Course Repo](#)
- [Gradle Documentation](#)
- [GitHub SSH Help](#)
- [Linux Man Pages](#)
- [OSI Interactive](#)
- [MDN HTTP Docs](#)
 - [Requests](#)
 - [Responses](#)
- [JSON Guide](#)
- [org.json Docs](#)
- [javax.swing package API](#)
- [Swing Tutorials](#)
- [Dining Philosophers Interactive](#)
- [Austin G Walters Traffic Comparison](#)
- [RAFT](#)