

SWIN
BUR
NE

SWINBURNE
UNIVERSITY OF
TECHNOLOGY

SWE30010

Development Project 2: Design, Planning and Management

Lecture 4a

Work Breakdown Structure



Commonwealth of Australia
Copyright Act 1968

Notice for paragraph 135ZXA (a) of the *Copyright Act 1968*

Warning

This material has been reproduced and communicated to you by or on behalf of Swinburne University of Technology under Part VB of the *Copyright Act 1968* (the *Act*).

The material in this communication may be subject to copyright under the *Act*. Any further reproduction or communication of this material by you may be the subject of copyright protection under the *Act*.

Do not remove this notice.



Planning for Software Development

- Split items into *tasks* or *activities* using a suitable “SDLC” as an anchor
- Create a *Work-Breakdown-Structure* (WBS)
 - breaks the project down into a set of well-defined, discrete tasks
- For each task or subtask, estimate the time for completion and assess resources required



Work Breakdown Structure, WBS

- An *outcome-oriented analysis* of the work involved
- Aim: To break the work required into smaller and more manageable pieces
- Different approaches to generate a WBS
 1. Activity-based approach (focus on the different things to be done)
 2. Product-based approach (focus on the different things to be produced)
 3. A *Hybrid approach* (focus first on the different things to be produced, then for each of these, focus on the things to be done)



Different approaches of WBS

1. **Activity**-based approach

Focus on the different things to be **done**

2. **Product**-based approach

Focus on the different things to be **produced**

3. **Hybrid** approach

Focus first on the different things to be **produced**


then for each of these, focus on the things to be **done**



Activity-based Approach

- The decomposition is based on activities to be undertaken
- This involves the following steps:
 - ☐ Identify the **main activities** of the project
 - ☐ Break each main activity into sub-activities
 - ☐ Continue to divide each sub-activity into lower level activities until the activities *can be finished with acceptable levels of effort*
- ☞ The chosen software development lifecycle model should give a good sense of the top level breakdown: *analysis, detailed design, implementation, testing at some appropriate level of granularity*


Activity-based Approach – Example



This is a very generic decomposition at a high level, applicable to many projects using a waterfall approach.

See Lecture 2b SDLC for those major steps

Activity-based Approach – Example



Plausibly some coding could start before all reqts have been determined. So we may have task dependencies between subtasks of different “main tasks” – pure waterfall would not have this!

Decompose this (and other top level “tasks”) into subtasks that relate to coding of various modules, where there may be some dependencies

Activity-based Approach (cont.)



■ Advantages:

- ☐ It is more likely to obtain a structure that is complete and is composed of non-overlapping activities
- ☐ The structure can be refined as the project proceeds
- ☐ The structure already suggests the dependencies among the activities/tasks
- ☐ The structure can be readily used as a basis for project scheduling
- ☐ The structure is easy to understand and can be used to communicate with project stakeholders

■ Disadvantage:

- ☐ *It is likely to miss some of the products/deliverables to be produced!*



Common Issues in WBS


- If there are too many levels in WBS, there will be a large number of small tasks
- If there are too few levels (the WBS is too shallow), the details for project control will be insufficient
- Ideally, each leaf (the lowest level work) of a WBS can be finished by an individual team member within several hours of work
- The actual durations appropriate for individual tasks depend from project to project
- Getting it right is a challenge!!



Product-based Approach

- The decomposition is based on the products or deliverables to be produced
 - Examples: SRS, SDD, Source, STP, STD, User Manual, ...
- Also called *Product Breakdown Structure* (PBS)
- Product Flow Diagram (PFD)
 - To indicate, for each product, which other products are required as ‘inputs’

Product-based Approach – Example



Danger is that dependencies between products is missed



Product-based Approach (cont.)

■ Advantage

- ☐ It is less likely to miss a product which is expected from the structure.
- ☐ Good for agile projects – aim at delivering subsystems at the end of iterations

■ Disadvantage

- ☐ The activities or tasks used to create a product are not specified and may be missed, and some may be distributed amongst several products.



A Hybrid Approach

- More commonly used approach

- A mix of activity-based approach and product-based approach

- The WBS consists of

- a list of the products of the project; and
 - a list of activities for each product

NB : There may be some cross-product activity dependencies



A Hybrid Approach – Example

- MITP methodology by IBM
(Managing the Implementation of the Total Project)
{which partly inspired PRINCE2}
 - Level 1: Project
 - Level 2: Deliverables (software, manuals etc)
 - Level 3: Components of each deliverable
 - Level 4: Work-packages
 - Level 5: Tasks (individual responsibility)