Purely functional palindromic trees

Timur Khazhiev Innopolis University t.khazhiev@innopolis.ru

ABSTRACT

This is a BS-3 Project proposal and it contains a general project description, motivation and a brief plan of execution.

CCS CONCEPTS

 \bullet Theory of computation \rightarrow Data structures design and analysis;

KEYWORDS

palidrome, eertree, purely functional, persistent

1 INTRODUCTION

A palindrome is a string that reads the same both ways. Palindromic patterns appear in many research areas, from formal language theory to molecular biology.

There are a lot of papers introducing algorithms and data structures to facilitate different problems that involve palindromes. One such data structure is EERTREE, a recently described linear-sized palindromic tree introduced by Rubinchik [5].

In this project we aim to design at least one purely functional and fully persistent version of a palindromic tree, implement it in Haskell programming language and compare it with other existing solutions. We are going to start with a naive implementation and gradually arrive at an efficient version, relying on some of the techniques described by Okasaki [4] for designing purely functional data structures.

We hope that purely functional variations will prove valuable for some divide-and-conquer approaches to palindromic analysis. We also believe that a fully persistent version might be useful for comparative analysis of closely-related strings (such as RNA string mutations).

2 WORK PLAN

2.1 Iteration I (Feb 11 - Feb 25)

Analyse EERTREE data structure closely. Collect common palindrome-related problems. Research alternative algorithms and data structures for those problems. Investigate existing approaches to palindromic analysis. Form a list of important operations on EERTREE to compare for time and space complexity.

2.2 Iteration II (Feb 25 - Mar 11)

Propose a purely functional, fully persistent palindromic tree. Analyse time and space complexities for the most important operations (both worst-case and amortized). Compare with the original palindromic tree.

Nikolai Kudasov* Innopolis University n.kudasov@innopolis.ru

2.3 Iteration III (Mar 11 - Mar 25)

Implement EERTREE and the purely functional palindromic tree. Compare implementations on sample problems. Analyse purely functional implementation performance.

2.4 Iteration IV (Mar 25 - Apr 08)

Investigate options to improve performance for the purely functional palindromic tree. Consider these options:

- fusion/deforestation optimisations;
- cache-oblivious model optimizations;
- linked vs. vector-based implementations;
- asymptotic improvements via partial evaluation;
- optimisations for small alphabet strings.

2.5 Iteration V (Apr 08 - Apr 22)

Design a generalised interface to the data structure, relying on parametric polymorphism and higher-order functions to facilitate reusability.

2.6 Iteration VI (Apr 22 - May 06)

Finalise the project by creating a Cabal package complete with examples, tests, code comments, documentation and, perhaps, a formal verification.

3 ITERATION RESULTS

3.1 Iteration I

During iteration I github repository[1] was created where all related to the topic materials were collected. In general this iteration was successful: the analysis of data structure revealed a lack of functionality, interesting problems was found and overview with comparison of similar approaches was made. Detailed results for this iteration can be found in separate pdf file[2] in github repository.

3.2 Iteration II

During iteration II two sided tree (where merge operation might perform better than naive merge) and infinite tree (for persistency) were proposed. This iteration was ok: several ideas and thoughts were proposed, but not deeply studied (no set operation description and complexities are not analyzed). These issues can be fixed during next iteration as implementation can lead to better understanding and reasoning. Detailed results for this iteration can be found in separate pdf file[3] in github repository.

REFERENCES

- Timur Khazhiev. 2019. DS project repo. https://github.com/khazhix/ds-project. (2019).
- [2] Timur Khazhiev. 2019. Iteration I detailed report. https://github.com/khazhix/ds-project/blob/iteration_i/Iteration_L.pdf. (2019).

^{*}Project supervisor.

- [3] Timur Khazhiev. 2019. Iteration II detailed report. https://github.com/khazhix/ds-project/blob/iteration_ii/Iteration_II.pdf. (2019).
 [4] Chris Okasaki. 1998. Purely Functional Data Structures. (01 1998). https://doi.org/10.1017/CBO9780511530104
 [5] Mikhail Rubinchik and Arseny M. Shur. 2018. EERTREE: An efficient data structure for processing palindromes in strings. European Journal of Combinatorics 68 (2018), 249 265. https://doi.org/10.1016/j.ejc.2017.07.021 Combinatorial Algorithms, Dedicated to the Memory of Mirka Miller.