

List of problems for eertree

Timur Khazhiev (t.khazhiev@innopolis.ru)

February 27, 2019

Problem 1

Consider an arbitrary string g . We will call this string as palindrome generator. The set of palindromes $P(g)$ that are generated by this string is determined as follows.

Let string length be n . For all i from 1 to n in $P(g)$ strings $g[1..i]g[1..i]^r$ and $g[1..i]g[1..i-1]^r$ are included, where α^r means α , written in reversed order.

For example if $g = \text{"olymp"}$, then $P(g) = \{\text{"oo"}, \text{"o"}, \text{"ollo"}, \text{"olo"}, \text{"olylo"}, \text{"olylo"}, \text{"olymmylo"}, \text{"olymylo"}, \text{"olymppmylo"}, \text{"olympmlylo"}\}$.

For a given generator of palindromes g and the string s , it is required to find the number of occurrences of string from $P(g)$ in s as substrings. Namely, it is required to find the number of pairs (i, j) such that $s[i..j] \in P(g)$.

Example input	Example output
olymp olleolleolympmlylomylo	7

[Link to a problem](#)

Problem 2

Each palindrome can be always created from the other palindromes, if a single character is also a palindrome. For example, the string *"malayalam"* can be created by some ways:

$$\text{malayalam} = m + \text{ala} + y + \text{ala} + m$$

$$\text{malayalam} = m + a + l + \text{aya} + l + a + m$$

We want to take the value of function $NumPal(s)$ which is the number of different palindromes that can be created using the string S by the above method. If the same palindrome occurs more than once then all of them should be counted separately.

Example input	Example output
malayalam	15

[Link to a problem](#)

Problem 3

For a given string S we want to find minimum number of continuous palindromes in which this string can be broken.

Example input	Example output
abacdc	2
ababa	1
ababbacababbad	5
abcd	4

[Link to a problem](#)

Problem 4

For a given string S we want to find total number of continuous palindromes in which this string can be broken.

Example input	Example output
aaa	6
aba	4

[Link to a problem](#)

Problem 5

For a given string s we want to find non palindrome of length n between 2 palindromes of length m . Can be practical for searching potential hairpins.

Example input	Example output
aaabcdaaa	aaa bcd aaa

Problem 6

For a given string s we want to find closest palindrome by edit distance.

Example input	Example output
abcda	abcba
abab	ababa