# **Chapter 1**

# The SpiCE Corpus

# 1.1 Introduction

Most of our knowledge about spoken language and speech processing comes from monolingual individuals producing scripted speech in laboratory settings. Monolingual lab speech allows for researchers to exercise tight control over the linguistic backgrounds of the speakers and the linguistic material (e.g. reading or repeating sounds, words, or sentences). While highly informative, these controlled monolingual speech samples are not representative of spoken language in the real world. Multilingualism is the norm, not the exception, and individuals regularly make creative linguistic choices in their spontaneous speech.

Conversational speech allows for richer and more accurate empirical description of spoken language, as it represents more realistic and natural productions than scripted laboratory speech, whether compared to isolated word production or scripted connected speech. It enables the study of speech style, style shifting, and more.

Conversational speech also crucially permits for field testing of speech production theories in their natural habitats. Corpus-based research with conversational or spontaneous speech is important in the fields of phonetics and psycholinguistics, as the research conclusions drawn from corpus and lab-based experiments do not always coincide. For example, Gahl et al. (2012) demonstrate.... Bell et al. (2009) show....

The discrepancies between results for conversational and lab speech have been found for monolingual (English) speech, but are likely be found with bilingual speech as well. Resources to query bilingual conversational speech are limited, however, as the necessary resources permitting this type of inquiry are relatively rare. As a step towards filling this gap, this chapter introduces the **SpiCE** corpus of conversational bilingual **Speech in Cantonese** and **English** (Johnson, 2021). This open-access corpus was explicitly developed with phonetic bilingualism research in mind. The corpus is not, however, limited to speech research, as the transcripts could be used for other purposes.

The corpus design is based on key aspects of widely used existing corpora, such as the Buckeye corpus of conversational speech (Pitt et al., 2005). In many ways, the Buckeye corpus is treated as a gold standard in the field of corpus phonetics. And while the SpiCE corpus does not copy its structure and level of detail exactly, the Buckeye corpus nonetheless serves as inspiration, particularly with respect to interview style and recording quality.

Given the bilingual design, SpiCE crucially includes speech from the same individual in more than one language. Inspiration in this regard is drawn from the Bangor corpora of Spanish-English, Welsh-English, and Welsh-Spanish bilingual speech (Deuchar et al., 2014). The Bangor corpora include speech from the same individual in more than one language, but largely comprise field recordings—limiting the scope of phonetics research using the corpora. Additionally, the Bangor corpora were designed for understanding code-switching in everyday situations. While this facilitates understanding broad patterns of language use, it also means that the corpora are not balanced for the languages involved. So while these corpora are incredibly valuable for linguistics research, there are nonetheless limitations. SpiCE uses a more controlled and balanced recording setup, which allows for more nuanced acoustic-phonetic measurements. This is, however, at the expense of other criteria, in which the Bangor corpora excel.

SpiCE is also unique in the population it represents. Many of the resources available to researchers on sites like BilingBank, ELRA, and elsewhere feature late bilinguals and second language learners, and vary widely in task and recording quality. One example of a Cantonese-English resource that fits this description is the ShefCE corpus (Ng et al., 2017). ShefCE is a parallel corpus featuring L1 Hong

Kong Cantonese and L2 English read speech, with samples in both languages from the same set of individuals. Again, there are similarities in what SpiCE aims to accomplish, but it nonetheless occupies a different niche in the speech sciences.

The primary motivation for collecting this corpus was to have comparable high-quality recordings of conversational speech from early bilinguals in two languages, which in turn enables large scale phonetic analysis on a within-speaker basis. It is worth noting that corpus size is a subjective measure, as different fields have different standards in this respect. For the type of corpus, SpiCE is relatively large, being slightly smaller in size than the Buckeye corpus (Pitt et al., 2005). Both of these are purpose-built corpora that are recorded in person. Truly large corpora tend to be collected from existing recordings (broadcasts, YouTube, etc.), crowdsourced online (Mozilla Common Voice, DRAWL), via phone (TIMIT??), and other similar more scalable methods. The reason? High-quality purpose-built corpora are expensive and time-consuming to create.

To our knowledge, this type of resource does not yet exist for any pair of languages, much less for a typologically distinct pair like Cantonese (Sino-Tibetan) and English (Indo-European). Furthermore, Cantonese is a relatively understudied language, despite there being approximately 55 million native speakers around the world (Matthews et al., 2013), though this is changing with new Cantonese language corpora (Luke and Wong, 2015; Leung and Law, 2001; Winterstein et al., 2020; Alderete et al., 2019) and tools (Lee, 2018; Yau, 2019).

While some of the design choices have been touched upon already, the remainder of this chapter provides a detailed overview of the corpus design and collection procedures, a description of the speakers, and the transcription and annotation pipeline. It concludes with descriptive statistics.

# 1.2 Corpus design and creation

This section provides detail about the speakers (Section 1.2.1), the procedures used to ensure high-quality recordings (Section 1.2.2), and the three tasks that each participant completed in both Cantonese and English (Section 1.2.3).

Data collection took place between November 2018 and March 2020. Orthographic transcription began shortly after the first interview was recorded, and was

completed in April 2021.

### 1.2.1 Participants

The recordings in SpiCE comprise the speech of 34 early Cantonese-English bilinguals, 17 of which are female, and 17 of which are male. Apart from one talker who reported mild high frequency hearing loss (), all participants reported normal speech and hearing. Additionally, all participants resided in the Metro Vancouver, Canada area at the time of recording. The SpiCE corpus also includes a detailed summary extracted from an extensive language background survey administered prior to the recording session, as well as a copy of the survey itself. Basic summary information is included in Table 1.1, and in visualizations throughout this chapter.

Definitions of bilingualism are highly variable in the literature, as there are many different types of bilinguals (Amengual, 2017). For the purposes of this corpus, an early bilingual is someone who began learning both Cantonese and English before starting primary school (approximately age 5), reports consistent use of both languages since that time, and self-selected to participate in a research study involving an interview in each language. It is important to highlight that the Cantonese-English bilingual community in Vancouver (and Canada more generally) is incredibly diverse, both in terms of dialects or varieties spoken, as well as in the regions from which families originally emigrated (Yu, 2013). Furthermore, given the prevalence of Cantonese in Vancouver (Statistics Canada, 2017), and longevity of the community (Yu, 2013), immigration from other Cantonese-speaking areas continues today.

This corpus reflects the diverse nature of Cantonese-English bilingualism in Vancouver, as it includes Canadian-born heritage speakers, recent immigrants from Hong Kong, as well as Cantonese speakers from other parts of the Cantonese diaspora. As a result, while all speakers are early bilinguals, various dialects are represented. Figure 1.1 depicts where SpiCE participants reported living during different age intervals.

Soliciting Cantonese dialect information directly would have been challenging, as many of the participants in the corpus would not have straightforward di-

<sup>&</sup>lt;sup>1</sup>While the participant recruitment materials included gender-inclusive language, only male and female-identifying individuals signed up for the study.

No.	ID	Order	Age	Gender	English AoA	Cantonese AoA
1	VF19A	$E \rightarrow C$	19	F	0	0
2	VF19B	$E\toC$	19	F	0	0
3	VF19C	$\mathrm{E} \to \mathrm{C}$	19	F	3	0
4	VF19D	$\mathbf{C} \to \mathbf{E}$	19	F	2	0
5	VF20A	$\mathbf{C} \to \mathbf{E}$	20	F	4	0
6	VF20B	$\mathbf{C} \to \mathbf{E}$	20	F	5	0
7	VF21A	$\mathrm{E} \to \mathrm{C}$	21	F	0	0
8	VF21B	$\mathbf{C} \to \mathbf{E}$	21	F	3	0
9	VF21C	$\mathbf{C} \to \mathbf{E}$	21	F	4	0
10	VF21D	$\mathrm{E} \to \mathrm{C}$	21	F	0	0
11	VF22A	$\mathbf{C} \to \mathbf{E}$	22	F	0	0
12	VF23B	$\mathrm{E} \to \mathrm{C}$	23	F	2	0
13	VF23C	$\mathbf{C} \to \mathbf{E}$	23	F	0	0
14	VF26A	$\mathbf{C} \to \mathbf{E}$	26	F	0	0
15	VF27A	$\mathrm{E} \to \mathrm{C}$	27	F	0	0
16	VF32A	$\mathbf{C} \to \mathbf{E}$	32	F	3	0
17	VF33B	$\mathbf{C} \to \mathbf{E}$	33	F	0	0
18	VM19A	$\mathrm{E} \to \mathrm{C}$	19	M	0	0
19	VM19B	$\mathbf{C} \to \mathbf{E}$	19	M	2	0
20	VM19C	$\mathrm{E} \to \mathrm{C}$	19	M	0	0
21	VM19D	$\mathbf{C} \to \mathbf{E}$	18	M	1	1
22	VM20B	$\mathrm{E} \to \mathrm{C}$	20	M	0	0
23	VM21A	$\mathrm{E}  ightarrow \mathrm{C}$	21	M	0	0
24	VM21B	$\mathrm{E} \to \mathrm{C}$	21	M	0	0
25	VM21C	$\mathbf{C} \to \mathbf{E}$	21	M	0	0
26	VM21D	$\mathbf{C} \to \mathbf{E}$	21	M	0	0
27	VM21E	$\mathbf{C} \to \mathbf{E}$	21	M	5	0
28	VM22A	$\mathbf{C} \to \mathbf{E}$	22	M	4	0
29	VM22B	$\mathrm{E} \to \mathrm{C}$	22	M	0	0
30	VM23A	$\mathrm{E} \to \mathrm{C}$	23	M	0	0
31	VM24A	$\mathrm{E} \to \mathrm{C}$	24	M	3	0
32	VM25A	$\mathrm{E} \to \mathrm{C}$	25	M	4	0
33	VM25B	$\mathrm{E} \to \mathrm{C}$	25	M	0	0
34	VM34A	$\mathbf{C} \to \mathbf{E}$	34	M	0	0

**Table 1.1:** Basic participant information, including age, gender, age of acquisition (AoA), and the order the interviews occurred.




Figure 1.1: ...

alect classifications. This is especially true for individual who were born and/or raised in the Cantonese diaspora, but to Hong Kongers as well, given the extent of globalization in Hong Kong (CITE SOMETHING). In light of this, it is useful to summarize where the SpiCE participants' caretakers were born and raised. Figure 1.2 does exactly this. The most well-represented group is Hong Kong, as XXX of XXX participants report having at least one caretaker from Hong Kong. Of these, XXX report only having Hong Kong born caretakers.

Additionally, calling an individual a bilingual does not preclude knowledge of additional languages. In fact, all but on of the individuals represented in the SpiCE corpus report some degree of proficiency in a language other than Cantonese or English. The most common by far is Mandarin. The age SpiCE talkers began learning other language varies widely, but is consistently later (or simultaneous) to




Figure 1.2: ...

Cantonese and English. This information is depicted in Figures 1.3 and 1.4.

#### 1.2.2 Recording Setup

Recording took place in a quiet room in the linguistics laboratory building at the University of British Columbia in Vancouver, Canada. Two Cantonese-English bilingual research assistants (the third and fourth authors) and the participant were seated around a table. The interviewer was a female Cantonese-English bilingual from Metro Vancouver. The recording process was monitored by a male Cantonese-English bilingual from Hong Kong, who moved to Vancouver to attend university. The interviewer and participant were outfitted with AKG C520 head-mounted microphones positioned approximately 3 cm from the corner of the mouth. The microphones were connected to separate channels on a Sound Devices USBPre2 Portable Audio Interface. Stereo recordings were made with Audacity 2.2.2 (Audacity Team, 2018) on a PC laptop, and saved according to best archival practices, with a 44.1 kHz sampling rate, and 24-bit resolution.




Figure 1.3: ...




Figure 1.4: ...

## 1.2.3 Recording Procedure

Upon arrival, participants were provided with an overview of the recording session procedures, and informed of the corpus publication process. Subsequently, participants were asked to provide written consent. Upon consent, participants completed a session in English, and a session in Cantonese. The order of languages was counterbalanced across participants (see Table 1.1). Each session consisted of three tasks—sentence reading, storyboard narration, and a conversational interview—described in the following sections. Together, these three tasks took approximately 30 minutes in each language. Along with the consent process, and a break between interviews, participants spent approximately 90 minutes in the lab.

## **Sentence Reading**

Participants first read the sentences listed in Table 1.3 and Table 1.2 aloud, pausing between sentences. Participants were not instructed to speak in a particular style. As participants had varying levels of Cantonese reading ability, they were simultaneously presented with both Cantonese characters and the Jyutping romanization. If necessary, participants could make use of the phrase's English translation. The Cantonese sentences are well-known declarative phrases, typically associated with Chinese New Year. While a more explicitly balanced set of sentences could have been used, participants' familiarity was deemed more important, as many Cantonese-English bilinguals in Canada are not literate in Cantonese. The English sentences included the Harvard Sentences list number 60 (IEEE, 1969), as well as series of holiday-themed declarative sentences to better match the content of the Cantonese sentences. This task was relatively formal, and typically lasted less than one minute.

Sentence reading was included in the session to insure that different participants produced a set of identical items, considering the core of the session was unscripted conversational interview (described in Section 1.2.3). While these sentences do not exhaustively reflect the sound systems of Cantonese and English, they provide samples of identical items for all individuals, which is advantageous for future analyses

<sup>&</sup>lt;sup>2</sup>Jyutping is one of the primary Cantonese romanization systems (Matthews et al., 2013), and is widely used in Cantonese corpus research (Nagy, 2011; Tse, 2019)

or projects that require matched utterances.

	English			
1	Stop whistling and watch the boys march			
2	Jerk the cord, and out tumbles the gold			
3	Slide the tray across the glass top			
4	The cloud moved in a stately way and was gone			
5	Light maple makes for a swell room			
6	Set the piece here and say nothing			
7	Dull stories make her laugh			
8	A stiff cord will do to fasten your shoe			
9	Get the trust fund to the bank early			
10	Choose between the high road and the low			
11	Wish on every candle for your birthday			
12	Deck the halls with boughs of holly			
13	Ring in the new year with a kiss			
14	Have a spooky Halloween			
15	Enjoy the vacation with your loved ones			
16	Be filled with joy and peace during this time			
17	Relax on your holiday break			

**Table 1.2:** Sentences 1–10 comprise the Harvard Sentences List 60. Sentences 11–17 are holiday-themed original imperatives, designed to thematically match the Cantonese sentences.

#### **Storyboard Narration**

For the second task, participants narrated a short story from a cartoon storyboard in detail (Littell, 2010). The storyboard followed a simple plot about receiving gifts and writing thank you notes to family members and friends—a topic that Cantonese-English bilinguals in the corpus were expected to be familiar with in both languages. This task was less formal than the sentence reading task, and ensured that different participants produced some of the same words in a more spontaneous context. Similar to the sentences, these same words may be useful for future analyses or projects that require matched utterances. Participants narrated the same cartoon in each language, which ensured that some of the same content

No.	Cantonese	Jyutping	English translation	
1	新年快樂	san1 lin4 faai3 lok6	Happy New Year	
2	恭喜發財	gung1 hei2 faat3 choi4	Congratulations on happiness and prosperity	
3	身體健康	san1 tai2 gin6 hong1	May your health be well	
4	快高長大	faai3 gou1 zoeng2 dai6	Grow quickly	
5	龍馬精神	lung4 ma5 zing1 san4	Have the spirit of the horse and dragon	
6	學業進步	hok6 yip6 zeon3 bou6	Progress in your education	
7	年年有餘	lin4 lin4 yau5 yue4	Excess in each year	
8	出入平安	cut1 yap6 ping4 on1	Leave and enter in safety	
9	心想事成	sam1 soeng2 si6 sing4	Accomplish that which is in your heart	
10	生意興隆	saang1 yi3 hing1 lung4	Have a prosperous business	
11	萬事如意	maan6 si6 yu4 yi3	A thousand things according to your will	
12	天天向上	tin1 tin1 hoeng3 soeng6	Upwards and onwards every day	
13	笑口常開	siu3 hau2 soeng4 hoi1	Laugh with an open mouth frequently	
14	大吉大利	daai6 gat1 daai6 lei6	Much luck and much prosperity	
15	五福臨門	mm5 fuk1 lam4 mun4	Five blessings for your household	
16	招財進寶	ziu1 coi4 zeon3 bou2	Seek wealth welcome in the precious	
17	盤滿砵滿	pun4 mun5 but3 mun5	Basins full of wealth	

**Table 1.3:** All Cantonese sentences are widely-known imperatives associated with Chinese New Year.

was conveyed in each language (e.g., productions of *mother* in both languages). It lasted 4–5 minutes, and allowed participants time to get used to the recording setup and helped them get into the right language mode before the interview. This is important, because language mode is known to affect the degree of crosslinguistic influence in speech production (Simonet and Amengual, 2019).

### **Conversational Interviews**

The conversational interviews formed the bulk of the recording time for each participant, lasting around 25 minutes. Participants were informed of the general interview structure ahead of time. The casual interview format was inspired by the Buckeye corpus of conversational speech (Pitt et al., 2005), and included everyday topics such as family, school, culture, hobbies, and food. These topics were selected to be relevant, interesting, and encourage storytelling, but to not delve into

the personal details typically elicited in a sociolinguistic interview (Nagy, 2011). A major goal was for participants—who knew they were being recorded for linguistic inquiry—to feel at ease and freely discuss the questions. Questions were loosely laid out under general topic headings, with optional follow-up questions. While the English and Cantonese interviews had the same structure and general topic areas, the particular questions differed. Furthermore, each interview took its own shape, and was guided by what the participant wanted to talk about, anywhere from three to six topic areas covered—the planned sequence of questions is included in the Appendix. As a result, the speech samples from each language are comparable, but the specific questions differ between interviews and across participants.

Participants were encouraged to code-switch between languages by the interviewer, who included code-switches in some of her questions, and asked about topics that encouraged switches (e.g., Chinese foods in English; university course work in Cantonese). While code-switching was encouraged, it was not a primary focus for the session. As will become apparent later in this chapter, there was substantially more code-switching in the Cantonese part of the session.

# 1.3 Annotation

All recordings were processed according to the pipeline outlined in this section. As much as possible, automatic tools were leveraged to expedite hand correction.

#### 1.3.1 Cloud Speech-to-Text

Google Cloud Speech-to-Text was used to produce an initial transcript of the interviews (Google, 2019). This was done using the Short Audio option, with the language variety set to Canadian English (en-CA) or Hong Kong Cantonese (yue-Hant-HK). In order to use this speech recognition product, the participant's speech from the recordings was first segmented into short chunks, typically under 15 seconds in duration.<sup>3</sup> No attention was paid to constituents at this point; rather, breaks were placed at breaths and other pauses. Short chunks were necessary for speech recognition with locally stored files and desirable for transcribers in the subsequent

<sup>&</sup>lt;sup>3</sup>The interviewer's speech is included in the recordings for the purpose of context, but is not transcribed.




Figure 1.5: This screenshot from ELAN showcases a sample of hand-corrected English from the sentence reading task for participant VF27A. The audio waveform is displayed in two channels, with one for the participant (top) and the other for the interviewer (bottom). The annotation tiers include (1) the short audio chunk's filename, (2) the raw speech-to-text transcript, (3) the speech-to-text confidence rating, (4) space for transcriber notes, if any, and (5) the corrected transcript. Note that "relaxing" was corrected to "relax on" in the rightmost section displayed.

hand correction phase. With the audio files prepared in this way, speech recognition was completed using the Python client library for Google Cloud Speech-to-Text. The output included both a transcript and a confidence rating for each audio chunk. While the transcripts generated in this fashion were far from perfect, they served the function of expediting the hand-correction process.

## 1.3.2 Orthographic Transcription Hand-Correction

The automatically generated transcripts were converted into multi-tiered ELAN transcription files (Sloetjes and Wittenburg, 2008), with tiers for the automatically generated transcript, phrase transcription confidence, notes, and corrected transcription confidence.

script. During hand-correction, research assistants adjusted the transcript in the corrected tier, and took note of anything pertinent to the given audio chunk. Figure 1.5 depicts an example of corrected English transcriptions in ELAN (Sloetjes and Wittenburg, 2008). Direct identifiers (e.g., names) were marked during this phase, and silenced from the recordings prior to release. Transcriber guidelines were adapted from the multilingual Heritage Language Variation and Change corpus, which includes Cantonese (Nagy, 2011). Guidelines for Cantonese were developed in collaboration with the bilingual research assistant team.

In both languages, the following conventions were used:

- The placeholder "xxx" denotes unintelligible speech.
- Fragments are transcribed using "&" followed by the fragment produced (e.g., "&s").
- The "?" symbol marks questions; other punctuation is not used.

Cantonese-specific conventions include:

- Where possible, transcription is in characters.
- Words without a standard character are transcribed with Jyutping (e.g., *jyut6ping3*).
- Words produced in Mandarin Chinese are transcribed in Mandarin characters with "@m" appended to each.<sup>4</sup>

English-specific conventions include:

- Standard spelling is used.
- Proper nouns are capitalized and hyphenated if composed of multiple words (e.g., "British-Columbia").
- Filled pauses are transcribed with "um", "er", "uh", and other similar forms.
- Numbers are written out in word form (e.g., "one hundred").

<sup>&</sup>lt;sup>4</sup>Most participants report knowledge of Mandarin, though age of acquisition, use, and proficiency all vary drastically. In all cases, Mandarin was learned later than Cantonese and English.

## 1.3.3 Forced Alignment

Force-aligned transcripts were produced with the Montreal Forced Aligner (McAuliffe et al., 2017), using the hand-corrected orthographic transcripts and short audio chunks.

In Cantonese, forced alignment was completed with the Train-and-Align option, as there was no pretrained model available for Cantonese. The Cantonese pronunciation dictionary was generated using the *PyCantonese* Python library (Lee, 2018). As Cantonese orthpgraphy does not separate words with spaces, words segmentation was done according a maximum length matching algorithm... Pronunciations were identified by getting the Jyutping romanization from each character (or using the Jyutping transcribed), separating it into segments, and appending the tone number to the syllable nucleus (i.e., vowel or syllabic nasal). Research assistants supplemented the dictionary with alternative pronunciations for words that participated in syllable fusion. This approach bears some similarity to that of Tse (2019), but differs in that it also includes tonal information—which has been shown to improve forced alignment as long as there are not too many tone-nucleus combinations (Ćavar et al., 2016; Yuan et al., 2014).

Forced alignment in English took advantage of the Montreal Forced Aligner's pretrained English model and pronunciation dictionary, which broadly reflects North American English varieties. The dictionary was supplemented with manual additions.

The force-aligned transcripts were not manually corrected or checked. This means that any short chunk with code-switching or unintelligible speech will likely have poorer alignment. As a result, it is advisable to use stringent exclusionary criteria or perform checks prior to analyzing data from the corpus.

# 1.4 Descriptive Statistics

As hand-correction is currently underway, the descriptive statistics reported in the section are based on the Google Cloud Speech-to-Text transcripts of all three tasks (sentence reading, storyboard narration, interview) for the 27 participants listed in Table 1.1.

#### 1.4.1 Cantonese Interviews

The Cantonese interviews include approximately 9.43 hours of participant speech.<sup>5</sup> There were a total of 1,836 character types, and 98,401 character tokens. The number of characters varies somewhat drastically by participant, with a mean of 3,514 characters per interview (SD=734, min=2,171, max=5,410). The overall distribution of character frequency in the Cantonese interviews is depicted in Figure 1.7. As expected, there are a relatively small number of characters occurring frequently (e.g. pronouns, function words, etc.), while a majority are mid and low frequency.

The decision to report descriptive statistics for Cantonese in characters rather than words arises from the difficulty of defining wordhood in Cantonese (Wong, 2006), a lack of tools for parsing written Cantonese,<sup>6</sup> and because written Cantonese does not include spaces between words. An approximation of the word count can be devised by calculating the average word length from the Hong Kong Cantonese Corpus (Luke and Wong, 2015)—1.3 characters. By this estimation, the Cantonese interviews here include approximately 75,115 words.

While Google Cloud Speech-to-Text primarily transcribes Cantonese in characters, it also inserts English text.<sup>7</sup> As a result, it is possible to get a rough idea of how much code-switching there is in the Cantonese interviews. There were 1,321 English word types in the Cantonese interviews, and 2,858 word tokens. This does not necessarily indicate the number of switches, as participants may have produced more than one English word in a row for a given switch. Nonetheless, it demonstrates that there is a substantial amount of code-switching from Cantonese to English. The mean number of English words in the Cantonese interviews is 102 (s.d.=46, min=30, max=198).

<sup>&</sup>lt;sup>5</sup>Note that this excludes the duration of the interviewer questions, as well as pauses in the participant's speech. Furthermore, with the addition of the remaining seven male participants, this will increase to approximately 12 hours

<sup>&</sup>lt;sup>6</sup>The *PyCantonese* package is a notable exception to this (Lee, 2018), though it does not include tools for splitting sentences into words.

<sup>&</sup>lt;sup>7</sup>It is unclear at this point how accurate the English text in the Cantonese interviews is, though anecdotally speaking, it is accurate at least some of the time.





Figure 1.6: Estimated proportion of switched language based on duration.

# 1.4.2 English Interviews

The English interviews include a total of 5,494 word types and 91,828 word tokens in 9.89 hours of participant speech.<sup>8</sup> As in the Cantonese interviews, the number of words varies substantially by participant, with a mean word count of 3,729 (s.d.=701, min=2,113, max=4,518). The distribution of log word frequency in the English interviews is portrayed in Figure 1.7. Word frequency follows a similar pattern to Cantonese character frequency, with most words occurring infrequently, and a smaller proportion occurring very frequently.

Unlike for the Cantonese interviews, it is not possible to get a sense of codeswitching in the English interviews, as Google Cloud Speech-to-Text for Canadian English does not insert Cantonese characters. Anecdotally, the interviewers reported that while most of the English interviews contained some code-switches, there was overall less English-to-Cantonese code-switching. This remains to be quantified when the orthographic hand-correction is completed.

<sup>&</sup>lt;sup>8</sup>As with the Cantonese interviews, this will increase to approximately 12 hours with the remaining participants.



**Figure 1.7:** The distribution of log word frequency in the English and Cantonese interviews.

# 1.5 SpiCE Corpus Releases

The SpiCE corpus will be made publicly available in a series of releases with increasing transcription accuracy and breadth of annotation. The first release is planned for mid-2020, and will include all audio files with accompanying Google Cloud Speech-to-Text transcriptions and a detailed language background questionnaire summary. The second release will include hand-corrected orthographic transcriptions, with force-aligned phonetic transcriptions. These files will be released as they are completed. Further releases will depend on resources, but would likely include phone-level hand correction and/or corrections for a particular subset of phones. All full releases will be described in the online documentation, hard through the LRE Map, 10 and announced on the first author's website.

<sup>9</sup>https://spice-corpus.readthedocs.io/

<sup>10</sup> http://lremap.elra.info

# 1.6 Discussion & Conclusion

While various bilingual corpora exist, they lack in different ways. The SpiCE corpus described here enables within-speaker phonetic comparisons across languages. While this would be possible with some of the bilingual speakers in resources like the Bangor corpora (Deuchar et al., 2014), the recording quality limits the scope of phonetic queries. With the release of SpiCE and its high-quality recordings, scholars have the ability to ask and answer empirically and theoretically motivated research questions within the speech and language sciences using more sophisticated phonetic measurement techniques (e.g., spectral measures, in addition to temporal measures). This offers substantial potential for increasing our understanding of bilingual spoken language from both phonetic and psycholinguistic perspectives. While the recording quality of this corpus offers these particular advantages, SpiCE is also suitable for any other standard corpus-based inquiry with conversational speech, whether linguistic or paralinguistic in nature. The opportunities made available with SpiCE are especially important given the typological difference between the languages under consideration, and the fact that Cantonese is an understudied language.

# **Bibliography**

- Alderete, J., Chan, Q., and Yeung, H. H. (2019). Tone slips in Cantonese: Evidence for early phonological encoding. *Cognition*, 191:103952. → page 3
- Amengual, M. (2017). Type of early bilingualism and its effect on the acoustic realization of allophonic variants: Early sequential and simultaneous bilinguals. *International Journal of Bilingualism*, 23(5):954–970.  $\rightarrow$  page 4
- Audacity Team (2018). Audacity (R): Free audio editor and recorder.  $\rightarrow$  page 7
- Bell, A., Brenier, J. M., Gregory, M., Girand, C., and Jurafsky, D. (2009). Predictability effects on durations of content and function words in conversational English. *Journal of Memory and Language*, 60(1):92–111. 

  page 1
- Deuchar, M., Davies, P., Herring, J. R., Parafita Couto, M. C., and Carter, D. (2014). Building bilingual corpora. In Thomas, E. M. and Mennen, I., editors, *Advances in the Study of Bilingualism*, pages 93–110. Multilingual Matters. → pages 2, 20
- Gahl, S., Yao, Y., and Johnson, K. (2012). Why reduce? Phonological neighborhood density and phonetic reduction in spontaneous speech. *Journal of Memory and Language*, 66(4):789–806. → page 1
- Google (2019). Cloud speech-to-text.  $\rightarrow$  page 13
- IEEE (1969). IEEE recommended practice for speech quality measurements. *IEEE Transactions on Audio and Electroacoustics*, 17(3):225–246. → page 10
- Johnson, K. A. (2021). SpiCE: Speech in Cantonese and English. V1.  $\rightarrow$  page 2
- Lee, J. L. (2018). PyCantonese [Version 2.2.0].  $\rightarrow$  pages 3, 16, 17

- Leung, M.-T. and Law, S.-P. (2001). HKCAC: The Hong Kong Cantonese adult language corpus. *International Journal of Corpus Linguistics*, 6(2):305–325. → page 3
- Littell, P. (2010). Thank-you notes [Version 1.0: Agent focus]. → page 11
- Luke, K. K. and Wong, M. L. Y. (2015). The Hong Kong Cantonese corpus: Design and uses. *Journal of Chinese Linguistics*, 25(2015):309-330.  $\rightarrow$  pages 3, 17
- Matthews, S., Yip, V., and Yip, V. (2013). *Cantonese: A Comprehensive Grammar*. Routledge.  $\rightarrow$  pages 3, 10
- McAuliffe, M., Socolof, M., Stengel-Eskin, E., Mihuc, S., Wagner, M., and Sonderegger, M. (2017). Montreal Forced Aligner [Version 1.0.1]. → page 16
- Nagy, N. (2011). A multilingual corpus to explore variation in language contact situations. *Rassegna Italiana di Linguistica Applicata*, 43(1-2):65–84. → pages 10, 13, 15
- Ng, R. W. M., Kwan, A. C., Lee, T., and Hain, T. (2017). ShefCE: A Cantonese-English bilingual speech corpus for pronunciation assessment. In 2017 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), pages 5825–5829. → page 2
- Pitt, M. A., Johnson, K., Hume, E., Kiesling, S., and Raymond, W. (2005). The Buckeye corpus of conversational speech: Labeling conventions and a test of transcriber reliability. *Speech Communication*, 45(1):89–95. → pages 2, 3, 12
- Simonet, M. and Amengual, M. (2019). Increased language co-activation leads to enhanced cross-linguistic phonetic convergence. *International Journal of Bilingualism*, 24(2):208–221. → page 12
- Sloetjes, H. and Wittenburg, P. (2008). Annotation by category: ELAN and ISO DCR. In *Proceedings of the Sixth International Conference on Language Resources and Evaluation*, Marrakech, Morocco. European Language Resources Association (ELRA). → pages 14, 15
- Statistics Canada (2017). Proportion of mother tongue responses for various regions in Canada, 2016 Census.  $\rightarrow$  page 4
- Tse, H. (2019). Beyond the Monolingual Core and out into the Wild: A Variationist Study of Early Bilingualism and Sound Change in Toronto Heritage Cantonese. Doctoral dissertation, University of Pittsburgh, Pittsburgh, PA. → pages 10, 16

- Winterstein, G., Tang, C., and Lai, R. (2020). CantoMap: A Hong Kong Cantonese MapTask corpus. In *Proceedings of the 12th Language Resources and Evaluation Conference (LREC'20)*, pages 2906–2913, Marseille, France. European Language Resources Association. → page 3
- Wong, W. Y. P. (2006). *Syllable fusion in Hong Kong Cantonese connected speech*. Doctoral dissertation, The Ohio State University, Columbus, OH.  $\rightarrow$  page 17
- Yau, M. (2019). PyJyutping.  $\rightarrow$  page 3
- Yu, H. (2013). Mountains of gold: Canada, North America, and the Cantonese Pacific. In *Routledge Handbook of the Chinese Diaspora*, pages 108–121. Routledge. → page 4
- Yuan, J., Ryant, N., and Liberman, M. (2014). Automatic phonetic segmentation in Mandarin Chinese: Boundary models, glottal features and tone. In 2014 *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 2539–2543. → page 16
- Ćavar, M., Ćavar, D., and Cruz, H. (2016). Endangered language documentation: Bootstrapping a Chatino speech corpus, forced aligner, ASR. In *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC'16)*, pages 4004–4011, Portorož, Slovenia. European Language Resources Association (ELRA). → page 16