#### M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2021

|       |                       |      | 0.000 |      |       |      |       |      | NAME O |      | E     |      |       |      |       |      |
|-------|-----------------------|------|-------|------|-------|------|-------|------|--------|------|-------|------|-------|------|-------|------|
| No.   | NAME OF MATERIALS     | Unit | IND   | ORE  | BARV  | VAHA | DH    | AR   | UJJ    | AIN  | RAT   | LAM  | MAND  | SAUR | TO    | TAL  |
| 1     | DIST.TRANSFORMERS     |      | NEW   | REP  | NEW   | REP  | NEW   | REP  | NEW    | REP  | NEW   | REP  | NEW   | REP  | NEW   | REP  |
| i     | 16 KVA 1 Phase        | Nos. | 0     | 0    | 40    | 7    | 410   | 5    | 0      | 0    | 0     | 0    | 0     | 0    | 450   | 12   |
| ii    | 16 KVA 3 Phase        | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| iii   | 25 KVA (Non Star)     | Nos. | 0     | 63   | 0     | 34   | 0     | 22   | 0      | 20   | 0     | 174  | 0     | 53   | 0     | 366  |
| iv    | 25 KVA (3 Star)       | Nos. | 15    | 0    | 2     | 0    | 39    | 0    | 4      | 0    | 34    | 0    | 220   | 0    | 314   | 0    |
| v     | 63 KVA                | Nos. | 0     | 111  | 0     | 30   | 0     | 18   | 0      | 59   | 0     | 14   | 0     | 21   | 0     | 253  |
| vi    | 100 KVA (Non Star)    | Nos. | 0     | 91   | 0     | 102  | 0     | 143  | 0      | 108  | 0     | 87   | 0     | 47   | 0     | 578  |
| vii   | 100 KVA (3 Star)      | Nos. | 26    | 0    | 104   | 0    | 36    | 0    | 24     | 0    | 60    | 0    | 139   | 0    | 389   | 0    |
| viii  | 200 KVA (Non Star)    | Nos. | 0     | 6    | 0     | 33   | 0     | 8    | 0      | 16   | 0     | 12   | 0     | 10   | 0     | 85   |
| ix    | 200 KVA (3 Star)      | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 6     | 0    | 19    | 0    | 25    | 0    |
| х     | 315 KVA               | Nos. | 0     | 7    | 0     | 0    | 0     | 0    | 1      | 1    | 0     | 0    | 0     | 0    | 1     | 8    |
| 2     | POWER X'MERS          |      | NEW   | REP  | NEW   | REP  | NEW   | REP  | NEW    | REP  | NEW   | REP  | NEW   | REP  | NEW   | REP  |
| i     | 1.6 MVA               | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| ii    | 3.15 MVA              | Nos. | 0     | 5    | 0     | 13   | 0     | 4    | 0      | 24   | 0     | 7    | 0     | 22   | 0     | 75   |
| iii   | 5.0 MVA               | Nos. | 0     | 7    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 7    |
| iv    | 8.0 MVA               | Nos. | 3     | 1    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 3     | 1    |
| v     | 10.0 MVA              | Nos. | 3     | 0    | 0     | 0    | 0     | 0    | 1      | 0    | 0     | 0    | 0     | 0    | 4     | 0    |
| 3     | CT/PT UNITS           |      | 11KV  | 33KV | 11KV  | 33KV | 11KV  | 33KV | 11KV   | 33KV | 11KV  | 33KV | 11KV  | 33KV | 11KV  | 33KV |
| i     | 2.5/5 AMP             | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| ii    | 5/5 AMP               | Nos. | 0     | 108  | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 108  |
| iii   | 7.5/5 AMP             | Nos. | 10    | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 1     | 0    | 11    | 0    |
| iv    | 10/5 AMP              | Nos. | 0     | 44   | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 44   |
| v     | 15/5 AMP              | Nos. | 25    | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 1     | 0    | 0     | 0    | 26    | 0    |
| vi    | 20/5 AMP              | Nos. | 0     | 1    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 1    |
| vii   | 25/5 AMP              | Nos. | 4     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 4     | 0    |
| viii  | 30/5 AMP              | Nos. | 0     | 12   | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 12   |
| ix    | 50/5 AMP              | Nos. | 0     | 15   | 0     | 2    | 0     | 0    | 0      | 0    | 0     | 1    | 0     | 0    | 0     | 18   |
| х     | 75/5 AMP              | Nos. | 0     | 2    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 2    |
| xi    | 100/5 AMP             | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| xii   | 200/5 AMP             | Nos. | 0     | 2    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 2    |
| xiii  | 300/5 AMP             | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| xiv   | 400/5 AMP             | Nos. | 0     | 5    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 5    |
| xv    | 100-50/5 AMP          | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| xvi   | 300-150/5 AMP         | Nos. | 0     | 58   | 36    | 0    | 1     | 2    | 16     | 0    | 0     | 0    | 0     | 9    | 53    | 69   |
| -     | 400-200/5 AMP         | Nos. | 0     | 93   | 0     | 0    | 0     | 1    | 0      | 0    | 0     | 1    | 0     | 10   | 0     | 105  |
| xviii | 200-100/5 AMP         | Nos. | 1     | 151  | 0     | 18   | 0     | 2    | 0      | 17   | 0     | 10   | 7     | 6    | 8     | 204  |
| 4     | CONTROL PANEL         |      | FDR   | XMER | FDR   | XMER | FDR   | XMER | FDR    | XMER | FDR   | XMER | FDR   | XMER | FDR   | XMER |
| i     | 11KV                  | Nos. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 1    | 0     | 1    |
| ii    | 33KV                  | Nos. | 0     | 0    | 0     | 0    | 13    | 4    | 0      | 0    | 0     | 14   | 13    | 11   | 26    | 29   |
| 5     | CABLE COPPER CONTROL  |      | UN-AR | ARM  | UN-AR | ARM  | UN-AR | ARM  | UN-AR  | ARM  | UN-AR | ARM  | UN-AR | ARM  | UN-AR | ARM  |
| i     | 2 Core 2.5 Sq.mm      | Mtr. | 0     | 0    | 0     | 0    | 0     | 0    | 2967   | 6660 | 0     | 0    | 0     | 0    | 2967  | 6660 |
| -     | 3 Core 2.5 Sq.mm      | Mtr. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
|       | 4 Core 2.5 Sq.mm      | Mtr. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
|       | 8 Core 2.5 Sq.mm      | Mtr. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
|       | 12 Core 2.5 Sq.mm     | Mtr. | 0     | 1123 | 0     | 0    | 0     | 0    | 0      | 5086 | 0     | 0    | 0     | 0    | 0     | 6209 |
|       | 10 Core 2.5 Sq.mm     | Mtr. | 0     | 0    | 0     | 0    | 0     | 0    | 0      | 0    | 0     | 0    | 0     | 0    | 0     | 0    |
| VI    | 10 COIC 2.3 SQ.IIIIII | wit. | U     | U    | U     | U    | U     | U    | U      | U    | U     | U    | U     | U    | v     |      |

| N.T. | NAME OF MATERIAL C | TT * |       | NAME OF STORE |      |      |      |      |      |      |      |      |      |      |       |      |
|------|--------------------|------|-------|---------------|------|------|------|------|------|------|------|------|------|------|-------|------|
| No.  | NAME OF MATERIALS  | Unit | IND   | ORE           | BARV | VAHA | DH   | AR   | UJJ  | AIN  | RAT  | LAM  | MANI | SAUR | TO    | TAL  |
| vii  | 4 Core 24 Sq.mm    | Mtr. | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |
| 6    | D.O.FUSE ELEMENTS  |      | 11KV  | 33KV          | 11KV | 33KV | 11KV | 33KV | 11KV | 33KV | 11KV | 33KV | 11KV | 33KV | 11KV  | 33KV |
| i    | 1.5 Amp.           | No.  | 15550 | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 15550 | 0    |
| ii   | 3 Amp.             | No.  | 11700 | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 11700 | 0    |
| iii  | 5 Amp.             | No.  | 10700 | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 10700 | 0    |
| iv   | 7.5 Amp.           | No.  | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |
| v    | 10 Amp.            | No.  | 8240  | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 8240  | 0    |
| vi   | 15 Amp.            | No.  | 14000 | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 14000 | 0    |
| vii  | 25 Amp.            | No.  | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |
| viii | 50 Amp.            | No.  | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |
| ix   | 75 Amp.            | No.  | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |
| х    | 100 Amp.           | No.  | 0     | 0             | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0    |

#### M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2021

|      | STOCK POSITION (                     | ) GE     | TERAL MA | TERIAL LIT |         | E OF AREA |         | .2021    |          |
|------|--------------------------------------|----------|----------|------------|---------|-----------|---------|----------|----------|
| No.  | NAME OF MATERIALS                    | UNIT     | INDORE   | BARWAHA    | DHAR    | UJJAIN    | RATLAM  | MANDSAUR | TOTAL    |
| 7    | CONDUCTOR                            |          | INDOKE   | DAKWAHA    | DHAK    | UJJAIN    | KATLAWI | MANDSAUK | TOTAL    |
| i    | AAAC-02 SQUIRREL                     | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ii   | AAAC-03 WEASEL                       | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| iii  | AAAC-05 RABBIT                       | KM       | 184.177  | 0.000      | 240.000 | 0.000     | 553.964 | 356.770  | 1334.911 |
| iv   | AAAC-075 RACCON                      | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| v    | AAAC-DOG                             | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| vi   | AAAC Panther conductor 0.20 sq. inch | KM       | 1.298    | 8.546      | 0.000   | 24.441    | 19.711  | 0.000    | 53.996   |
| 8    | LIGHTING ARRESTERS                   | 12.11    | 1.200    | 0.010      | 0.000   | 21.111    | 10.711  | 0.000    |          |
| i    | 11 KV(Polymer) 5 KA -Line type       | Nos.     | 0        | 4329       | 3337    | 3373      | 11298   | 15302    | 37639    |
| ii   | 11 KV 5 KA - Line type               | Nos.     | 20948    | 0          | 0       | 0         | 0       | 0        | 20948    |
| iii  | 33 KV 10 KA - Line type              | Nos.     | 1214     | 0          | 18      | 1654      | 0       | 0        | 2886     |
| iv   | 11 KV 10 KA - Station type           | Nos.     | 0        | 18         | 0       | 0         | 0       | 0        | 18       |
| 9    | VCB                                  |          |          |            |         |           |         |          |          |
| i    | 11 KV                                | Nos.     | 10       | 25         | 12      | 39        | 11      | 13       | 110      |
| ii   | 33 KV 30V                            | Nos.     | 20       | 10         | 11      | 16        | 8       | 21       | 86       |
| 10   | STAY SET                             |          |          |            |         |           |         |          |          |
| i    | 16 MM/Painted                        | Nos.     | 46502    | 24166      | 29431   | 26784     | 35893   | 23880    | 186656   |
| ii   | 20 MM                                | Nos.     | 1600     | 0          | 262     | 1600      | 616     | 72       | 4150     |
| 11   | C.T.s                                |          |          |            |         |           |         |          |          |
| i    | 11 KV CT 200-100/5-5 A               | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| ii   | 11 KV CT 300-150/5-5 A               | Nos.     | 22       | 0          | 0       | 33        | 0       | 0        | 55       |
| iii  | 11 KV CT 400-200/5-5 A               | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| iv   | 11 KV CT 600-300/5-5 A               | Nos.     | 0        | 0          | 0       | 6         | 0       | 0        | 6        |
| v    | 11 KV CT 600-300/5-5-1 A             | Nos.     | 10       | 0          | 0       | 1         | 0       | 0        | 11       |
| vi   | 33 KV CT 200-100/5-5 A               | Nos.     | 29       | 0          | 0       | 1         | 0       | 0        | 30       |
| vii  | 33 KV CT 300-150/5-5 A               | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| viii | 33 KV CT 400-200/5-5 AMP             | Nos.     | 49       | 0          | 0       | 5         | 0       | 0        | 54       |
| ix   | 33 KV CT 200-100/5-5-1 A             | Nos.     | 4        | 0          | 0       | 0         | 0       | 0        | 4        |
| x    | 132 KV CT 50/1                       | Nos.     | 1        | 0          | 0       | 0         | 0       | 0        | 1        |
| xi   | 132 KV CT 100/1                      | Nos.     | 12       | 0          | 0       | 0         | 2       | 0        | 14       |
| xii  | 132 KV CT 200/1                      | Nos.     | 7        | 0          | 0       | 0         | 5       | 0        | 12       |
| 12   | P.T.s                                |          |          |            |         |           |         |          |          |
| i    | 11 KV PT                             | Nos.     | 196      | 0          | 0       | 0         | 0       | 0        | 196      |
| ii   | 33 KV PT                             | Nos.     | 533      | 0          | 0       | 0         | 0       | 0        | 533      |
| iii  | 132 KV PT                            | Nos.     | 4        | 0          | 0       | 0         | 3       | 0        | 7        |
| 13   | LT/CT                                |          |          |            |         |           |         |          |          |
| i    | 100/5 AMP                            | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| ii   | 200/5 AMP                            | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| iii  | 300/5 AMP                            | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| iv   | 400/5 AMP                            | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
| v    | 500/5 AMP                            | Nos.     | 0        | 0          | 0       | 0         | 0       | 0        | 0        |
|      |                                      | 1108.    | U        | U          | U       | U         | U       | U        | U        |
|      | Cable - Unarmoured PVC / XLPE Cable  | <u> </u> |          |            | _       | _         |         |          |          |
| i    | 1 C X 16 Sqmm                        | KM       | 4.050    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 4.050    |
| ii   | 1 C X 25 Sqmm                        | KM       | 277.884  | 0.000      | 0.000   | 214.588   | 0.000   | 161.665  | 654.137  |
| iii  | 1 C X 35 Sqmm                        | KM       | 1.824    | 0.000      | 2.020   | 0.000     | 0.000   | 0.000    | 3.844    |
| iv   | 1 C X 50 Sqmm                        | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| v    | 1 C X 70 Sqmm                        | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
|      | 1 C X 95 Sqmm                        | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
|      | -                                    |          |          |            |         |           |         |          |          |
|      | 1 C X 150 Sqmm                       | KM       | 4.958    | 0.000      | 0.000   | 7.229     | 0.000   | 0.000    | 12.187   |
|      | 1 C X 300 Sqmm                       | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ix   | 4 C X 16 Sqmm                        | KM       | 0.000    | 0.000      | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |

|         | STOCK POSITION C                                     | J. GE    | (EIGH) WIT | LAND DIE |         | E OF AREA |         | 2021     |          |
|---------|--|----------|------------|----------|---------|-----------|---------|----------|----------|
| No.     | NAME OF MATERIALS                                    | UNIT     | INDORE     | BARWAHA  | DHAR    | UJJAIN    | RATLAM  | MANDSAUR | TOTAL    |
| х       | 4 C X 25 Sqmm  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| xi      | 2 C X 2.5 Sqmm                                       | KM       | 4138.115   | 362.900  | 348.000 | 1493.275  | 537.745 | 122.109  | 7002.144 |
| 15      | Cable - Multicore PVC Cable                          |          |            |          |         |           |         |          |          |
| i       | 2 C X 2.5 Sqmm                                       | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ii      | 4 C X 2.5 Sqmm                                       | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| iii     | 2 C X 4 Sqmm   | KM       | 99.319     | 0.000    | 0.000   | 40.423    | 0.000   | 0.000    | 139.742  |
| iv      | 4 C X 4 Sqmm   | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| v       | 4 C X 6 Sqmm   | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| vi      | 4 C X 8 Sqmm   | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| vii     | 4 C X 10 Sqmm  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| 16      | Cable - HT XLPE Cable                                |          |            |          |         |           |         |          |          |
| i       | 3 C X 70 Sqmm 11 KV                                  | KM       | 0.000      | 0.000    | 0.000   | 1.184     | 0.000   | 0.000    | 1.184    |
| ii      | 3 C X 185 Sqmm 11 KV                                 | KM       | 21.891     | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 21.891   |
| iii     | 3 C X 300 Sqmm 11 KV                                 | KM       | 3.374      | 0.000    | 0.000   | 2.042     | 0.000   | 0.000    | 5.416    |
| iv      | 3 C X 185 Sqmm 33 KV                                 | KM       | 0.801      | 0.000    | 0.000   | 1.190     | 0.000   | 0.000    | 1.991    |
| v       | 3 C X 300 Sqmm 33 KV                                 | KM       | 2.789      | 0.000    | 0.000   | 6.060     | 0.000   | 0.000    | 8.849    |
| 17      | Cable - LT AB Cable                                  |          |            |          |         |           |         |          |          |
| i       | 1X25+1X25+1X25 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ii      | 3X16+1X16+1X25 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| iii     | 3X25+1X16+1X25 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 5.876     | 0.000   | 0.000    | 5.876    |
| iv      | 3X25+1X25+1X25 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| v       | 3X25+1X35 Sqmm                                       | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| vi      | 3X25+1X35+1X16 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| vii     | 3X35+1X16+1X25 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| viii    | 3X35+1X35+1X16 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ix      | 3X50+1X16+1X35 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| x       | 3X70+1X16+1X50 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| xi      | 3X95+1X16+1X70 Sqmm                                  | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| Х       | 1X25+1X16+1X25 Sq.mm                                 | KM       | 312.296    | 253.000  | 108.917 | 0.000     | 0.000   | 0.000    | 674.213  |
| xi      | 3X25+1X25 Sq.mm                                      | KM       | 0.000      | 0.000    | 0.000   | 76.343    | 0.000   | 0.000    | 76.343   |
| xii     | 3X120+1X70+1X16Sq.mm                                 | KM       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| 18      | STEEL SECTIONS                                       |          |            |          |         |           |         |          |          |
| i       | Rail Pole  | MT       | 0.000      | 0.000    | 3.280   | 0.000     | 0.000   | 0.000    | 3.280    |
| ii      | H-Beam 152 x 152 mm                                  | MT       | 7.575      | 84.500   | 124.020 | 0.000     | 109.750 | 188.290  | 514.135  |
| iii     | RS Joist 175 x 85 mm                                 | MT       | 0.000      | 0.000    | 0.000   | 0.000     | 0.361   | 0.000    | 0.361    |
| iv      | MS Angle 75 x 75 x 6 mm                              | MT       | 0.000      | 0.000    | 0.000   | 0.000     | 0.800   | 0.000    | 0.800    |
| v       | MS Angle 65 x 65 x 6 mm                              | MT       | 0.000      | 0.000    | 108.360 | 133.365   | 4.457   | 49.403   | 295.585  |
| vi      | MS Angle 50 x 50 x 6 mm                              | MT       | 0.000      | 0.000    | 102.286 | 36.615    | 74.824  | 31.226   | 244.951  |
| vii     | MS Channel 100 x 50 x 5 mm                           | MT       | 0.000      | 19.400   | 27.300  | 0.000     | 45.550  | 0.000    | 92.250   |
| viii    | MS Channel 75 x 40 x 6 mm  MS Channel 65 x 65 x 6 mm | MT<br>MT | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| ix<br>x | MS Flat 75 x 6 mm                                    | MT       | 0.000      | 0.000    | 0.000   | 0.000     | 0.000   | 0.000    | 0.000    |
| xi      | MS Flat 65 x 8 mm                                    | MT       | 142.960    | 74.950   | 81.615  | 110.482   | 93.387  | 87.465   | 590.859  |
| xii     | MS Flat 50 x 6 mm                                    | MT       | 55.673     | 0.000    | 144.670 | 88.625    | 54.600  | 11.196   | 354.764  |
|         |  |          | 33.070     | 5.500    |         | 55.020    | 000     |          |          |

|      | STOCK POSITION C              |      | -       |         |         | E OF AREA |         |          |         |
|------|-------------------------------|------|---------|---------|---------|-----------|---------|----------|---------|
| No.  | NAME OF MATERIALS             | UNIT | INDORE  | BARWAHA | DHAR    | UJJAIN    | RATLAM  | MANDSAUR | TOTAL   |
| 19   | GI WIRES                      |      |         |         |         |           |         |          |         |
| i    | 6 SWG                         | MT   | 39.741  | 0.000   | 1.300   | 66.607    | 0.505   | 0.000    | 108.153 |
| ii   | 8 SWG                         | MT   | 35.246  | 15.000  | 55.215  | 72.640    | 96.846  | 60.069   | 335.016 |
| iii  | 10 SWG                        | MT   | 3.044   | 13.750  | 0.000   | 0.000     | 0.000   | 8.416    | 25.210  |
| 20   | STAY WIRES                    |      |         |         |         |           |         |          |         |
| i    | 7/8 SWG (7/4.00 mm)           | MT   | 0.000   | 0.000   | 0.000   | 0.000     | 0.000   | 0.000    | 0.000   |
| ii   | 7/10 SWG (7/3.15 mm)          | MT   | 244.049 | 103.000 | 105.400 | 206.845   | 190.205 | 73.000   | 922.499 |
| 21   | HARDWARES                     |      |         |         |         |           |         |          |         |
| i    | LT SHACKLE H/W 90X75          | Nos. | 3003    | 0       | 0       | 0         | 0       | 0        | 3003    |
| ii   | 11 KV H/W                     | Nos. | 9804    | 0       | 0       | 0         | 0       | 0        | 9804    |
| iii  | 33 KV H/W                     | Nos. | 88      | 0       | 0       | 0         | 0       | 0        | 88      |
| iv   | 33 KV H/W (Panther)           | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| 22   | INSULATORS                    |      |         |         |         |           |         |          |         |
| i    | SHACKLE 90 X 75               | Nos. | 1820    | 0       | 0       | 0         | 0       | 0        | 1820    |
| ii   | SHACKLE 65 X 50               | Nos. | 27988   | 0       | 0       | 0         | 0       | 0        | 27988   |
| iii  | STAY INSULATOR 90X65          | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| vii  | 11 KV Polymer Pin Insulator   | Nos. | 74679   | 14536   | 16271   | 1714      | 18652   | 18787    | 144639  |
| viii | 33 KV Polymer Pin Insulator   | Nos. | 0       | 80      | 0       | 0         | 11      | 49       | 140     |
| ix   | 11 KV Polymer Disc Insulator  | Nos. | 7805    | 0       | 1762    | 0         | 16936   | 14595    | 41098   |
| х    | 33 KV Polymer Disc Insulator  | Nos. | 0       | 0       | 0       | 18        | 0       | 0        | 18      |
| 23   | DO SETS                       |      |         |         |         |           |         |          |         |
| i    | 11 KV                         | Nos. | 15375   | 7136    | 2285    | 5693      | 17854   | 8471     | 56814   |
| ii   | 33 KV                         | Nos. | 103     | 0       | 85      | 62        | 165     | 120      | 535     |
| 24   | AB SWITHCES                   |      |         |         |         |           |         |          |         |
| i    | 33 KV                         | Nos. | 0       | 0       | 0       | 0         | 2       | 0        | 2       |
| ii   | 11 KV 1 PHASE                 | Nos. | 325     | 124     | 3       | 0         | 0       | 0        | 452     |
| iii  | 11 KV 3 PHASE                 | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| 25   | DIST. BOXES                   |      |         |         |         |           |         |          |         |
| i    | 16 KVA                        | Nos. | 328     | 11      | 133     | 363       | 157     | 0        | 992     |
| ii   | 25 KVA                        | Nos. | 0       | 0       | 291     | 0         | 212     | 362      | 865     |
| iii  | 63 KVA                        | Nos. | 0       | 0       | 0       | 0         | 37      | 43       | 80      |
| iv   | 100 KVA                       | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| v    | 200 KVA                       | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| vi   | 315 KVA                       | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| 26   | CAPACITORS                    |      |         |         |         |           |         |          |         |
| i    | 121 KVAR                      | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| ii   | 242 KVAR                      | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| 27   | PC CUT OUT                    |      |         |         |         |           |         |          |         |
| i    | 63 AMP.                       | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| ii   | 100 AMP.                      | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| iii  | 200 AMP.                      | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |
| iv   | 300 AMP.                      | Nos. | 0       | 0       | 0       | 17        | 0       | 0        | 17      |
| 28   | METER NEW ELECTRONIC          |      |         |         |         |           |         |          |         |
| i    | 1 PHASE 5-30 Amp.             | Nos. | 10000   | 2810    | 999     | 12957     | 9858    | 2619     | 39243   |
|      | 1 PHASE 5-30 Amp. SMART Meter | Nos. | 1995    | 0       | 0       | 0         | 0       | 0        | 1995    |
| ii   | 3 PHASE 10-40 Amp.            | Nos. | 5       | 0       | 0       | 0         | 0       | 0        | 5       |
| iii  | 3 PHASE 20-100 Amp.           | Nos. | 0       | 4       | 0       | 0         | 0       | 10       | 14      |
| iv   | Whole Current 40-200 Amp.     | Nos. | 425     | 4       | 0       | 400       | 0       | 13       | 842     |
| v    | LT C.T. Meter 100/5 Amp.      | Nos. | 1790    | 0       | 0       | 1995      | 0       | 111      | 3896    |
| vi   | HT Meter - 110 V              | Nos. | 45      | 0       | 0       | 11        | 0       | 0        | 56      |
| vii  | HT Meter - 110 V S/S.         | Nos. | 1258    | 0       | 0       | 0         | 0       | 0        | 1258    |
| 29   | MAIN SWITHCES                 |      |         |         |         |           |         |          |         |
| i    | 32 AMP.                       | Nos. | 0       | 0       | 0       | 0         | 0       | 0        | 0       |

|         | STOCK POSITION C                 | JI GE | VERTE WITE | TERMINE ETT |        | E OF AREA |        | .2021    |         |
|---------|----------------------------------|-------|------------|-------------|--------|-----------|--------|----------|---------|
| No.     | NAME OF MATERIALS                | UNIT  | INDORE     | BARWAHA     | DHAR   | UJJAIN    | RATLAM | MANDSAUR | TOTAL   |
| ii      | 63 AMP.                          | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| iii     | 100 AMP.                         | Nos.  | 0          | 0           | 0      | 22        | 0      | 0        | 22      |
| iv      | 200 AMP.                         | Nos.  | 0          | 0           | 0      | 220       | 0      | 0        | 220     |
| v       | 320 AMP.                         | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| vi      | 400 AMP.                         | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| 30      | G.I. PINS                        |       |            |             |        |           |        |          |         |
| i       | 11 KV                            | Nos.  | 0          | 0           | 1575   | 0         | 0      | 0        | 1575    |
| ii      | 33 KV                            | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| 31      | G.I.CONDUIT PIPE                 |       |            |             |        |           |        |          |         |
| i       | 20 MM                            | Mtr.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| ii      | 40 MM                            | Mtr.  | 17063      | 19637       | 0      | 11739     | 15717  | 18304    | 82460   |
| 33      | ISOLATORS                        |       |            |             |        |           |        |          |         |
| i       | 11 KV                            | Nos.  | 24         | 5           | 13     | 0         | 0      | 0        | 42      |
| ii      | 33 KV                            | Nos.  | 0          | 26          | 83     | 0         | 7      | 1        | 117     |
| 34      | PCC POLES                        |       |            |             |        |           |        |          |         |
| i       | 140 KG                           | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| ii      | 280 KG                           | Nos.  | 0          | 0           | 0      | 0         | 169    | 0        | 169     |
| iii     | 350 KG                           | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| 35      | BATTERY & CHARGER                |       |            |             |        |           |        |          |         |
| i       | Battery Set                      | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| ii      | Battery Charger                  | Nos.  | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| 36      | OIL X-MER                        |       |            |             |        |           |        |          |         |
| i       | Fresh Oil                        | KL    | 0.000      | 0.000       | 0.000  | 0.000     | 2.000  | 9.715    | 11.715  |
| ii      | Reclaimed Oil                    | KL    | 0.000      | 0.000       | 0.000  | 0.000     | 0.000  | 0.000    | 0.000   |
| iii     | Burnt Oil                        | KL    | 0.000      | 25.000      | 30.000 | 27.000    | 86.000 | 15.000   | 183.000 |
| 37      | Male Female Contact suitable for |       |            |             |        |           |        |          |         |
| i       | 11 KV A.B.Switch                 | No.   | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| ii      | 33 KV A.B.Switch                 | No.   | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| 38      | ALU. LUGS                        |       |            |             |        |           |        |          |         |
| i       | 16 Sq.mm                         | No.   | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| ii      | 25 Sq.mm                         | No.   | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| iii     | 35 Sq.mm                         | No.   | 0          | 0           | 0      | 0         | 0      | 0        | 0       |
| iv      | 70 Sq.mm                         | No.   | 0          | 0           | 0      | 9020      | 0      | 0        | 9020    |
| v       | 150 Sq.mm                        | No.   | 0          | 0           | 0      | 9600      | 0      | 0        | 9600    |
| vi      | 300 Sq.mm                        | No.   | 0          | 0           | 0      | 3600      | 0      | 0        | 3600    |
|         | DPC Aluminium Round Wire         |       |            |             |        |           |        |          |         |
| i       | 0.79 mm                          | Kg.   | 0.00       | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 0.00    |
| i       | 0.81 mm                          | Kg.   | 0.00       | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 0.00    |
| ii      | 1.03 mm                          | Kg.   | 0.00       | 0.00        | 0.00   | 3.00      | 0.00   | 0.00     | 3.00    |
| iii     | 1.25 mm                          | Kg.   | 0.00       | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 0.00    |
| iv      | 1.33 mm                          | Kg.   | 2400.00    | 0.00        | 0.00   | 5.25      | 0.00   | 0.00     | 2405.25 |
|         | 1.60 mm                          |       |            |             |        |           |        |          |         |
| v       |                                  | Kg.   | 0.00       | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 0.00    |
| vi      | 1.70 mm                          | Kg.   | 7900.00    | 0.00        | 0.00   | 7.16      | 0.00   | 0.00     | 7907.16 |
| vii<br> | 2.00 mm                          | Kg.   | 9000.00    | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 9000.00 |
| viii    | 2.20 mm                          | Kg.   | 0.00       | 0.00        | 0.00   | 0.00      | 0.00   | 0.00     | 0.00    |

|        | NAME OF AREA STORE                   |            |         |         |          |        |        |          |         |
|--------|--------------------------------------|------------|---------|---------|----------|--------|--------|----------|---------|
| No.    | NAME OF MATERIALS                    | UNIT       | INDORE  | BARWAHA | DHAR     | UJJAIN | RATLAM | MANDSAUR | TOTAL   |
| 39 (b) | DPC Aluminium Rectangular Wire       |            |         |         |          |        |        |          |         |
| i      | 11 X 4 mm                            | Kg.        | 400.00  | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 400.00  |
|        | 11 X 5.5 mm                          | Kg.        | 825.75  | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 825.75  |
|        | 7.2 X 5.5 mm                         |            |         |         |          |        |        |          |         |
|        |                                      | Kg.        | 1200.00 | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 1200.00 |
| iv     | 7.25 X 3.13 mm                       | Kg.        | 5173.00 | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 5173.00 |
| v      | 10.6 x 4.6 mm                        | Kg.        | 400.00  | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 400.00  |
| 40 (a) | DPC Copper Round Wire                |            |         |         |          |        |        |          |         |
| i      | 1.95 mm dia                          | Kg.        | 0.00    | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 0.00    |
| 40 (b) | DPC Copper Rectangular Wire          |            |         |         |          |        |        |          |         |
| i      | 8.4 X 3.7 mm                         | Kg.        | 0.00    | 0.00    | 0.00     | 0.00   | 0.00   | 0.00     | 0.00    |
| 41     | HV / LV Brass Stud for Dist.X-mer    |            |         |         |          |        |        |          |         |
| i      | LV 20 MM                             | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| ii     | HV                                   | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | TPC Copper Strips                    | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Press Board                          | 6          | -       | -       | -        |        |        | -        | -       |
| i      | 1 MM                                 | Kg.        | 700     | 0       | 0        | 0      | 0      | 0        | 700     |
|        | 2 MM                                 | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | 3 MM                                 | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| 44     | Kraft Paper                          | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Gasket Sheet                         | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | •       |
|        | 5 MM                                 | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | 6 MM                                 | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | 9 MM                                 |            | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | HRC Fuse Base & Link -               | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | U       |
|        | Base - 250 Amp.                      | No.        | 0       | 0       | 0        | 280    | 0      | 0        | 280     |
|        | Base - 300 Amp.                      | No.        | 0       | 0       | 0        | 430    | 0      | 0        | 430     |
|        | Base - 400 Amp.                      | No.        | 0       | 0       | 0        | 80     | 0      | 0        | 80      |
|        | Link - 250 Amp./200 Amp              | No.        | 0       | 0       | 0        | 700    | 0      | 0        | 700     |
|        | Link - 300 Amp.                      | No.        | 0       | 0       | 0        | 750    | 0      | 0        | 750     |
|        | Link - 400 Amp.                      | No.        | 0       | 0       | 0        | 550    | 0      | 0        | 550     |
|        | LT Pole Fuse Unit & Robust Fuse Unit | 110.       | 0       | 0       | 0        | 330    | 0      | 0        | 330     |
| i      | LT Pole Fuse Unit                    | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Robust Fuse Unit                     | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Pole Mounted Service connection Box  | 110.       | 0       | 0       | 0        | 0      | 0      | Ü        | •       |
| i      | Single Phase                         | No.        | 8259    | 27557   | 15012    | 13403  | 15548  | 9048     | 88827   |
| ii     | Three Phase                          | No.        | 50      | 2868    | 3713     | 1815   | 4244   | 2418     | 15108   |
| 49     | MCB                                  | 2.00.      |         |         | 0.10     | .510   |        | 2.10     |         |
| i      | Single Pole 16 Amp.                  | No.        | 1783    | 0       | 0        | 0      | 0      | 0        | 1783    |
| ii     | Three Pole 32 Amp.                   | No.        | 3953    | 0       | 0        | 241    | 0      | 0        | 4194    |
|        | Poly Corbonate Meter Box             |            | 2000    | Ť       | <u> </u> |        |        | Ĭ        |         |
| i      | Single Phase                         | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| ii     | Three Phase                          | No.        | 1195    | 0       | 0        | 1543   | 0      | 0        | 2738    |
|        | Barbed Wire                          | Kg.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Safety Appliances                    | <i>S</i> . | -       | -       | -        | -      | -      | -        | -       |
| i      | Cutting Plier                        | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Lineman Tool Bag                     | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| iii    | Safety Jhoola Belt                   | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| iv     | Screw Driver                         | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Hand Gloves                          | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
|        | Rubber Ankle Shoes                   | No.        | 0       | 0       | 0        | 0      | 0      | 0        | 0       |
| 54     |                                      | 110.       |         |         |          |        |        | ı        |         |

|      | STOCK POSITION C                           |      | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |         |       |        | NAME OF AREA STORE |          |        |  |  |  |  |  |  |  |  |
|------|--|------|---|---------|-------|--------|--------------------|----------|--------|--|--|--|--|--|--|--|--|
| No.  | NAME OF MATERIALS                          | UNIT | INDORE                                  | BARWAHA | DHAR  | UJJAIN | RATLAM             | MANDSAUR | TOTAL  |  |  |  |  |  |  |  |  |
| 55   | Liveries Terrycot & Woolen-                |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | Khaki Terrycot                             | Mtr. | 2160                                    | 0       | 0     | 0      | 0                  | 0        | 2160   |  |  |  |  |  |  |  |  |
| ii   | White Terrycot                             | Mtr. | 63                                      | 0       | 0     | 143    | 0                  | 0        | 206    |  |  |  |  |  |  |  |  |
| iii  | Blue Woolen                                | Mtr. | 28                                      | 0       | 0     | 20     | 0                  | 0        | 48     |  |  |  |  |  |  |  |  |
| iv   | Khaki Woolen                               | Mtr. | 1540                                    | 0       | 0     | 372    | 0                  | 0        | 1912   |  |  |  |  |  |  |  |  |
| v    | Khaki Cellular                             | Mtr. | 0                                       | 0       | 0     | 4987   | 0                  | 0        | 4987   |  |  |  |  |  |  |  |  |
| 56   | Scrap Conductor                            | Kg.  | 6655                                    | 5695    | 95    | 31798  | 656                | 815      | 45714  |  |  |  |  |  |  |  |  |
| 57   | Earthing Coil                              | No.  | 41106                                   | 33009   | 24133 | 208    | 15856              | 20631    | 134943 |  |  |  |  |  |  |  |  |
| 58   | Search Light 200/250 W                     | No.  | 0                                       | 0       | 0     | 0      | 0                  | 0        | 0      |  |  |  |  |  |  |  |  |
| 59   | MS Nut & Bolt                              |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | M.S.Nut Bolt 16 X 250                      | Kg.  | 400                                     | 0       | 0     | 0      | 0                  | 0        | 400    |  |  |  |  |  |  |  |  |
| ii   | M.S.Nut Bolt 16 X 200                      | Kg.  | 0                                       | 0       | 0     | 0      | 0                  | 0        | 0      |  |  |  |  |  |  |  |  |
| iii  | M.S.Nut Bolt 16 X 160                      | Kg.  | 31412                                   | 0       | 0     | 0      | 0                  | 0        | 31412  |  |  |  |  |  |  |  |  |
| iv   | M.S.Nut Bolt 16 X 140                      | Kg.  | 26338                                   | 0       | 0     | 0      | 0                  | 0        | 26338  |  |  |  |  |  |  |  |  |
| v    | M.S.Nut Bolt 16 X 90                       | Kg.  | 1700                                    | 0       | 0     | 0      | 0                  | 0        | 1700   |  |  |  |  |  |  |  |  |
| vi   | M.S.Nut Bolt 16 X 75                       | Kg.  | 14250                                   | 0       | 0     | 4450   | 0                  | 0        | 18700  |  |  |  |  |  |  |  |  |
| vii  | M.S.Nut Bolt 16 X 65                       | Kg.  | 784                                     | 0       | 0     | 0      | 0                  | 0        | 784    |  |  |  |  |  |  |  |  |
| viii | M.S.Nut Bolt 16 X 40                       | Kg.  | 5750                                    | 0       | 0     | 350    | 0                  | 0        | 6100   |  |  |  |  |  |  |  |  |
| ix   | M.S.Nut Bolt 12 X 300                      | Kg.  | 3850                                    | 0       | 0     | 0      | 0                  | 0        | 3850   |  |  |  |  |  |  |  |  |
| х    | M.S.Nut Bolt 12 X 140                      | Kg.  | 0                                       | 0       | 0     | 10030  | 0                  | 0        | 10030  |  |  |  |  |  |  |  |  |
| xi   | M.S.Nut Bolt 12 X 100                      | Kg.  | 3050                                    | 0       | 0     | 0      | 0                  | 0        | 3050   |  |  |  |  |  |  |  |  |
| xii  | M.S.Nut Bolt 12 X 65                       | Kg.  | 850                                     | 0       | 0     | 0      | 0                  | 0        | 850    |  |  |  |  |  |  |  |  |
| 60   | Clamp & Connector                          |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | Suspenstion Clamp Ass.for LT Cable 25-50   | Nos. | 43577                                   | 996     | 0     | 33828  | 0                  | 0        | 78401  |  |  |  |  |  |  |  |  |
| ii   | Clamp. For Neutral Connection 1.5-10 MM.   | Nos. | 45017                                   | 0       | 0     | 51710  | 0                  | 0        | 96727  |  |  |  |  |  |  |  |  |
| iii  | Dead End Clamp Ass. For 25-50 Sq.mm.       | Nos. | 55425                                   | 3701    | 0     | 45969  | 0                  | 0        | 105095 |  |  |  |  |  |  |  |  |
| iv   | Insulation Piercing Connector 1.5-10 MM-I  | Nos. | 0                                       | 8438    | 0     | 84206  | 0                  | 0        | 92644  |  |  |  |  |  |  |  |  |
| v    | Insulation Piercing Connector 1.5-10 MM-II | Nos. | 0                                       | 12685   | 0     | 50782  | 0                  | 0        | 63467  |  |  |  |  |  |  |  |  |
| vi   | T-Clamp for Dog                            | Nos. | 0                                       | 1988    | 0     | 1630   | 0                  | 0        | 3618   |  |  |  |  |  |  |  |  |
| 61   | 11 KV RVT                                  |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | (RVT) OUTDOOR TYPE                         | Nos. | 0                                       | 0       | 0     | 0      | 0                  | 0        | 0      |  |  |  |  |  |  |  |  |
| 62   | 11 KV CAPACITOR SWITCH                     |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | 11 KV Outdoor Automatic Capacitor switch   | Nos. | 2                                       | 0       | 0     | 0      | 0                  | 0        | 2      |  |  |  |  |  |  |  |  |
| 63   | LT CT Meter Box                            |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | LT CT Meter Box                            | Nos. | 1690                                    | 0       | 242   | 2073   | 459                | 0        | 4464   |  |  |  |  |  |  |  |  |
| 64   | HT Meter Box                               |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | HT Meter Box                               | Nos. | 14                                      | 4       | 0     | 0      | 0                  | 0        | 18     |  |  |  |  |  |  |  |  |
| 65   | BI-METALLIC CLAMPS                         |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |
| i    | LV   | No.  | 0                                       | 0       | 0     | 0      | 0                  | 0        | 0      |  |  |  |  |  |  |  |  |
| ii   | HV   | No.  | 0                                       | 0       | 0     | 0      | 0                  | 0        | 0      |  |  |  |  |  |  |  |  |
| 66   | BPL Service Connection Kit                 | Nos. | 0                                       | 0       | 2527  | 3726   | 3550               | 0        | 9803   |  |  |  |  |  |  |  |  |
| 67   | Electronic Relay                           | Nos. | 460                                     | 0       | 0     | 0      | 0                  | 0        | 460    |  |  |  |  |  |  |  |  |
|      | Additional items added by stores-          |      |   |         |       |        |                    |          |        |  |  |  |  |  |  |  |  |

| No. 68 69 70 71 72 | NAME OF MATERIALS   | UNIT | NAME OF AREA STORE |         |       |        |        |   |        |  |  |  |  |
|--------------------|---|------|--------------------|---------|-------|--------|--------|---|--------|--|--|--|--|
| No.                | NAME OF MATERIALS   | UNII | INDORE             | BARWAHA | DHAR  | UJJAIN | RATLAM | 0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0.000<br>0.000<br>0.000 | TOTAL  |  |  |  |  |
| 68                 | Digital power claim meter with automatic computation of single phase & three phase parameters | Nos. | 34                 | 0       | 0     | 0      | 0      | 0   | 34     |  |  |  |  |
| 69                 | 3 Ph 4 Wire Smart Meter 10-60 amp.  | Nos. | 224                | 0       | 0     | 0      | 0      | 0   | 224    |  |  |  |  |
| 70                 | 3 Ph 4 Wire Smart Meter 10-100 amp.   | Nos. | 130                | 0       | 0     | 0      | 0      | 0   | 130    |  |  |  |  |
| 71                 | Master Trip Relay   | Nos. | 170                | 0       | 0     | 0      | 0      | 0   | 170    |  |  |  |  |
| 72                 | Steel - WPB 160 MMX160 MM   | MT   | 0                  | 0       | 0     | 0      | 0      | 0   | 0      |  |  |  |  |
| 73                 | 11 KV HT AB Cable 3x95+1x80 Sqmm  | KM   | 0.000              | 0.000   | 0.000 | 8.584  | 3.000  | 0.000   | 11.584 |  |  |  |  |
| 74                 | 11 K HT XLPE Cable 3Cx150 sqmm  | Km   | 0.807              | 0.000   | 0.000 | 1.191  | 0.000  | 0.000   | 1.998  |  |  |  |  |
| 75                 | 11 KV HT XLPE Cable 3Cx240 sqmm   | Km   | 0.409              | 0.000   | 0.000 | 0.592  | 0.000  | 0.000   | 1.001  |  |  |  |  |
| 76                 | 3P 4W 10-40 amp. Meter category - C2  | Nos. | 5000               | 0       | 0     | 0      | 0      | 0   | 5000   |  |  |  |  |