M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.5.2022

1 DIS i 16 k ii 16 k iii 25 k iv 25 k v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 POV i 1.61 ii 3.15	NAME OF MATERIALS ST.TRANSFORMERS KVA 1 Phase KVA 3 Phase KVA (Non Star) KVA (3 Star) KVA 0 KVA (Non Star) 0 KVA (Non Star) 0 KVA (13 Star) 0 KVA (13 Star) 0 KVA (13 Star) 5 KVA 0 WER X'MERS 5 MVA	Nos. Nos. Nos. Nos. Nos. Nos. Nos. Nos.	INDO NEW 0 0 0 0 0 465 0 0	DRE REP 0 0 1083 0 331 847 0 26	NEW 7 0 0 0 0 0 0 0 100 0 0 0 0 0 0 0 0 0 0	7 7 2 716 0 179 214 0	DH NEW 404 0 0 12 0		NAME O UJJ NEW 0 0 0		RATE NEW 0 0 0 0	REP 0 15 589	MAND NEW 0 0	SAUR REP 3 0 784	NEW 411 0	TAL REP 15 51
i 16 k ii 16 k iii 25 k iv 25 k v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 POV i 1.61 ii 3.15	KVA 1 Phase KVA 3 Phase KVA (Non Star) KVA (3 Star) KVA 0 KVA (Non Star) 0 KVA (3 Star) 0 KVA (3 Star) 0 KVA (3 Star) 5 KVA OWER X'MERS 5 MVA	Nos. Nos. Nos. Nos. Nos. Nos. Nos. Nos.	0 0 0 0 0 0 465 0	0 0 1083 0 331 847 0	7 0 0 0 0 0	7 2 716 0 179 214	404 0 0 12 0	5 2 490 0	0 0	0 32	0	0 15	0	3	411	15
ii 16 k iii 25 k v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 PO' i 1.61 ii 3.15	KVA 3 Phase KVA (Non Star) KVA (3 Star) KVA 0 KVA (Non Star) 0 KVA (Non Star) 0 KVA (3 Star) 0 KVA (Non Star) 5 KVA DWER X'MERS 6 MVA	Nos. Nos. Nos. Nos. Nos. Nos. Nos. Nos.	0 0 0 0 0 465 0	0 1083 0 331 847 0 26	0 0 0 0 0	2 716 0 179 214	0 0 12 0	2 490 0	0	32	0	15	0	0	0	
iii 25 k iv 25 k v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 PO i 1.6 l ii 3.15	KVA (Non Star) KVA (3 Star) KVA 0 KVA (Non Star) 0 KVA (3 Star) 0 KVA (3 Star) 0 KVA (3 Star) 5 KVA DWER X'MERS 5 MVA	Nos. Nos. Nos. Nos. Nos. Nos. Nos.	0 0 0 0 465 0	1083 0 331 847 0 26	0 0 0 0 100	716 0 179 214	0 12 0	490	0							51
iv 25 k v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 PO' i 1.61 ii 3.15	KVA (3 Star) KVA 0 KVA (Non Star) 0 KVA (Star) 0 KVA (Non Star) 0 KVA (Star) 0 KVA (Star) 5 KVA DWER X'MERS 6 MVA	Nos. Nos. Nos. Nos. Nos. Nos.	0 0 0 465 0 0	0 331 847 0 26	0 0 0 100	0 179 214	12 0	0		513	0	589	0	784	0	
v 63 k vi 100 vii 100 viii 200 ix 200 x 315 2 PO i 1.6 h ii 3.15	KVA 0 KVA (Non Star) 0 KVA (3 Star) 0 KVA (3 Star) 0 KVA (3 Star) 0 KVA (3 Star) 5 KVA DWER X'MERS 5 MVA	Nos. Nos. Nos. Nos. Nos.	0 0 465 0 0	331 847 0 26	0 0 100	179 214	0		0			20)	J	/ 07	3	4175
vi 100 vii 100 viii 200 ix 200 x 315 2 POV i 1.61 ii 3.15	0 KVA (Non Star) 0 KVA (3 Star) 0 KVA (Non Star) 0 KVA (3 Star) 5 KVA OWER X'MERS 6 MVA	Nos. Nos. Nos. Nos.	0 465 0 0	847 0 26	0	214		220		0	0	0	76	0	88	0
vii 100 viii 200 ix 200 x 315 2 PO i 1.61 ii 3.15	0 KVA (3 Star) 0 KVA (Non Star) 0 KVA (S Star) 5 KVA 0 WER X'MERS	Nos. Nos. Nos.	465 0 0	0 26	100		٥	220	0	322	0	68	0	359	0	1479
viii 200 ix 200 x 315 2 PO i 1.61 ii 3.15	0 KVA (Non Star) 0 KVA (3 Star) 5 KVA OWER X'MERS 5 MVA	Nos. Nos.	0 0	26		0	U	561	0	560	0	279	0	729	0	3190
ix 200 x 315 2 PO' i 1.61 ii 3.15	0 KVA (3 Star) 5 KVA DWER X'MERS 6 MVA	Nos.	0		0	U	0	0	40	0	57	0	71	0	733	0
x 315 2 PO' i 1.61 ii 3.15	5 KVA DWER X'MERS 5 MVA	Nos.	0	0	Ů	10	0	32	0	15	0	18	0	30	0	131
2 PO' i 1.61 ii 3.15	OWER X'MERS				0	0	0	0	0	0	0	0	8	0	8	0
i 1.6 l	5 MVA	Nos.	*****	0	0	0	0	0	0	11	0	0	0	0	0	11
ii 3.15		Nos.	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP
	5 MVA		0	0	0	0	0	0	0	0	0	0	0	0	0	0
l l		Nos.	0	0	0	11	0	5	0	22	0	8	0	23	0	69
iii 5.0 l) MVA	Nos.	10	9	2	0	3	0	6	2	1	0	2	2	24	13
iv 8.0 l) MVA	Nos.	0	18	0	0	0	0	4	0	0	0	0	0	4	18
v 10.0	.0 MVA	Nos.	2	1	0	0	0	0	1	0	0	0	0	0	3	1
3 CT/	T/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i 2.5/	5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii 5/5	5 AMP	Nos.	0	51	0	0	0	0	0	0	0	0	0	0	0	51
iii 7.5/:	5/5 AMP	Nos.	204	0	0	0	0	0	0	0	0	0	1	0	205	0
iv 10/5	/5 AMP	Nos.	0	184	0	0	0	0	0	0	0	0	0	0	0	184
v 15/5	/5 AMP	Nos.	71	0	0	0	0	0	0	0	1	0	0	0	72	0
vi 20/5	/5 AMP	Nos.	0	57	0	0	0	0	0	0	0	0	0	0	0	57
vii 25/5	/5 AMP	Nos.	16	0	0	0	0	0	0	0	0	0	0	0	16	0
viii 30/5	/5 AMP	Nos.	0	19	0	0	0	0	0	0	0	0	0	0	0	19
ix 50/5	/5 AMP	Nos.	0	21	0	1	0	0	0	0	0	1	0	0	0	23
x 75/5	/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi 100/	0/5 AMP	Nos.	0	17	0	0	0	0	0	0	0	0	0	0	0	17
xii 200/	0/5 AMP	Nos.	0	9	0	0	0	0	0	0	0	0	0	0	0	9
xiii 300/	0/5 AMP	Nos.	0	10	0	0	0	0	0	0	0	0	0	0	0	10
xiv 400/	0/5 AMP	Nos.	0	5	0	0	0	0	0	0	0	0	0	0	0	5
	0-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0-150/5 AMP	Nos.	0	30	39	0	1	2	16	0	0	0	0	1	56	33
	0-200/5 AMP	Nos.	0	83	0	0	0	1	0	0	0	1	0	2	0	87
xviii 200-	0-100/5 AMP	Nos.	1	175	0	18	0	2	0	17	0	10	0	1	1	223
4 CO	ONTROL PANEL		FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER
i 11K	KV	Nos.	0	12	32	42	17	0	0	0	0	0	0	0	49	54
ii 33K	KV	Nos.	2	4	3	0	3	5	0	4	0	14	10	9	18	36
5 CAI	ABLE COPPER CONTROL		UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM
i 2 Co	Core 2.5 Sq.mm	Mtr.	0	0	3581	0	0	0	9654	4580	0	0	0	0	13235	4580
ii 3 Co	Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii 4 Co	Core 2.5 Sq.mm	Mtr.	0	0	10673	0	0	0	20236	0	0	0	0	0	30909	0
iv 8 Co	Core 2.5 Sq.mm	Mtr.	0	0	9647	0	0	0	26970	0	0	0	0	0	36617	0
v 12 C	Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi 10 (Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	NAME OF MATERIAL C	TT *4	NAME OF STORE													
No.	NAME OF MATERIALS	Unit	IND	ORE	BARV	VAHA	DH	AR	UJJ	AIN	RAT	LAM	MANI	SAUR	TO	TAL
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	1.5 Amp.	No.	14850	0	0	0	0	0	0	0	0	0	0	0	14850	0
ii	3 Amp.	No.	11200	0	0	0	0	0	0	0	0	0	0	0	11200	0
iii	5 Amp.	No.	8500	0	0	0	0	0	0	0	0	0	0	0	8500	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	10 Amp.	No.	5340	0	0	0	0	0	0	0	0	0	0	0	5340	0
vi	15 Amp.	No.	7900	0	0	0	0	0	0	0	0	0	0	0	7900	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
х	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.5.2022

	STOCK POSITION	OF GE	NEKAL MA	I EKIAL LY		E OF AREA		2022		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under
7	CONDUCTOR		INDORE	DAKWAHA	DHAK	UJJAIN	KATLAM	MANDSAUK	TOTAL	Testing
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	AAAC-05 RABBIT	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	AAAC-075 RACCON	KM	4.850	0.000	3.230	2.018	2.018	2.018	14.134	5.248
v	AAAC-DOG	KM	60.604	79.997	104.000	148.216	127.194	88.786	608.797	204.818
vi	AAAC Panther conductor 0.20 sq. inch	KM	1.298	8.546	0.000	24.441	19.711	0.000	53.996	0
8	LIGHTING ARRESTERS									0
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	4053	3337	2133	11222	14526	35271	0
ii	11 KV 5 KA - Line type	Nos.	19757	0	0	0	0	0	19757	0
iii	33 KV 10 KA - Line type	Nos.	1152	0	18	1154	0	0	2324	0
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0	0
9	VCB									0
i	11 KV	Nos.	34	21	5	39	13	4	116	0
ii	33 KV 30V	Nos.	7	9	7	5	8	32	68	0
10	STAY SET									0
i	16 MM/Painted	Nos.	45329	22114	28468	25525	35565	23880	180881	0
ii	20 MM	Nos.	879	700	262	1161	2015	72	5089	0
11	C.T.s									0
i	11 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0	0
v	11 KV CT 600-300/5-5-1 A	Nos.	3	0	0	0	0	0	3	0
vi	33 KV CT 200-100/5-5 A	Nos.	20	0	0	0	0	0	20	0
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0
viii	33 KV CT 400-200/5-5 AMP	Nos.	31	0	0	0	0	0	31	0
ix	33 KV CT 200-100/5-5-1 A	Nos.	0	0	0	0	0	0	0	0
X	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1	0
xi	132 KV CT 100/1	Nos.	12	0	0	0	2	0	14	0
xii	132 KV CT 200/1	Nos.	4	0	0	0	5	0	9	0
12	P.T.s									0
i	11 KV PT	Nos.	114	0	0	0	0	0	114	0
ii	33 KV PT	Nos.	533	0	0	0	0	0	533	0
iii	132 KV PT	Nos.	4	0	0	0	3	0	7	0
13	LT / CT									0
i	100/5 AMP	Nos.	96	0	0	0	0	0	96	0
ii	200/5 AMP	Nos.	108	0	0	0	0	0	108	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable		Ť	Ť	Ť	Ť	Ů			0
		1/3.4	4.050	0.000	0.000	0.000	0.000	0.000	4.050	
i	1 C X 16 Sqmm	KM	4.050	0.000	0.000	0.000	0.000	0.000	4.050	0
ii	1 C X 25 Sqmm	KM	252.734	0.000	0.000	175.778	0.000	161.665	590.177	0
iii	1 C X 35 Sqmm	KM	0.000	0.000	1.000	0.000	0.000	0.000	1.000	0
iv	1 C X 50 Sqmm	KM	38.259	0.000	2.041	0.000	0.000	0.000	40.300	23.141
v	1 C X 70 Sqmm	KM	76.601	0.000	6.136	28.340	0.000	0.000	111.077	48.399
vi	1 C X 95 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	1 C X 150 Sqmm	KM	28.816	0.000	4.062	25.140	0.000	0.000	58.018	22.231
viii	1 C X 300 Sqmm	KM	2.045	0.000	0.000	0.999	0.000		3.044	
-	•	+						0.000		2.045
ix	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0

	STOCK POSITION					E OF AREA		-v		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
х	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi	2 C X 2.5 Sqmm	KM	4075.095	248.800	290.000	1435.275	537.745	104.067	6690.982	0
15	Cable - Multicore PVC Cable									0
i	2 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	2 C X 4 Sqmm	KM	52.407	0.000	0.000	14.162	0.000	0.000	66.569	0
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
	•	-								0
vi 	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
16	Cable - HT XLPE Cable									0
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	1.184	0.000	0.000	1.184	0
ii	3 C X 185 Sqmm 11 KV	KM	21.641	0.000	0.000	0.000	0.000	0.000	21.641	0
iii	3 C X 300 Sqmm 11 KV	KM	2.876	0.000	0.000	2.042	0.000	0.000	4.918	0
iv	3 C X 185 Sqmm 33 KV	KM	0.801	0.000	0.000	1.190	0.000	0.000	1.991	0
v	3 C X 300 Sqmm 33 KV	KM	1.490	0.000	0.000	6.060	0.000	0.000	7.550	0
17	Cable - LT AB Cable									0
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	3X50+1X16+1X35 Sqmm	KM	0.000	26.000	25.000	51.040	0.000	0.000	102.040	55
x	3X70+1X16+1X50 Sqmm	KM	22.091	28.000	0.000	55.905	0.000	0.000	105.996	0
xi	3X95+1X16+1X70 Sqmm	KM	0.000	19.000	10.000	28.000	0.000	0.000	57.000	38
X	1X25+1X16+1X25 Sq.mm	KM	272.242	172.000	49.067	0.000	0.000	0.000	493.309	0
xi	3X25+1X25 Sq.mm	KM	0.000	0.000	0.000	23.077	0.000	0.000	23.077	0
xii	3X120+1X70+1X16Sq.mm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
18	STEEL SECTIONS									0
i	Rail Pole	MT	0.000	0.000	3.280	0.000	0.000	0.000	3.280	0
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	38.430	0.000	0.000	38.430	0
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	0.000	0.000	0.361	0.000	0.361	0
iv	MS Angle 75 x 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.890	2.662	3.552	0
V	MS Angle 65 x 65 x 6 mm	MT	8.245	15.500	69.530	65.940	3.537	15.720	178.472	0
vi	MS Angle 50 x 50 x 6 mm	MT	0.000	0.000	96.466	33.555	74.824	25.726	230.571	0
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
X	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi	MS Flat 65 x 8 mm	MT	137.960	74.950	77.085	110.482	88.522	86.465	575.464	0
xii	MS Flat 50 x 6 mm	MT	36.632	0.000	121.270	79.875	52.090	5.532	295.399	0

	STOCK POSITION (l GE	T (EIGIE IVII)			E OF AREA				Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
19	GI WIRES		INDORE	DAKWAIIA	DIIAK	Cookin	KATLAW	MANDSAUK	TOTAL	0
i	6 SWG	MT	39.741	0.000	1.300	66.607	0.505	0.000	108.153	0
ii	8 SWG	MT	35.246	8.000	54.815	68.755	96.316	59.677	322.809	0
iii	10 SWG	MT	3.044	13.750	0.000	0.000	0.000	8.416	25.210	0
20	STAY WIRES		0.011	10.700	0.000	0.000	0.000	0.110		0
i	7/8 SWG (7/4.00 mm)	MT	12.459	0.000	0.000	13.335	0.000	0.000	25.794	0
ii	7/10 SWG (7/3.15 mm)	MT	233.159	107.500	100.600	190.495	188.455	69.496	889.705	0
21	HARDWARES		200.100	101.000		100.100	100.100	00.100		0
i	LT SHACKLE H/W 90X75	Nos.	2703	0	0	0	0	0	2703	0
ii	11 KV H/W	Nos.	1489	0	0	0	0	0	1489	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0
22	INSULATORS						-	-		0
i	SHACKLE 90 X 75	Nos.	0	0	0	0	0	0	0	0
ii	SHACKLE 65 X 50	Nos.	24767	0	0	0	0	0	24767	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0
	11 KV Polymer Pin Insulator	Nos.	52025	9421	13246	0	16621	15777	107090	0
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	0	0	0	0	0
ix	11 KV Polymer Disc Insulator	Nos.	845	0	964	0	15701	13340	30850	0
x	33 KV Polymer Disc Insulator	Nos.	0	0	0	12	0	0	12	0
23	DO SETS									0
i	11 KV	Nos.	14691	65338	1961	4212	17632	7863	111697	0
ii	33 KV	Nos.	41	0	85	10	165	120	421	0
24	AB SWITHCES									0
i	33 KV	Nos.	25	0	0	45	0	0	70	0
ii	11 KV 1 PHASE	Nos.	315	124	3	0	0	0	442	0
iii	11 KV 3 PHASE	Nos.	0	0	0	129	0	0	129	0
25	DIST, BOXES									0
i	16 KVA	Nos.	313	4	133	351	157	0	958	0
ii	25 KVA	Nos.	0	0	213	0	163	343	719	0
iii	63 KVA	Nos.	0	0	0	0	0	0	0	0
iv	100 KVA	Nos.	69	0	0	67	0	0	136	115
v	200 KVA	Nos.	66	0	0	34	0	0	100	100
vi	315 KVA	Nos.	66	0	0	63	0	0	129	110
26	CAPACITORS									0
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0
27	PC CUT OUT									0
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0
28	METER NEW ELECTRONIC									0
i	1 PHASE 5-30 Amp.	Nos.	53000	10144	17271	32000	23689	16591	152695	38410
	1 PHASE 5-30 Amp. SMART Meter	Nos.	180	0	0	0	0	0	180	0
ii	3 PHASE 10-40 Amp.	Nos.	6680	2526	1779	3225	1569	1396	17175	0
iii	3 PHASE 20-100 Amp.	Nos.	2150	0	300	1000	300	500	4250	4250
iv	Whole Current 40-200 Amp.	Nos.	651	0	0	348	10	53	1062	334
v	LT C.T. Meter 100/5 Amp.	Nos.	1590	0	0	1888	0	102	3580	0
vi	HT Meter - 110 V	Nos.	766	0	0	3	0	0	769	0
vii	HT Meter - 110 V S/S.	Nos.	1178	0	0	0	0	0	1178	1053
29	MAIN SWITHCES									0
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0
	i .		l .	i .		İ	l	i		1

1	STOCKTOSITION		EENERAL MATERIAL LYING IN AREA STORES AS ON 15.5.2022 NAME OF AREA STORE									
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing		
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0		
iii	100 AMP.	Nos.	0	0	0	22	0	0	22	0		
iv	200 AMP.	Nos.	0	0	0	205	0	0	205	0		
v	320 AMP.	Nos.	0	0	0	0	0	0	0	0		
vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0		
30	G.I. PINS									0		
i	11 KV	Nos.	0	0	1575	0	0	0	1575	0		
ii	33 KV	Nos.	0	0	0	0	0	0	0	0		
31	G.I.CONDUIT PIPE									0		
i	20 MM	Mtr.	0	0	0	0	0	0	0	0		
ii	40 MM	Mtr.	14717	18626	0	8358	15447	17004	74152	0		
33	ISOLATORS									0		
i	11 KV	Nos.	24	0	4	26	0	0	54	0		
ii	33 KV	Nos.	0	24	78	0	32	27	161	0		
34	PCC POLES									0		
i	140 KG	Nos.	0	0	0	0	0	0	0	0		
ii	280 KG	Nos.	0	0	0	0	0	0	0	0		
iii	350 KG	Nos.	0	0	0	0	0	0	0	0		
35	BATTERY & CHARGER									0		
i	Battery Set	Nos.	0	0	0	72	0	0	72	70		
ii	Battery Charger	Nos.	73	0	0	0	0	0	73	73		
36	OIL X-MER									0		
i	Fresh Oil	KL	118.268	48.520	49.190	68.475	35.952	50.969	371.374	19.857		
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0		
iii	Burnt Oil	KL	0.000	40.000	50.000	2.821	88.000	10.000	190.821	0		
37	Burnt Oil Male Female Contact suitable for	KL	0.000	40.000	50.000	2.821	88.000	10.000	190.821	0		
		KL No.							190.821	-		
37 i	Male Female Contact suitable for 11 KV A.B.Switch		0	0	0	0	0	0	0	0		
37 i	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch	No.								0 0		
37 i ii 38	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS	No.	0	0	0	0	0	0	0	0 0 0		
37 i ii 38 i	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm	No. No.	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0 0 0		
37 i ii 38 i	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm	No. No. No.	0 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0 0		
37 i ii 38 i ii iii	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm	No. No. No. No. No.	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0		
37 i ii 38 i ii iii iii	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 70 Sq.mm	No. No. No. No. No. No. No.	0 0 0 0 0 0 1150	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0		
37 i ii 38 i ii iii iv v	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 150 Sq.mm	No. No. No. No. No. No. No. No.	0 0 0 0 0 0 1150 950	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 1150 1110	0 0 0 0 0 0 0		
37 i ii 38 i ii iii v v vi	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 70 Sq.mm 150 Sq.mm 300 Sq.mm	No. No. No. No. No. No. No.	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a)	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 70 Sq.mm 150 Sq.mm 300 Sq.mm DPC Aluminium Round Wire	No. No. No. No. No. No. No. No. No.	0 0 0 0 0 1150 950	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 160	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 1150 1110	0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a)	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm	No. No. No. No. No. No. No. Ko. Kg.	0 0 0 0 0 1150 950 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 160 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 1150 1110 0	0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iii iv v vi 39 (a) i	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 70 Sq.mm 150 Sq.mm 300 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm	No. No. No. No. No. No. Ko. Kg.	0 0 0 0 0 1150 950 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 1150 1110 0	0 0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a)	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 70 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm 1.03 mm	No. No. No. No. No. No. No. Kg. Kg.	0 0 0 0 0 1150 950 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 160 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 1150 1110 0	0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iii iv v vi 39 (a) i	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 70 Sq.mm 150 Sq.mm 300 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm	No. No. No. No. No. No. Ko. Kg.	0 0 0 0 0 1150 950 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 1150 1110 0	0 0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a) i ii iii	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 70 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm 1.03 mm	No. No. No. No. No. No. No. Kg. Kg.	0 0 0 0 0 1150 950 0 0.00 0.00	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0 0.00 0.00	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 1150 1110 0 0.00 0.00	0 0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a) i ii iii iii	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 70 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm 1.03 mm 1.25 mm	No. No. No. No. No. No. Kg. Kg. Kg.	0 0 0 0 0 1150 950 0 0.00 0.00 8003.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0 0.00 0.00 1950.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 1150 1110 0 0.00 0.00 9953.00	0 0 0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a) i ii iii iii iv v	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 70 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm 0.81 mm 1.03 mm 1.25 mm 1.33 mm	No. No. No. No. No. No. Kg. Kg. Kg. Kg.	0 0 0 0 0 1150 950 0 0.00 0.00 8003.00 0.00 366.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0 0.00 0.00 1950.00 0.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 1150 1110 0 0.00 0.00 9953.00 0.00 366.00	0 0 0 0 0 0 0 0 0 0 0 0		
37 i ii 38 i ii iii iv v vi 39 (a) i ii iii v v vi	Male Female Contact suitable for 11 KV A.B.Switch 33 KV A.B.Switch ALU. LUGS 16 Sq.mm 25 Sq.mm 35 Sq.mm 70 Sq.mm 150 Sq.mm DPC Aluminium Round Wire 0.79 mm 1.03 mm 1.25 mm 1.33 mm 1.60 mm	No. No. No. No. No. No. No. Kg. Kg. Kg. Kg. Kg. Kg.	0 0 0 0 0 1150 950 0 0.00 0.00 8003.00 0.00 366.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 160 0 0.00 0.00 1950.00 0.00 0.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 1150 1110 0 0.00 0.00 9953.00 0.00 366.00	0 0 0 0 0 0 0 0 0 0 0 0 0		

			NAME OF AREA STORE									
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing		
39 (b)	DPC Aluminium Rectangular Wire									0		
i	11 X 4 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
ii	11 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
	7.25 X 3.13 mm	Kg.	5963.00	0.00	0.00	0.00	0.00	0.00	5963.00	0		
v	10.6 x 4.6 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
40 (a)	DPC Copper Round Wire									0		
i	1.95 mm dia	Kg.	2405.00	0.00	0.00	0.00	0.00	0.00	2405.00	0		
40 (b)	DPC Copper Rectangular Wire									0		
i	8.4 X 3.7 mm	Kg.	1893.00	0.00	0.00	0.00	0.00	0.00	1893.00	0		
41	HV/LV Brass Stud for Dist.X-mer									0		
i	LV 20 MM	No.	0	0	0	2190	0	0	2190	0		
ii	HV	No.	0	0	0	400	0	0	400	0		
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0		
43	Press Board	† -								0		
i	1 MM	Kg.	0	0	0	0	0	0	0	0		
	2 MM	Kg.	0	0	0	0	0	0	0	0		
iii	3 MM	Kg.	0	0	0	0	0	0	0	0		
44	Kraft Paper	Kg.	0	0	0	0	0	0	0	0		
45	Gasket Sheet					-	-	-	-	0		
i	5 MM	No.	35	0	0	0	0	0	35	0		
ii	6 MM	Kg.	0	0	0	0	0	0	0	0		
iii	9 MM	Kg.	0	0	0	0	0	0	0	0		
46	HRC Fuse Base & Link -									0		
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0	0		
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0		
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0		
iv	Link - 250 Amp./200 Amp	No.	0	0	0	6000	0	0	6000	0		
v	Link - 300 Amp.	No.	0	0	0	5000	0	0	5000	0		
vi	Link - 400 Amp.	No.	0	0	0	5000	0	0	5000	0		
47	LT Pole Fuse Unit & Robust Fuse Unit									0		
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0		
ii	Robust Fuse Unit	No.	0	0	0	0	0	0	0	0		
48	Pole Mounted Service connection Box									0		
i	Single Phase	No.	8139	27357	13932	13403	15548	9048	87427	0		
ii	Three Phase	No.	40	2638	3713	1415	4244	2418	14468	0		
49	МСВ	İ								0		
i	Single Pole 16 Amp.	No.	1283	0	0	0	0	0	1283	0		
ii	Three Pole 32 Amp.	No.	3953	0	0	241	0	0	4194	0		
50	Poly Corbonate Meter Box									0		
i	Single Phase	No.	0	0	0	0	0	0	0	0		
ii	Three Phase	No.	1195	0	0	1043	0	0	2238	0		
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0		
52	Safety Appliances	Ĺ								0		
i	Cutting Plier	No.	0	0	0	254	0	0	254	0		
ii	Lineman Tool Bag	No.	5392	0	0	3285	0	0	8677	0		
iii	Safety Jhoola Belt	No.	195	0	0	0	0	0	195	0		
iv	Screw Driver	No.	0	0	0	50	0	0	50	0		
53	Hand Gloves	No.	0	0	0	0	0	0	0	0		
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0		

	NAME OF MATERIAL C				NAM	E OF AREA	STORE			Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
55	Liveries Terrycot & Woolen-									0
i	Khaki Terrycot	Mtr.	2125	0	0	0	0	0	2125	0
ii	White Terrycot	Mtr.	6298	0	0	143	0	0	6441	0
iii	Blue Woolen	Mtr.	7250	0	0	20	0	0	7270	0
iv	Khaki Woolen	Mtr.	1539	0	0	372	0	0	1911	0
v	Khaki Cellular	Mtr.	0	0	0	4987	0	0	4987	0
56	Scrap Conductor	Kg.	9040	2807	95	31283	1176	1128	45528	0
57	Earthing Coil	No.	38602	32451	23933	0	15856	19823	130665	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0
59	MS Nut & Bolt									0
i	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	0	0	0	0	0
ii	M.S.Nut Bolt 16 X 200	Kg.	0	0	0	0	0	0	0	0
iii	M.S.Nut Bolt 16 X 160	Kg.	26362	0	0	0	0	0	26362	0
iv	M.S.Nut Bolt 16 X 140	Kg.	20188	0	0	0	0	0	20188	0
v	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	0	0	0	0	0
vi	M.S.Nut Bolt 16 X 75	Kg.	11900	0	0	4350	0	0	16250	0
vii	M.S.Nut Bolt 16 X 65	Kg.	0	0	0	0	0	0	0	0
viii	M.S.Nut Bolt 16 X 40	Kg.	5450	0	0	300	0	0	5750	0
ix	M.S.Nut Bolt 12 X 300	Kg.	3800	0	0	0	0	0	3800	0
х	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	9930	0	0	9930	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3000	0	0	0	0	0	3000	0
xii	M.S.Nut Bolt 12 X 65	Kg.	650	0	0	0	0	0	650	0
60	Clamp & Connector									0
i	Suspenstion Clamp Ass.for LT Cable 25-50	Nos.	43473	996	0	33828	0	0	78297	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	45017	0	0	51653	0	0	96670	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	55425	3177	0	45969	0	0	104571	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	8438	0	83122	0	0	91560	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	12685	0	50688	0	0	63373	0
vi	T-Clamp for Dog	Nos.	0	1988	0	1210	0	0	3198	0
61	11 KV RVT									0
i	(RVT) OUTDOOR TYPE	Nos.	0	0	0	0	0	0	0	0
62	11 KV CAPACITOR SWITCH									0
i	11 KV Outdoor Automatic Capacitor switch	Nos.	2	0	0	0	0	0	2	0
63	LT CT Meter Box									0
i	LT CT Meter Box	Nos.	1566	0	242	1965	434	0	4207	242
64	HT Meter Box									0
i	HT Meter Box	Nos.	427	0	0	44	0	0	471	0
65	BI-METALLIC CLAMPS									0
i	LV	No.	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	2527	3126	3550	0	9203	0
67	Electronic Relay	Nos.	65	0	0	0	0	0	65	0
07	Additional items added by stores-	INUS.	0.5	U	U	U	U	U		

Additional items added by stores-

No.	NAME OF MATERIALS	UNIT	NAME OF AREA STORE									
No.	NAME OF MATERIALS	UNII	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	- Under Testing		
68	Digital power claim meter with automatic computation of single phase & three phase parameters	Nos.	34	0	0	0	0	0	34	0		
69	3 Ph 4 Wire Smart Meter 10-60 amp.	Nos.	3	0	0	0	0	0	3	0		
70	3 Ph 4 Wire Smart Meter 10-100 amp.	Nos.	47	0	0	0	0	0	47	0		
71	Master Trip Relay	Nos.	200	0	0	0	0	0	200	0		
72	Steel - WPB 160 MMX160 MM	MT	19	0	0	0	0	0	19	0		
73	11 KV HT AB Cable 3x95+1x80 Sqmm	KM	0.000	0.000	0.000	8.584	3.000	0.000	11.584	0.000		
74	11 K HT XLPE Cable 3Cx150 sqmm	Km	0.807	0.000	0.000	1.191	0.000	0.000	1.998	0		
75	11 KV HT XLPE Cable 3Cx240 sqmm	Km	0.409	0.000	0.000	0.592	0.000	0.000	1.001	0		
76	3P 4W 10-40 amp. Meter category - C2	Nos.	0	0	0	0	0	0	0	0		