

M.P.P.K.V.V.CO.LTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

[illegible]

[illegible]

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|-----------|--------------------------------------|------|----------|-------|---------|-------|---------|-------|---------|-------|---------|-------|----------|-------|-----------------|--------------|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| 7 | CONDUCTOR | | | | | | | | | | | | | | | |
| i | AAAC-02 SQUIRREL | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| ii | AAAC-03 WEASEL | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| iii | AAAC-05 RABBIT | KM | 1005.545 | 0.000 | 0.000 | 0.000 | 352.000 | 0.000 | 222.371 | 0.000 | 739.964 | 0.000 | 512.083 | 0.000 | 2831.963 | 0.000 |
| iv | AAAC-075 RACCON | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| v | AAAC-DOG | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 99.747 | 0.000 | 46.181 | 0.000 | 6.602 | 0.000 | 152.530 | 0.000 |
| vi | AAAC Panther conductor 0.20 sq. inch | KM | 2.598 | 0.000 | 8.546 | 0.000 | 0.000 | 0.000 | 24.441 | 0.000 | 19.711 | 0.000 | 0.000 | 0.000 | 55.296 | 0.000 |
| 8 | LIGHTING ARRESTERS | | | | | | | | | | | | | | | |
| i | 11 KV(Polymer) 5 KA -Line type | Nos. | 0 | 0 | 5998 | 0 | 3454 | 0 | 5065 | 0 | 11385 | 0 | 16069 | 0 | 41971 | 0 |
| ii | 11 KV 5 KA - Line type | Nos. | 22028 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22028 | 0 |
| iii | 33 KV 10 KA - Line type | Nos. | 1423 | 0 | 0 | 0 | 18 | 0 | 1893 | 0 | 0 | 0 | 0 | 0 | 3334 | 0 |
| iv | 11 KV 10 KA - Station type | Nos. | 0 | 0 | 118 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 118 | 0 |
| 9 | VCB | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 18 | 38 | 0 | 0 | 0 | 0 | 0 | 37 | 0 | 0 | 0 | 0 | 18 | 75 |
| ii | 33 KV 30V | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 2 | 0 | 13 | 0 |
| 10 | STAY SET | | | | | | | | | | | | | | | |
| i | 16 MM/Painted | Nos. | 47510 | 0 | 25341 | 0 | 30760 | 0 | 27560 | 0 | 36226 | 0 | 23880 | 0 | 191277 | 0 |
| ii | 20 MM | Nos. | 0 | 0 | 0 | 0 | 429 | 0 | 0 | 0 | 916 | 0 | 72 | 0 | 1417 | 0 |
| 11 | C.Ts | | | | | | | | | | | | | | | |
| i | 11 KV CT 200-100/5-5 A | Nos. | 1 | 185 | 0 | 0 | 0 | 0 | 0 | 37 | 0 | 0 | 0 | 0 | 1 | 222 |
| ii | 11 KV CT 300-150/5-5 A | Nos. | 1 | 258 | 0 | 0 | 0 | 0 | 17 | 44 | 0 | 0 | 0 | 0 | 18 | 302 |
| iii | 11 KV CT 400-200/5-5 A | Nos. | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| iv | 11 KV CT 600-300/5-5 A | Nos. | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 13 | 6 |
| v | 11 KV CT 600-300/5-5-1 A | Nos. | 58 | 6 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 | 0 | 58 | 25 |
| vi | 33 KV CT 200-100/5-5 A | Nos. | 4 | 36 | 0 | 0 | 0 | 0 | 0 | 39 | 0 | 0 | 0 | 0 | 4 | 75 |
| vii | 33 KV CT 300-150/5-5 A | Nos. | 2 | 13 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 2 | 26 |
| viii | 33 KV CT 400-200/5-5 AMP | Nos. | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 12 |
| ix | 33 KV CT 200-100/5-5-1 A | Nos. | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 0 |
| x | 132 KV CT 50/1 | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| xi | 132 KV CT 100/1 | Nos. | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 14 | 0 |
| xii | 132 KV CT 200/1 | Nos. | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 12 | 0 |
| 12 | P.Ts | | | | | | | | | | | | | | | |
| i | 11 KV PT | Nos. | 229 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 229 | 0 |
| ii | 33 KV PT | Nos. | 569 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 569 | 0 |
| iii | 132 KV PT | Nos. | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 7 | 0 |
| 13 | LT / CT | | | | | | | | | | | | | | | |
| i | 100/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

[illegible]

[illegible]

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|-----------|-------------------------------|------|--------|------|---------|-----|-------|-----|--------|-----|--------|-----|----------|-----|--------|------|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| iv | 33 KV H/W (Panther) | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | INSULATORS | | | | | | | | | | | | | | | |
| i | SHACKLE 90 X 75 | Nos. | 3870 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3870 | 0 |
| ii | SHACKLE 65 X 50 | Nos. | 27988 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27988 | 0 |
| iii | STAY INSULATOR 90X65 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| vii | 11 KV Polymer Pin Insulator | Nos. | 79137 | 0 | 22702 | 0 | 17994 | 0 | 8354 | 0 | 20656 | 0 | 21247 | 0 | 170090 | 0 |
| viii | 33 KV Polymer Pin Insulator | Nos. | 0 | 0 | 2409 | 0 | 0 | 0 | 1213 | 0 | 11 | 0 | 1635 | 0 | 5268 | 0 |
| ix | 11 KV Polymer Disc Insulator | Nos. | 13872 | 0 | 100 | 0 | 3236 | 0 | 0 | 0 | 17790 | 0 | 15327 | 0 | 50325 | 0 |
| x | 33 KV Polymer Disc Insulator | Nos. | 0 | 0 | 370 | 0 | 275 | 0 | 766 | 0 | 152 | 0 | 0 | 0 | 1563 | 0 |
| 23 | DO SETS | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 16066 | 0 | 8690 | 0 | 2669 | 0 | 6687 | 0 | 18001 | 0 | 8924 | 0 | 61037 | 0 |
| ii | 33 KV | Nos. | 163 | 0 | 0 | 0 | 105 | 0 | 97 | 0 | 165 | 0 | 129 | 0 | 659 | 0 |
| 24 | AB SWITHCES | | | | | | | | | | | | | | | |
| i | 33 KV | Nos. | 0 | 0 | 37 | 0 | 0 | 0 | 24 | 0 | 2 | 0 | 0 | 0 | 63 | 0 |
| ii | 11 KV 1 PHASE | Nos. | 374 | 0 | 140 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 517 | 0 |
| iii | 11 KV 3 PHASE | Nos. | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 12 | 0 |
| 25 | DIST. BOXES | | | | | | | | | | | | | | | |
| i | 16 KVA | Nos. | 355 | 0 | 11 | 0 | 0 | 0 | 363 | 0 | 157 | 0 | 0 | 0 | 886 | 0 |
| ii | 25 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 243 | 0 | 366 | 0 | 609 | 0 |
| iii | 63 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 107 | 0 | 46 | 0 | 153 | 0 |
| iv | 100 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| v | 200 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| vi | 315 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 26 | CAPACITORS | | | | | | | | | | | | | | | |
| i | 121 KVAR | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | 242 KVAR | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 27 | PC CUT OUT | | | | | | | | | | | | | | | |
| i | 63 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | 100 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iii | 200 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iv | 300 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 287 | 0 | 0 | 0 | 0 | 0 | 287 | 0 |
| 28 | METER NEW ELECTRONIC | | | | | | | | | | | | | | | |
| i | 1 PHASE 5-30 Amp. | Nos. | 19497 | 0 | 254 | 0 | 12 | 0 | 0 | 0 | 9588 | 0 | 18713 | 0 | 48064 | 0 |
| | 1 PHASE 5-30 Amp. SMART Meter | Nos. | 250 | 4800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 250 | 4800 |
| ii | 3 PHASE 10-40 Amp. | Nos. | 643 | 0 | 1 | 0 | 144 | 0 | 787 | 0 | 0 | 0 | 198 | 0 | 1773 | 0 |
| iii | 3 PHASE 20-100 Amp. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 20 | 0 |

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

[illegible]

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|--------|-----------------------------------|------|---------|------|---------|------|-------|------|--------|------|--------|------|----------|------|---------|------|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| iii | 35 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iv | 70 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9020 | 0 | 0 | 0 | 0 | 0 | 9020 |
| v | 150 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| vi | 300 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3700 | 0 | 0 | 0 | 0 | 0 | 3700 |
| 39 (a) | DPC Aluminium Round Wire | | | | | | | | | | | | | | | |
| i | 0.79 mm | Kg. | 3625.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3625.0 | 0.00 |
| i | 0.81 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| ii | 1.03 mm | Kg. | 1723.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1723.00 | 0.00 |
| iii | 1.25 mm | Kg. | 292.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 292.00 | 0.00 |
| iv | 1.33 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| v | 1.60 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| vi | 1.70 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| vii | 2.00 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| viii | 2.20 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 39 (b) | DPC Aluminium Rectangular Wire | | | | | | | | | | | | | | | |
| i | 11 X 4 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| ii | 11 X 5.5 mm | Kg. | 225.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 225.75 | 0.00 |
| iii | 7.2 X 5.5 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| iv | 7.25 X 3.13 mm | Kg. | 3573.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3573.00 | 0.00 |
| v | 10.6 x 4.6 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 40 (a) | DPC Copper Round Wire | | | | | | | | | | | | | | | |
| i | 1.95 mm dia | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 40 (b) | DPC Copper Rectangular Wire | | | | | | | | | | | | | | | |
| i | 8.4 X 3.7 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 41 | HV / LV Brass Stud for Dist.X-mer | | | | | | | | | | | | | | | |
| i | LV 20 MM | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | HV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 42 | TPC Copper Strips | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 43 | Press Board | | | | | | | | | | | | | | | |
| i | 1 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | 2 MM | Kg. | 0 | 0 | 0 | 0 | 0</ | | | | | | | | | |

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|-----------|---|------|----------|------|---------|------|-------|------|---------|------|--------|------|----------|------|---------|------|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| ii | 6 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iii | 9 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 46 | HRC Fuse Base & Link - | | 0 | | | | | | | | | | | | | |
| i | Base - 250 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 300 | 0 | 0 | 0 | 0 | 0 | 300 |
| ii | Base - 300 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 650 | 0 | 0 | 0 | 0 | 0 | 650 |
| iii | Base - 400 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 350 | 0 | 0 | 0 | 0 | 20 | 350 |
| iv | Link - 250 Amp./200 Amp | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 900 | 0 | 0 | 0 | 0 | 0 | 900 |
| v | Link - 300 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 950 | 0 | 0 | 0 | 0 | 0 | 950 |
| vi | Link - 400 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 550 | 0 | 0 | 0 | 0 | 0 | 550 |
| 47 | LT Pole Fuse Unit & Robust Fuse Unit | | | | | | | | | | | | | | | |
| i | LT Pole Fuse Unit | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | Robust Fuse Unit | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 48 | Pole Mounted Service connection Box | | | | | | | | | | | | | | | |
| i | Single Phase | No. | 8284 | 0 | 27762 | 0 | 15436 | 0 | 13403 | 0 | 15548 | 0 | 9048 | 0 | 89481 | 0 |
| ii | Three Phase | No. | 0 | 0 | 3012 | 0 | 3870 | 0 | 1815 | 0 | 4294 | 0 | 2418 | 0 | 15409 | 0 |
| 49 | MCB | | | | | | | | | | | | | | | |
| i | Single Pole 16 Amp. | No. | 1783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1783 | 0 |
| ii | Three Pole 32 Amp. | No. | 3953 | 0 | 0 | 0 | 0 | 0 | 241 | 0 | 0 | 0 | 0 | 0 | 4194 | 0 |
| 50 | Poly Corbonate Meter Box | | | | | | | | | | | | | | | |
| i | Single Phase | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1024 | 0 | 0 | 0 | 1024 | 0 |
| ii | Three Phase | No. | 1195 | 0 | 0 | 0 | 0 | 0 | 1693 | 0 | 0 | 0 | 0 | 0 | 2888 | 0 |
| 51 | Barbed Wire | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 52 | Safety Appliances | | | | | | | | | | | | | | | |
| i | Cutting Plier | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | Lineman Tool Bag | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iii | Safety Jhoola Belt | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iv | Screw Driver | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 53 | Hand Gloves | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 54 | Rubber Ankle Shoes | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55 | Liveries Terrycot & Woolen- | | | | | | | | | | | | | | | |
| i | Khaki Terrycot | Mtr. | 2598.13 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2598.13 | 0.00 |
| ii | White Terrycot | Mtr. | 72.36 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 143.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 215.36 | 0.00 |
| iii | Blue Woolen | Mtr. | 39.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 59.50 | 0.00 |
| iv | Khaki Woolen | Mtr. | 1683.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 372.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2055.50 | 0.00 |
| v | Khaki Cellular | Mtr. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4987.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4987.00 | 0.00 |
| 56 | Scrap Conductor | Kg. | 21595 | 0 | 1296 | 0 | 95 | 0 | 53678 | 0 | 1645 | 0 | 5304 | 0 | 83613 | 0 |

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|------|--|------|--------|-----|---------|-----|-------|-----|--------|-----|--------|-----|----------|-----|--------|-----|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| 57 | Earthing Coil | No. | 41106 | 0 | 34009 | 0 | 25520 | 0 | 4052 | 0 | 16056 | 0 | 21231 | 0 | 141974 | 0 |
| 58 | Search Light 200/250 W | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 59 | MS Nut & Bolt | | | | | | | | | | | | | | | |
| i | M.S.Nut Bolt 16 X 250 | Kg. | 1350 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1350 | 0 |
| ii | M.S.Nut Bolt 16 X 200 | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| iii | M.S.Nut Bolt 16 X 160 | Kg. | 33762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33762 | 0 |
| iv | M.S.Nut Bolt 16 X 140 | Kg. | 29850 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 29850 | 0 |
| v | M.S.Nut Bolt 16 X 90 | Kg. | 3450 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3450 | 0 |
| vi | M.S.Nut Bolt 16 X 75 | Kg. | 14250 | 0 | 0 | 0 | 0 | 0 | 4450 | 0 | 0 | 0 | 0 | 0 | 18700 | 0 |
| vii | M.S.Nut Bolt 16 X 65 | Kg. | 2003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2003 | 0 |
| viii | M.S.Nut Bolt 16 X 40 | Kg. | 7550 | 0 | 0 | 0 | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 7900 | 0 |
| ix | M.S.Nut Bolt 12 X 300 | Kg. | 3900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3900 | 0 |
| x | M.S.Nut Bolt 12 X 140 | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 10530 | 0 | 0 | 0 | 0 | 0 | 10530 | 0 |
| xi | M.S.Nut Bolt 12 X 100 | Kg. | 3050 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3050 | 0 |
| xii | M.S.Nut Bolt 12 X 65 | Kg. | 850 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 850 | 0 |
| 60 | Clamp & Connector | | | | | | | | | | | | | | | |
| i | Suspension Clamp Ass.for LT Cable 25-50 | Nos. | 43577 | 0 | 996 | 0 | 0 | 0 | 34840 | 0 | 0 | 0 | 0 | 0 | 79413 | 0 |
| ii | Clamp. For Neutral Connection 1.5-10 MM. | Nos. | 45017 | 0 | 0 | 0 | 0 | 0 | 52190 | 0 | 0 | 0 | 0 | 0 | 97207 | 0 |
| iii | Dead End Clamp Ass. For 25-50 Sq.mm. | Nos. | 55625 | 0 | 3701 | 0 | 0 | 0 | 46469 | 0 | 0 | 0 | 0 | 0 | 105795 | 0 |
| iv | Insulation Piercing Connector 1.5-10 MM-I | Nos. | 0 | 0 | 8438 | 0 | 0 | 0 | 86706 | 0 | 0 | 0 | 0 | 0 | 95144 | 0 |
| v | Insulation Piercing Connector 1.5-10 MM-II | Nos. | 0 | 0 | 12685 | 0 | 0 | 0 | 52150 | 0 | 0 | 0 | 0 | 0 | 64835 | 0 |
| vi | T-Clamp for Dog | Nos. | 0 | 0 | 1988 | 0 | 0 | 0 | 1680 | 0 | 0 | 0 | 0 | 0 | 3668 | 0 |
| 61 | 11 KV RVT | | | | | | | | | | | | | | | |
| i | (RVT) OUTDOOR TYPE | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62 | 11 KV CAPACITOR SWITCH | | | | | | | | | | | | | | | |
| i | 11 KV Outdoor Automatic Capacitor switch | Nos. | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 63 | LT CT Meter Box | | | | | | | | | | | | | | | |
| i | LT CT Meter Box | Nos. | 1752 | 0 | 0 | 0 | 0 | 242 | 2098 | 0 | 459 | 0 | 0 | 0 | 4309 | 242 |
| 64 | HT Meter Box | | | | | | | | | | | | | | | |
| i | HT Meter Box | Nos. | 0 | 0 | 86 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 90 | 0 |

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.7.2021

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|-----------|-----------------------------------|------|--------|-----|---------|-----|-------|-----|--------|-----|--------|-----|----------|-----|--------------|----------|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| 65 | BI-METALLIC CLAMPS | | | | | | | | | | | | | | | |
| i | LV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ii | HV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 66 | BPL Service Connection Kit | Nos. | 0 | 0 | 0 | 0 | 2527 | 0 | 4526 | 0 | 3550 | 0 | 0 | 0 | 10603 | 0 |
| 67 | Electronic Relay | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 15 | 0 |

Additional items added by stores-

| | | | | | | | | | | | | | | | | |
|-----------|--|------|-----|-----|---|---|---|---|-------|-----|-------|-----|---|---|---------------|-------------|
| 68 | Digital power claim meter with automatic computation of single phase & three phase parameters | Nos. | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 0 |
| 69 | 3 Ph 4 Wire Smart Meter 10-60 amp. | Nos. | 143 | 550 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 143 | 550 |
| 70 | 3 Ph 4 Wire Smart Meter 10-100 amp. | Nos. | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| 71 | Master Trip Relay | Nos. | 0 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 61 |
| 72 | Steel - WPB 160 MMX160 MM | MT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.000 | 0.00 |
| 73 | 11 KV HT AB Cable 3x95+1x80 Sqmm | KM | 0 | 0 | 0 | 0 | 0 | 0 | 8.584 | 0.0 | 3.000 | 0.0 | 0 | 0 | 11.584 | 0.00 |