M.P.P.K.V.V.CO.LTD., INDORE

					ORE	ODI			VAHA	11/11	JMA	DH		1111	JIV	UJJ.) ICI.			LAM		M	IANI	SAUR	}		TO	ſAL	
No.	NAME OF MATERIALS	Unit	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
1	DIST.TRANSFORMERS		NE	w	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	w	RE	P.	NE	w	RE	P.	NE	W	RE	P.
i	16 KVA 1 Phase	Nos.	0	0	0	0	111	0	10	0	416	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	529	0	10	0
ii	16 KVA 3 Phase	Nos.	0	0	5	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	24	0
iii	25 KVA (Non Star)	Nos.	0	0	620	14	0	0	19	0	0	0	4	0	0	0	350	80	0	0	230	0	0	0	192	26	0	0	1415	120
iv	25 KVA (3 Star)	Nos.	1125	0	0	0	1535	60	0	0	1270	0	0	0	700	116	0	0	629	0	0	0	1135	0	0	0	6394	176	0	0
v	63 KVA	Nos.	8	0	160	1	0	0	33	0	0	0	9	0	0	0	0	3	0	0	42	0	0	0	431	0	8	0	675	4
vi	100 KVA (Non Star)	Nos.	0	0	945	10	0	0	225	0	0	0	1226	0	0	0	218	58	0	0	411	0	0	0	876	11	0	0	3901	79
vii	100 KVA (3 Star)	Nos.	1366	0	0	0	636	0	0	0	140	0	0	0	374	0	0	0	1	0	0	0	480	0	0	0	2997	0	0	0
viii	200 KVA (Non Star)	Nos.	0	0	18	0	0	0	2	0	0	0	27	0	0	0	2	3	0	0	15	0	0	0	29	0	0	0	93	3
ix	200 KVA (3 Star)	Nos.	65	0	0	0	13	30	0	0	80	0	0	0	39	18	0	0	28	24	0	0	56	0	0	0	281	72	0	0
х	315 KVA	Nos.	3	12	1	3	0	0	0	0	0	0	0	0	9	9	0	0	1	0	0	0	0	0	0	0	13	21	1	3
2	POWER X'MERS		NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.	NE	W	RE	P.
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15 MVA	Nos.	0	0	10	0	0	0	16	0	0	0	6	0	0	0	30	0	0	0	15	0	0	0	31	0	0	0	108	0
iii	5.0 MVA	Nos.	0	0	9	0	0	0	1	0	0	0	0	0	9	0	1	0	0	0	1	0	2	0	1	0	11	0	13	0
iv	8.0 MVA	Nos.	9	0	1	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	15	0	1	0
v	10.0 MVA	Nos.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
3	CT/PT UNITS		11K	V	33K	V	11K	V	33K	V	11K	V	33K	V	11K	v	33K	V	11K	V	33K	V	11K	(V	33K	V	11K	XV.	33 k	(V
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	21	0
iii	7.5/5 AMP	Nos.	43	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	45	0	0	0
iv	10/5 AMP	Nos.	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
v	15/5 AMP	Nos.	0	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	25	0	0
vi	20/5 AMP	Nos.	0	0	11	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	17
vii	25/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	30/5 AMP	Nos.	0	0	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	34	0
ix	50/5 AMP	Nos.	0	0	26	0	0	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	29	0
X	75/5 AMP	Nos.	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0

No	NAME OF MATERIALS	Timis		IND	ORE		В	ARV	VAHA			DH	AR			UJJ	AIN]	RAT	LAM		M	IANI	SAUR	2		TO	TAL	
xi	100/5 AMP	Nos.	2	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	17	0
xii	200/5 AMP	Nos.	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiv	400/5 AMP	Nos.	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0
xv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xvi	300-150/5 AMP	Nos.	35	0	24	0	0	40	43	0	0	0	20	0	25	0	3	0	8	0	6	0	2	0	1	0	70	40	97	0
xvii	400-200/5 AMP	Nos.	0	0	142	0	0	0	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	165	0
xviii	200-100/5 AMP	Nos.	87	0	129	0	24	0	0	0	0	0	0	0	0	0	17	0	6	0	0	0	0	0	0	0	117	0	146	0
4	CONTROL PANEL		Feed	ler	X-m	er	Feed	ler	X-m	er	Feed	ler	X-m	er	Feed	ler	X-m	er	Feed	ler	X-m	er	Feed	der	X-m	er	Feed	der	X-m	ner
i	11KV	Nos.	19	0	11	0	9	0	14	0	17	0	48	0	0	0	0	0	53	0	0	0	11	0	7	0	109	0	80	0
ii	33KV	Nos.	20	0	41	0	30	0	13	0	50	0	38	0	0	0	21		42	0	0	0	33	0	14	0	175	0	127	0
5	CABLE COPPER CONTROL		UN-A	rmd.	Arn	ıd.	UN-A	rmd.	Arm	ıd.	UN-A	rmd.	Arn	ıd.	UN-Aı	rmd.	Arm	ıd.	UN-Aı	md.	Arn	ıd.	UN-A	rmd.	Arn	ıd.	UN-AI	RMD.	ARM	ИD.
i	2 Core 2.5 Sq.mm	Mtr.	4822	0	7488	0	0	0	0	0	1000	0	0	0	6575	0	8160	0	0	0	0	0	0	0	0	0	12397	0	15648	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	438	0	0	0	0	0	0	0	0	0	0	0	1515	0	0	0	0	0	0	0	0	0	0	0	1953	0	0	0
iv	8 Core 2.5 Sq.mm	Mtr.	9500	0	0	0	0	0	0	0	0	0	0	0	9359	0	0	0	0	0	0	0	0	0	0	0	18859	0	0	0
v	12 Core 2.5 Sq.mm	Mtr.	0	0	12909	0	0	0	0	0	0	0	0	0	0	0	12540	0	0	0	0	0	0	0	0	0	0	0	25449	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 F	ΚV	33 F	(V	11 K	(V	33 K	V	11 K	(V	33 k	(V	11 K	(V	33 K	V	11 K	V	33 K	(V	11 F	ΚV	33 H	(V	11 H	ΚV	33 H	ΚV
i	1.5 Amp.	No.	12700	0	0	0	0	0	0	0	0	0	0	0	3450	0	0	0	0	0	0	0	0	0	0	0	16150	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	160	0	0	0	0	0	0	0	0	0	0	0	160	0	0	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	10 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0

No	NAME OF MATERIAL C	Timit		IND	ORE		В	ARV	VAHA			DH	AR			UJJ	AIN			RAT	LAM		M	IANI	SAUI	₹		TO	ΓAL	
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
х	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

M.P.P.K.V.V.CO.LTD., INDORE

No.	NAME OF MATERIALS	UNIT	INDO	ORE	BARW	AHA	DHA	R	UJJA	IN	RATI	LAM	MANDS	SAUR	TOT	AL
140.	NAME OF MATERIALS	UNII	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
7	CONDUCTOR															
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	16.798	0.000	0.000	0.000	8.400	0.000	42.000	0.000	67.198	0.000
iii	AAAC-05 RABBIT	KM	1993.920	0.000	217.048	0.000	851.407	0.000	941.514	0.000	975.464	0.000	778.479	0.000	5757.832	0.000
iv	AAAC-075 RACCON	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	AAAC-DOG	KM	182.196	0.000	64.028	0.000	51.790	0.000	228.000	0.000	92.489	0.000	39.602	0.000	658.105	0.000
vi	AAAC Panther conductor 0.20 sq. inch	KM	2.598	0.000	8.546	0.000	5.744	0.000	24.441	0.000	0.000	17.288	0.000	0.000	41.329	17.288
8	LIGHTING ARRESTERS															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	6291	0	6227	0	6310	0	0	2696	21930	0	40758	2696
ii	11 KV 5 KA - Line type	Nos.	23981	0	0	0	0	0	0	0	0	0	0	0	23981	0
iii	33 KV 10 KA - Line type	Nos.	1915	0	0	0	100	0	2616	0	0	0	166	0	4797	0
iv	11 KV 10 KA - Station type	Nos.	0	0	223	0	0	0	0	0	12340	0	0	0	12563	0
9	VCB															
i	11 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33 KV 30V	Nos.	41	0	42	0	49	0	11	0	51	0	32	0	226	0
10	STAY SET															
i	16 MM/Painted	Nos.	49018	0	29656	0	35115	0	32283	0	11414	0	25979	0	183465	0
ii	20 MM	Nos.	1096	0	0	0	1500	0	106	0	565	0	577	0	3844	0
11	C.T.s															
i	11 KV CT 200-100/5-5 A	Nos.	0	100	0	0	0	0	0	75	0	0	0	0	0	175
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	15	0	1	0	0	0	0	0	0	0	16	0
iii	11 KV CT 400-200/5-5 A	Nos.	3	0	0	0	3	0	0	0	0	0	0	0	6	0
iv	11 KV CT 600-300/5-5 A	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
v	11 KV CT 600-300/5-5-1 A	Nos.	4	0	0	0	0	0	0	0	0	0	0	0	4	0
vi	33 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

N T	NAME OF MARRING	LINITE	INDO	ORE	BARW	AHA	DHA	AR	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
viii	33 KV CT 400-200/5-5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	33 KV CT 200-100/5-5-1 A	Nos.	19	0	0	0	0	0	0	0	0	0	0	0	19	0
X	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
xi	132 KV CT 100/1	Nos.	17	0	1	0	0	0	0	0	2	0	0	0	20	0
xii	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	12	0
12	P.T.s															
i	11 KV PT	Nos.	437	0	0	0	0	0	102	0	0	0	0	0	539	0
ii	33 KV PT	Nos.	601	0	0	0	0	0	0	0	0	0	0	0	601	0
iii	132 KV PT	Nos.	9	0	1	0	0	0	0	0	6	0	0	0	16	0
13	LT / CT															
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable															
i	1 C X 16 Sqmm	KM	5.070	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.070	0.000
ii	1 C X 25 Sqmm	KM	418.188	0.000	0.000	0.000	32.454	0.000	473.207	0.000	0.000	0.000	343.070	0.000	1266.919	0.000
iii	1 C X 35 Sqmm	KM	37.550	0.000	0.000	0.000	11.032	0.000	20.598	0.000	0.000	0.000	0.000	0.000	69.180	0.000
iv	1 C X 50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.519	0.000	0.000	0.000	13.466	0.000	13.985	0.000
V	1 C X 70 Sqmm	KM	123.367	0.000	0.000	0.000	1.000	0.000	0.000	0.000	55.258	0.000	0.000	0.000	179.625	0.000
vi	1 C X 95 Sqmm	KM	26.143	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	26.143	0.000
vii	1 C X 150 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	1 C X 300 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ix	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

N T	NAME OF MARRING		INDO	ORE	BARW	AHA	DHA	AR .	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
х	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	2 C X 2.5 Sqmm	KM	4243.347	0.000	384.900	0.000	400.000	0.000	1641.775	0.000	730.745	0.000	175.177	0.000	7575.944	0.000
15	Cable - Multicore PVC Cable															
i	2 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	60.000	0.000	0.000	0.000	0.000	0.000	0.000	70.000	0.000	0.000	0.000	0.000	60.000	70.000
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable															
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3 C X 185 Sqmm 11 KV	KM	22.638	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	22.638	0.000
iii	3 C X 300 Sqmm 11 KV	KM	2.818	0.000	0.000	0.000	0.000	0.000	2.103	0.000	0.000	0.000	0.000	0.000	4.921	0.000
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.746	0.000	0.000	0.000	0.253	0.000	0.999	0.000
v	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	2.027	0.000	0.000	0.000	0.000	0.000	2.027	0.000
17	Cable - LT AB Cable															
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	3X25+1X16+1X25 Sqmm	KM	90.000	6.077	0.000	0.000	0.000	0.000	70.993	0.000	0.000	0.000	0.000	0.000	160.993	6.077
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

3. 7	MANG OF MATERIAL C		INDO	ORE	BARW	AHA	DHA	R	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T										
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ix	3X50+1X16+1X35 Sqmm	KM	90.855	0.000	0.000	0.000	0.000	0.000	32.899	0.000	0.000	0.000	0.000	0.000	123.754	0.000
х	3X70+1X16+1X50 Sqmm	KM	83.000	0.000	0.000	0.000	0.000	0.000	32.512	0.000	0.000	0.000	0.000	0.000	115.512	0.000
xi	3X95+1X16+1X70 Sqmm	KM	41.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	41.000	0.000
х	1X25+1X16+1X25 Sq.mm	KM	432.819	0.000	817.317	0.000	796.127	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2046.263	0.000
xi	3X25+1X25 Sq.mm	KM	121.982	3.030	0.000	0.000	0.000	0.000	177.061	0.000	0.000	0.000	0.000	0.000	299.043	3.030
xii	3X120+1X70+1X16Sq.mm	KM	9.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	9.000	0.000
18	STEEL SECTIONS															
i	Rail Pole	MT	0.000	0.000	4.150	0.000	3.280	0.000	0.000	0.000	0.000	0.000	4.110	0.000	11.540	0.000
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	75.186	0.000	102.800	0.000	0.000	0.000	149.591	0.000	19.370	0.000	346.947	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	4.395	0.000	3.690	0.000	21.570	0.000	41.430	0.000	27.210	0.000	0.000	0.000	98.295	0.000
v	MS Angle 65 x 65 x 6 mm	MT	65.755	0.000	0.000	0.000	199.560	0.000	206.095	0.000	8.177	0.000	122.114	0.000	601.701	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	23.965	0.000	5.600	0.000	74.250	0.000	66.875	0.000	76.404	0.000	33.226	0.000	280.320	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	51.251	0.000	4.990	0.000	21.245	0.000	77.486	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	3.266	0.000	2.300	0.000	19.790	0.000	0.000	0.000	1.245	0.000	26.601	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	148.440	0.000	77.750	0.000	84.825	0.000	112.557	0.000	97.717	0.000	38.465	0.000	559.754	0.000
xii	MS Flat 50 x 6 mm	MT	106.875	0.000	1.195	0.000	154.680	0.000	111.645	0.000	56.053	0.000	26.946	0.000	457.394	0.000
19	GI WIRES															
i	6 SWG	MT	49.671	0.000	0.000	0.000	1.500	0.000	68.165	0.000	0.505	0.000	0.000	0.000	119.841	0.000
ii	8 SWG	MT	45.780	0.000	48.160	0.000	72.835	0.000	77.780	0.000	98.437	0.000	69.355	0.000	412.347	0.000
iii	10 SWG	MT	3.044	0.000	13.750	0.000	0.000	0.000	1.852	0.000	0.000	0.000	9.120	0.000	27.766	0.000
20	STAY WIRES															
i	7/8 SWG (7/4.00 mm)	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.219	0.000	5.219	0.000

N.T.	NAME OF MATERIAL C	LINITE	INDO	ORE	BARW	AHA	DHA	AR .	UJJA	AIN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	7/10 SWG (7/3.15 mm)	МТ	195.265	0.000	87.085	0.000	78.280	0.000	166.630	0.000	73.020	0.000	63.860	0.000	664.140	0.000
21	HARDWARES															
i	LT SHACKLE H/W 90X75	Nos.	8708	0	0	0	0	0	0	0	0	0	0	0	8708	0
ii	11 KV H/W	Nos.	28801	0	0	0	0	0	0	0	0	0	0	0	28801	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	INSULATORS															
i	SHACKLE 90 X 75	Nos.	12700	0	0	0	0	0	0	0	0	0	0	0	12700	0
ii	SHACKLE 65 X 50	Nos.	31063	0	0	0	0	0	0	0	0	0	0	0	31063	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	89545	0	34049	0	44154	0	29667	0	1828	19782	33708	0	232951	19782
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	0	172	0	0	0	296	7551	272	0	740	7551
ix	11 KV Polymer Disc Insulator	Nos.	19854	0	5281	0	15267	0	4369	0	22644	0	20441	0	87856	0
X	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	DO SETS															
i	11 KV	Nos.	16804	0	10436	0	17188	0	9775	0	18232	1178	12153	0	84588	1178
ii	33 KV	Nos.	205	0	0	0	180	0	122	0	165	0	184	0	856	0
24	AB SWITHCES															
i	33 KV	Nos.	228	0	187	0	21	0	137	0	194	0	0	0	767	0
ii	11 KV 1 PHASE	Nos.	254	0	0	0	0	0	0	0	0	0	0	0	254	0
iii	11 KV 3 PHASE	Nos.	325	0	38	0	190	0	0	0	162	0	109	0	824	0
25	DIST. BOXES															
i	16 KVA	Nos.	365	0	0	0	0	0	373	0	157	0	133	0	1028	0
ii	25 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	444	0	444	0
iii	63 KVA	Nos.	5	50	0	25	0	25	109	25	0	0	79	0	193	125
iv	100 KVA	Nos.	19	50	53	0	40	0	0	0	25	0	57	0	194	50

3. 7	NAME OF MATERIAL C		INDO	ORE	BARW	AHA	DHA	AR .	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T										
v	200 KVA	Nos.	0	0	0	0	0	0	0	0	1	0	0	0	1	0
vi	315 KVA	Nos.	0	0	0	0	0	0	12	0	0	0	0	0	12	0
26	CAPACITORS															
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	PC CUT OUT															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0	950	0	0	0	950	0
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	METER NEW ELECTRONIC															
i	1 PHASE 5-30 Amp.	Nos.	72853	0	39334	0	18574	0	38830	0	18286	220	56559	5000	244436	5220
ii	3 PHASE 10-40 Amp.	Nos.	38	5366	0	3000	7	0	0	2000	0	1000	0	1150	45	12516
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	4	0	0	0	47	0	51	0
iv	Whole Current 40-200 Amp.	Nos.	0	0	4	0	0	0	0	405	0	0	57	0	61	405
v	LT C.T. Meter 100/5 Amp.	Nos.	2519	0	0	0	0	0	2447	0	0	0	0	0	4966	0
vi	HT Meter - 110 V	Nos.	283	0	0	0	0	0	345	0	0	0	0	0	628	0
vii	HT Meter - 110 V S/S.	Nos.	120	0	0	0	0	0	0	0	0	0	0	0	120	0
29	MAIN SWITHCES															
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	703	0	703	0
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	100 AMP.	Nos.	0	0	0	0	0	0	22	0	0	0	0	0	22	0
iv	200 AMP.	Nos.	8	0	0	0	0	0	312	0	0	0	0	0	320	0
v	320 AMP.	Nos.	0	0	0	0	0	0	23	0	0	0	0	0	23	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	G.I. PINS															

N	NAME OF MATERIAL C	LINITE	INDO	ORE	BARW	AHA	DHA	AR	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	'AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
i	11 KV	Nos.	0	0	0	0	1958	0	0	0	0	0	0	0	1958	0
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	G.I.CONDUIT PIPE															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	40 MM	Mtr.	23689	0	21857	0	5272	0	18134	0	17229	0	25381	0	111562	0
33	ISOLATORS															
i	11 KV	Nos.	24	0	21	0	99	0	0	0	0	0	100	0	244	0
ii	33 KV	Nos.	0	0	34	0	95	0	18	0	0	0	0	17	147	17
34	PCC POLES															
i	140 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	280 KG	Nos.	0	0	0	0	0	0	0	0	56	0	0	0	56	0
iii	350 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BATTERY & CHARGER															
i	Battery Set	Nos.	0	0	0	0	0	0	12	8	0	0	0	0	12	8
ii	Battery Charger	Nos.	22	0	0	0	0	0	0	0	0	0	0	0	22	0
36	OIL X-MER															
i	Fresh Oil	KL	0.000	0.000	0.000	0.000	25.000	0.000	4.513	0.000	5.852	0.000	0.000	0.000	35.365	0.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	0.000	0.000	0.000	0.000	80.000	0.000	28.327	0.000	50.285	0.000	50.000	0.000	208.612	0.000
37	Male Female Contact suitable for															
i	11 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	ALU. LUGS															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	NAME OF PARTITION OF		INDO	ORE	BARW	AHA	DHA	ıR	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	'AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire															
i	0.79 mm	Kg.	9000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9000.0	0.00
i	0.81 mm	Kg.	0.00	599.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	599.14
ii	1.03 mm	Kg.	10355.00	1227.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10355.00	1227.21
iii	1.25 mm	Kg.	0.00	1934.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1934.12
iv	1.33 mm	Kg.	4870.00	1939.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4870.00	1939.23
v	1.60 mm	Kg.	0.00	1043.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1043.28
vi	1.70 mm	Kg.	10540.00	2849.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10540.00	2849.15
vii	2.00 mm	Kg.	6000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6000.00	0.00
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire															
i	11 X 4 mm	Kg.	0.00	1776.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1776.75
ii	11 X 5.5 mm	Kg.	0.00	2000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00
iii	7.2 X 5.5 mm	Kg.	0.00	175.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	175.35
iv	7.25 X 3.13 mm	Kg.	560.00	2692.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	560.00	2692.85
v	10.6 x 4.6 mm	Kg.	0.00	1845.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1845.15
40 (a)	DPC Copper Round Wire															
i	1.95 mm dia	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40 (b)	DPC Copper Rectangular Wire															
i	8.4 X 3.7 mm	Kg.	1000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1000.00	0.00
41	HV / LV Brass Stud for Dist.X-mer															
i	LV 20 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

D T	NAME OF MATERIAL C		INDO	ORE	BARW	AHA	DHA	AR .	UJJA	IN	RATI	LAM	MANDS	SAUR	ТОТ	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	Press Board															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	Gasket Sheet															
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -															
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit															
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Robust Fuse Unit	No.	56	0	0	0	0	0	0	0	0	0	0	0	56	0
48	Pole Mounted Service connection Box															
i	Single Phase	No.	8858	0	27932	0	15473	0	13603	0	15548	0	11113	0	92527	0
ii	Three Phase	No.	0	0	3012	0	4230	242	1815	0	40	0	4178	0	13275	242
49	МСВ															
i	Single Pole 16 Amp.	No.	1783	0	0	0	0	0	0	0	0	0	0	0	1783	0
ii	Three Pole 32 Amp.	No.	3953	0	0	0	0	0	251	0	0	0	0	0	4204	0

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
50	Poly Corbonate Meter Box															
i	Single Phase	No.	0	0	0	0	0	0	0	0	2424	0	0	0	2424	0
ii	Three Phase	No.	1195	0	0	0	0	0	2143	0	0	0	0	0	3338	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Safety Appliances															
i	Cutting Plier	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Screw Driver	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	Hand Gloves	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-															
i	Khaki Terrycot	Mtr.	4706.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4706.63	0.00
ii	White Terrycot	Mtr.	210.86	0.00	0.00	0.00	0.00	0.00	197.00	0.00	0.00	0.00	0.00	0.00	407.86	0.00
iii	Blue Woolen	Mtr.	84.50	0.00	0.00	0.00	0.00	0.00	35.00	0.00	0.00	0.00	0.00	0.00	119.50	0.00
iv	Khaki Woolen	Mtr.	2112.50	0.00	0.00	0.00	0.00	0.00	386.00	0.00	0.00	0.00	0.00	0.00	2498.50	0.00
v	Khaki Cellular	Mtr.	0.00	0.00	0.00	0.00	0.00	0.00	5153.00	0.00	0.00	0.00	0.00	0.00	5153.00	0.00
56	Scrap Conductor	Kg.	18591	0	19881	0	14000	0	183502	0	6330	0	1961	0	244264	0
57	Earthing Coil	No.	42708	0	35909	0	28520	0	7914	0	17631	0	30711	0	163393	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt															
i	M.S.Nut Bolt 16 X 250	Kg.	3600	0	0	0	0	0	0	0	0	0	0	0	3600	0
ii	M.S.Nut Bolt 16 X 200	Kg.	4000	0	0	0	0	0	0	0	0	0	0	0	4000	0
iii	M.S.Nut Bolt 16 X 160	Kg.	50312	0	0	0	0	0	0	0	0	0	0	0	50312	0

N .T	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
No.			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iv	M.S.Nut Bolt 16 X 140	Kg.	46700	0	0	0	0	0	0	0	0	0	0	0	46700	0
v	M.S.Nut Bolt 16 X 90	Kg.	11000	0	0	0	0	0	0	0	0	0	0	0	11000	0
vi	M.S.Nut Bolt 16 X 75	Kg.	14350		0	0	0	0	4950	0	0	0	0	0	19300	0
vii	M.S.Nut Bolt 16 X 65	Kg.	10850	0	0	0	0	0	0	0	0	0	0	0	10850	0
viii	M.S.Nut Bolt 16 X 40	Kg.	12550		0	0	0	0	650	0	0	0	0	0	13200	0
ix	M.S.Nut Bolt 12 X 300	Kg.	4900	0	0	0	0	0	0	0	0	0	0	0	4900	0
X	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	10800	0	0	0	0	0	10800	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3450	0	0	0	0	0	0	0	0	0	0	0	3450	0
xii	M.S.Nut Bolt 12 X 65	Kg.	900	0	0	0	0	0	0	0	0	0	0	0	900	0
60	Clamp & Connector															
i	Suspenstion Clamp Ass.for LT Cable 25-50	Nos.	43827	0	996	0	0	0	35058	0	0	0	0	0	79881	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	52390	0	0	0	0	0	52390	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	56225	0	3701	0	0	0	46469	0	0	0	0	0	106395	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	9086	0	0	0	88206	0	0	0	0	0	97292	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	12685	0	0	0	52150	0	0	0	0	0	64835	0
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	0	0	0	0	0	0	1988	0
61	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	17	0	0	0	0	0	0	0	0	0	0	0	17	0
62	11 KV CAPACITOR SWITCH															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	14	0	0	0	0	0	0	0	0	0	0	0	14	0
63	LT CT Meter Box															
i	LT CT Meter Box	Nos.	1978	0	0	0	0	0	2206	0	0	0	0	0	4184	0