### M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.6.2022

No   Performance   No   Perf				100111	01.01	SE. (EIC				NAME O		STORES AS ON 15.6.2022 STORE						
1.   1.   1.   1.   1.   1.   1.   1.	No.	NAME OF MATERIALS	Unit	INDO	ORE	BARV	VAHA	DH				1	LAM	MANE	SAUR	TO	ΓAL	
	1	DIST.TRANSFORMERS		NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	
81         2EYCNORSIGNITOR         No.         0.0         1.70         7.70         7.70         1.00	i	16 KVA 1 Phase	Nos.	0	0	2	2	404	5	0	0	0	0	0	0	406	7	
	ii	16 KVA 3 Phase	Nos.	0	0	0	2	0	4	0	50	0	38	0	0	0	94	
No.   No.	iii	25 KVA (Non Star)	Nos.	0	1380	0	778	0	584	0	709	0	558	0	1049	0	5058	
No.   No.	iv	25 KVA (3 Star)	Nos.	0	0	0	0	2	0	0	0	0	0	71	0	73	0	
	v	63 KVA	Nos.	0	353	0	117	0	216	0	533	0	58	0	371	0	1648	
vist         Declaration         Ass.         Color	vi	100 KVA (Non Star)	Nos.	0	898	0	176	0	580	0	765	0	257	0	869	0	3545	
1	vii	100 KVA (3 Star)	Nos.	435	0	100	0	0	0	50	0	57	0	70	0	712	0	
x         35 KYA         0         0         0         1         0         1         0         1         0         0         1         0         0         1         0 </td <td>viii</td> <td>200 KVA (Non Star)</td> <td>Nos.</td> <td>0</td> <td>5</td> <td>0</td> <td>22</td> <td>0</td> <td>21</td> <td>0</td> <td>9</td> <td>0</td> <td>16</td> <td>0</td> <td>23</td> <td>0</td> <td>96</td>	viii	200 KVA (Non Star)	Nos.	0	5	0	22	0	21	0	9	0	16	0	23	0	96	
Page   Power Name   Page   Power	ix	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	0	0	0	0	7	0	7	0	
	x	315 KVA	Nos.	0	1	0	1	0	0	0	3	0	0	0	1	0	6	
Heat	2	POWER X'MERS		NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	
15   15   15   15   15   15   15   15	i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	ii	3.15 MVA	Nos.	0	0	0	7	0	5	0	9	0	8	0	23	0	52	
	iii	5.0 MVA	Nos.	9	10	7	0	2	0	6	2	1	1	2	2	27	15	
	iv	8.0 MVA	Nos.	17	1	0	0	0	0	4	0	0	0	0	0	21	1	
	v	10.0 MVA	Nos.	2	1	0	0	0	0	1	0	0	0	0	0	3	1	
II   S/5 AMP	3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	
	i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
105 AMP	ii	5/5 AMP	Nos.	0	55	0	0	0	0	0	0	0	0	0	0	0	55	
155 AMP	iii	7.5/5 AMP	Nos.	198	0	0	0	0	0	0	0	1	0	1	0	200	0	
vi         205 AMP         Nos.         0         55         0 <t< td=""><td>iv</td><td>10/5 AMP</td><td>Nos.</td><td>0</td><td>178</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>178</td></t<>	iv	10/5 AMP	Nos.	0	178	0	0	0	0	0	0	0	0	0	0	0	178	
vii         255 AMP         Nos.         16         0         <	v	15/5 AMP	Nos.	99	0	0	0	0	0	0	0	0	0	0	0	99	0	
viii         30/5 AMP         Nos.         0         19         0	vi	20/5 AMP	Nos.	0	55	0	0	0	0	0	0	0	0	0	0	0	55	
In   Subsequence   Nos.   O   20   O   O   O   O   O   O   O   O   O	vii	25/5 AMP	Nos.	16	0	0	0	0	0	0	0	0	0	0	0	16	0	
x         75/5 AMP         Nos.         0         2         0 <th< td=""><td>viii</td><td>30/5 AMP</td><td>Nos.</td><td>0</td><td>19</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>19</td></th<>	viii	30/5 AMP	Nos.	0	19	0	0	0	0	0	0	0	0	0	0	0	19	
Xi   100/5 AMP	ix	50/5 AMP	Nos.	0	20	0	1	0	0	0	0	0	1	0	0	0	22	
xii         2005 AMP         Nos.         0         9         0         <				0	2	0	0	0	0	0	0	0	0	0	0	0	2	
xiii         300/5 AMP         Nos.         0         10         0	xi	100/5 AMP	Nos.											-		0	17	
xiv         400/5 AMP         Nos.         0         5         0			Nos.														9	
xv         100-50/5 AMP         Nos.         0			Nos.													0	10	
Xvi   300-150/5 AMP   Nos.   O   18   2   O   O   O   O   O   O   O   O   O																		
Noisi   400-200/5 AMP   Noisi   Nois																		
xviii         200-100/5 AMP         Nos.         0         145         0         18         0         0         0         17         0         10         0         1         0         191           4         CONTROL PANEL         FDR         XMER         FDR																		
4         CONTROL PANEL         FDR         XMER																		
i         11KV         Nos.         0         10         32         42         17         0         17         30         17         0         0         0         83         82           ii         33KV         Nos.         0         2         0         31         3         5         3         8         3         18         10         9         19         73           5         CABLE COPPER CONTROL         UN-AR         ARM         UN-AR			Nos.															
ii         33KV         Nos.         0         2         0         31         3         5         3         8         3         18         10         9         19         73           5         CABLE COPPER CONTROL         UN-AR         ARM         UN-AR         ARM </th <th>4</th> <th>CONTROL PANEL</th> <th></th> <th>FDR</th> <th>XMER</th>	4	CONTROL PANEL		FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	
5         CABLE COPPER CONTROL         UN-AR         ARM         UN-AR         ARM <td>i</td> <td>11KV</td> <td>Nos.</td> <td>0</td> <td>10</td> <td>32</td> <td>42</td> <td>17</td> <td>0</td> <td>17</td> <td>30</td> <td>17</td> <td>0</td> <td>0</td> <td>0</td> <td>83</td> <td>82</td>	i	11KV	Nos.	0	10	32	42	17	0	17	30	17	0	0	0	83	82	
i       2 Core 2.5 Sq.mm       Mtr.       2407       0       3581       0       0       9149       4580       0       0       0       0       15137       4580         ii       3 Core 2.5 Sq.mm       Mtr.       0<	ii	33KV	Nos.	0	2	0	31	3	5	3	8	3	18	10	9	19	73	
ii       3 Core 2.5 Sq.mm       Mtr.       0	5	CABLE COPPER CONTROL		UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	
iii 4 Core 2.5 Sq.mm Mtr. 5720 0 10673 0 0 0 19731 0 0 0 0 0 36124 0 iv 8 Core 2.5 Sq.mm Mtr. 8396 0 9647 0 0 0 26970 0 0 0 0 0 45013 0 v 12 Core 2.5 Sq.mm Mtr. 0 0 0 0 0 0 0 0 0 0 0 0 0	i	2 Core 2.5 Sq.mm	Mtr.	2407	0	3581	0	0	0	9149	4580	0	0	0	0	15137	4580	
iv 8 Core 2.5 Sq.mm Mtr. 8396 0 9647 0 0 0 26970 0 0 0 0 0 45013 0  v 12 Core 2.5 Sq.mm Mtr. 0 0 0 0 0 0 0 0 0 0 0 0 0	ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
v 12 Core 2.5 Sq.mm Mtr. 0 0 0 0 0 0 0 0 0 0 0 0 0 0	iii	4 Core 2.5 Sq.mm	Mtr.	5720	0	10673	0	0	0	19731	0	0	0	0	0	36124	0	
	iv	8 Core 2.5 Sq.mm	Mtr.	8396	0	9647	0	0	0	26970	0	0	0	0	0	45013	0	
vi 10 Core 2.5 Sq.mm Mtr. 0 0 0 0 0 0 0 0 0 0 0 0 0	v	12 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

	NAME OF MATERIALS	TT						I	NAME O	F STORI	E					
No.	NAME OF MATERIALS	Unit	IND	ORE	BARV	VAHA	DH	AR	UJJ	AIN	RAT	LAM	MANI	SAUR	TO	ΓAL
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	1.5 Amp.	No.	12850	0	0	0	0	0	0	0	0	0	0	0	12850	0
ii	3 Amp.	No.	8700	0	0	0	0	0	0	0	0	0	0	0	8700	0
iii	5 Amp.	No.	6000	0	0	0	0	0	0	0	0	0	0	0	6000	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	10 Amp.	No.	1840	0	0	0	0	0	0	0	0	0	0	0	1840	0
vi	15 Amp.	No.	3700	0	0	0	0	0	0	0	0	0	0	0	3700	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
х	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

#### M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.6.2022

	STOCK POSITION	OF GE	NEKAL MA	I EKIAL LI		E OF AREAS		2022		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under
7	CONDUCTOR		INDORE	DAKWAHA	DIIAK	UJJAIN	KATLAWI	MANDSAUK	TOTAL	Testing
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	AAAC-05 RABBIT	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	AAAC-075 RACCON	KM	4.850	0.000	3.230	2.018	2.018	2.018	14.134	3.230
v	AAAC-DOG	KM	204.686	93.220	104.000	117.996	127.194	88.786	735.882	278.766
vi	AAAC Panther conductor 0.20 sq. inch	KM	1.298	8.546	0.000	24.441	19.711	0.000	53.996	0
8	LIGHTING ARRESTERS									0
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	3936	3337	1887	11162	14526	34848	0
ii	11 KV 5 KA - Line type	Nos.	19460	0	0	0	0	0	19460	0
iii	33 KV 10 KA - Line type	Nos.	1152	0	18	1154	0	0	2324	0
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0	0
9	VCB									0
i	11 KV	Nos.	25	26	36	33	27	18	165	68
ii	33 KV 30V	Nos.	16	7	3	2	7	32	67	12
10	STAY SET									0
i	16 MM/Painted	Nos.	45279	21914	27900	24593	35256	23880	178822	0
ii	20 MM	Nos.	829	500	262	1161	2015	0	4767	0
11	C.T.s									0
i	11 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0	0
v	11 KV CT 600-300/5-5-1 A	Nos.	3	0	0	0	0	0	3	0
vi	33 KV CT 200-100/5-5 A	Nos.	8	0	0	0	0	0	8	0
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0
viii	33 KV CT 400-200/5-5 AMP	Nos.	13	0	0	0	0	0	13	0
ix	33 KV CT 200-100/5-5-1 A	Nos.	0	0	0	0	0	0	0	0
х	132 KV CT 50/1	Nos.	0	0	0	0	0	0	0	0
xi	132 KV CT 100/1	Nos.	11	0	0	0	2	0	13	0
xii	132 KV CT 200/1	Nos.	4	0	0	0	5	0	9	0
12	P.T.s	<u> </u>		_	_		_	_		0
i	11 KV PT	Nos.	97	0	0	0	0	0	97	0
ii 	33 KV PT	Nos.	533	0	0	0	0	0	533	0
iii	132 KV PT	Nos.	3	0	0	0	3	0	6	0
13	LT/CT									0
i	100/5 AMP	Nos.	96	0	0	0	0	0	96	0
ii	200/5 AMP	Nos.	108	0	0	0	0	0	108	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable									0
i	1 C X 16 Sqmm	KM	1.950	0.000	0.000	0.000	0.000	0.000	1.950	0
ii	1 C X 25 Sqmm	KM	228.584	0.000	0.000	175.778	0.000	155.365	559.727	0
	-									
iii	1 C X 35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	1 C X 50 Sqmm	KM	32.801	0.000	2.000	0.000	0.000	0.000	34.801	0
v	1 C X 70 Sqmm	KM	48.529	0.000	6.000	9.440	22.040	28.350	114.359	28.35
vi	1 C X 95 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	1 C X 150 Sqmm	KM	12.618	0.000	4.000	3.150	20.990	28.350	69.108	28.35
viii	1 C X 300 Sqmm	KM	2.002	0.000	0.000	0.000	2.620	0.000	4.622	0
ix	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
1/	11 10 5quini	12171	0.000	0.000	0.000	0.000	0.000	0.000	3.000	

	STOCK POSITION					E OF AREA				Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	- Under Testing
x	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi	2 C X 2.5 Sqmm	KM	4066.595	248.800	263.000	1418.175	537.745	104.067	6638.382	0
15	Cable - Multicore PVC Cable									0
i	2 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	2 C X 4 Sqmm	KM	51.472	0.000	0.000	12.062	0.000	0.000	63.534	0
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
	•	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
. v	4 C X 6 Sqmm									
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
16	Cable - HT XLPE Cable									0
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	1.184	0.000	0.000	1.184	0
ii	3 C X 185 Sqmm 11 KV	KM	20.661	0.000	0.000	0.000	0.000	0.000	20.661	0
iii	3 C X 300 Sqmm 11 KV	KM	2.876	0.000	0.000	2.042	0.000	0.000	4.918	0
iv	3 C X 185 Sqmm 33 KV	KM	0.801	0.000	0.000	1.190	0.000	0.000	1.991	0
v	3 C X 300 Sqmm 33 KV	KM	1.490	0.000	0.000	5.563	0.000	0.000	7.053	0
17	Cable - LT AB Cable									0
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	3X50+1X16+1X35 Sqmm	KM	30.133	22.000	25.000	40.010	2.515	0.000	119.658	15.955
X	3X70+1X16+1X50 Sqmm	KM	24.553	23.000	0.000	48.675	49.040	0.000	145.268	60.955
xi	3X95+1X16+1X70 Sqmm	KM	0.000	14.000	10.000	28.005	34.530	0.000	86.535	0
X	1X25+1X16+1X25 Sq.mm	KM	263.737	172.000	43.817	0.000	0.000	0.000	479.554	0
xi	3X25+1X25 Sq.mm	KM	0.000	0.000	0.000	17.577	0.000	0.000	17.577	0
xii	3X120+1X70+1X16Sq.mm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
18	STEEL SECTIONS									0
i	Rail Pole	MT	0.000	0.000	3.280	0.000	0.000	0.000	3.280	0
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	0.000	0.000	0.361	0.000	0.361	0
iv	MS Angle 75 x 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.890	0.000	0.890	0
v .	MS Angle 65 x 65 x 6 mm	MT	0.000	15.500	62.320	14.984	0.537	12.720	106.061	0
vi 	MS Angle 50 x 50 x 6 mm	MT	0.000	0.000	96.466	25.716	74.824	23.726	220.732	0
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
. x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi 	MS Flat 65 x 8 mm	MT	137.960	74.950	77.085	104.732	83.044	86.465	564.236	0
xii	MS Flat 50 x 6 mm	MT	36.632	0.000	121.270	78.825	52.090	5.532	294.349	0

			F GENERAL MATERIAL LYING IN AREA STORES AS ON 15.6.2022  NAME OF AREA STORE									
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Quantity Under Testing		
19	GI WIRES		2.72 0112	Dille VVIIII		COULTE	14.11.2.11.1		101112	0		
i	6 SWG	MT	39.741	0.000	1.300	66.607	0.505	0.000	108.153	0		
ii	8 SWG	MT	34.246	0.000	54.815	68.755	95.189	59.677	312.682	0		
iii	10 SWG	MT	3.044	13.750	0.000	0.000	0.000	8.416	25.210	0		
20	STAY WIRES									0		
i	7/8 SWG (7/4.00 mm)	MT	12.459	0.000	0.000	10.674	0.000	0.000	23.133	0		
ii	7/10 SWG (7/3.15 mm)	MT	127.402	107.243	95.090	189.055	187.060	68.896	774.746	0		
21	HARDWARES									0		
i	LT SHACKLE H/W 90X75	Nos.	2703	0	0	0	0	0	2703	0		
ii	11 KV H/W	Nos.	493	0	0	0	0	0	493	0		
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0		
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0		
22	INSULATORS									0		
i	SHACKLE 90 X 75	Nos.	0	0	0	0	0	0	0	0		
ii	SHACKLE 65 X 50	Nos.	24767	0	0	0	0	0	24767	0		
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0		
vii	11 KV Polymer Pin Insulator	Nos.	48779	8489	13146	0	14565	14936	99915	0		
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	0	0	0	0	0		
ix	11 KV Polymer Disc Insulator	Nos.	0	0	696	0	12201	13036	25933	0		
x	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	0	0	0	0		
23	DO SETS									0		
i	11 KV	Nos.	14409	6421	1961	3905	17530	7863	52089	0		
ii	33 KV	Nos.	0	0	85	10	165	120	380	0		
24	AB SWITHCES									0		
i	33 KV	Nos.	25	0	0	45	0	0	70	0		
ii	11 KV 1 PHASE	Nos.	315	94	3	0	0	0	412	0		
iii	11 KV 3 PHASE	Nos.	0	0	0	126	0	0	126	0		
25	DIST, BOXES									0		
i	16 KVA	Nos.	313	4	133	351	157	0	958	0		
ii	25 KVA	Nos.	0	0	213	0	140	343	696	0		
iii	63 KVA	Nos.	0	0	0	0	0	0	0	0		
iv	100 KVA	Nos.	97	0	0	110	0	0	207	122		
v	200 KVA	Nos.	82	0	0	71	0	0	153	85		
vi	315 KVA	Nos.	49	0	0	44	0	0	93	0		
26	CAPACITORS									0		
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0		
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0		
27	PC CUT OUT									0		
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0		
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0		
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0		
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0		
28	METER NEW ELECTRONIC									0		
i	1 PHASE 5-30 Amp.	Nos.	29660	3430	10746	26325	22510	12277	104948	0		
	1 PHASE 5-30 Amp. SMART Meter	Nos.	38	0	0	0	0	0	38	0		
ii	3 PHASE 10-40 Amp.	Nos.	3100	972	1364	2669	1512	1178	10795	0		
iii	3 PHASE 20-100 Amp.	Nos.	2150	500	300	1000	300	500	4750	4750		
iv	Whole Current 40-200 Amp.	Nos.	484	200	0	318	10	33	1045	534		
v	LT C.T. Meter 100/5 Amp.	Nos.	1540	0	0	1886	0	101	3527	0		
vi	HT Meter - 110 V	Nos.	570	0	0	3	0	0	573	0		
vii	HT Meter - 110 V S/S.	Nos.	814	0	0	0	0	0	814	0		
29	MAIN SWITHCES									0		
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0		
•			ı				<u> </u>	l	•			

NAME OF MATERIALS         VITAL         NDORE         BARWAIL         DIAN         UJAIN         RATLAM         MANDSAUR         TOTAL         Performance           ii         60 AMP.         Nes         0		STOCK POSITION		TALIANE IVIZ			E OF AREA		2022		Quantity
	No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA		1	1	MANDSAUR	TOTAL	Under Testing
No.   Distantify   No.   Distantify   No.   Distantify   Distantify	ii	63 AMP.	Nos.	0	0	0	0	0	0	0	-
V   SO AMP   No	iii	100 AMP.	Nos.	0	0	0	22	0	0	22	0
Mar	iv	200 AMP.	Nos.	0	0	0	205	0	0	205	0
11   IN   1   1   1   1   1   1   1   1   1	v	320 AMP.	Nos.	0	0	0	0	0	0	0	0
	vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0
	30	G.I. PINS									0
STATEMENT   STAT	i	11 KV	Nos.	0	0	1575	0	0	0	1575	0
1   20 MM	ii	33 KV	Nos.	0	0	0	0	0	0	0	0
Model	31	G.I.CONDUIT PIPE									0
1   1   1   1   1   1   1   1   1   1	i	20 MM	Mtr.	0	0	0	0	0	0	0	0
I I I I I I I I I I I I I I I I I I I	ii	40 MM	Mtr.	14564	18227	0	7738	15265	17004	72798	0
	33	ISOLATORS									0
1	i	11 KV	Nos.	0	0	4	26	0	0	30	0
140 KG	ii	33 KV	Nos.	0	24	78	0	32	23	157	0
140 KG											0
13   350 KG	i	140 KG	Nos.	0	0	0	0	0	0	0	0
Section   Sect	ii	280 KG	Nos.	0	0	0	0	0	0	0	0
Same			Nos.							0	0
Battery Set		BATTERY & CHARGER									0
Battery Charger			Nos.	0	0	0	0	0	0	0	
36 OIL X-MER			Nos.								0
i         Fresh Oil         KL         48.290         32.250         44.480         51.195         33.542         49.869         259.626         0           iii         Reclaimed Oil         KL         0.000         10.000         133.821         0           37         Male Female Contact suitable for         Image: Contact Suitable for         Ima						-					
ii         Reclaimed Oil         KL         0.000         <			KL	48.290	32.250	44.480	51.195	33.542	49.869	259.626	
iii         Bunt Oil         KL         0.000         40,000         40,000         2.821         41,000         10,000         133,821         0           37         Male Female Contact suitable for         Image: Contact s			KL								0
Male Female Contact suitable for											
I   I   KV A B.Switch					131333						
ii         33 KV A.B. Switch         No.         0         0         0         0         0         0           38 ALU. LUGS              0			No.	0	0	0	0	0	0	0	
38         ALU. LUGS         No.         0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
i         16 Sq.mm         No.         0			110.	0	Ŭ	•	0		Ů	•	
ii         25 Sq.mm         No.         0         0         0         0         0         0           iii         35 Sq.mm         No.         0         0         0         0         0         0         0         0           iv         70 Sq.mm         No.         0         <			No	0	0	0	0	0	0	•	
No.   O   O   O   O   O   O   O   O   O											
iv         70 Sq.mm         No.         0 <th< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>		-									
v         150 Sq.mm         No.         0 <th< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>		-									
vi         300 Sq.mm         No.         0         0         0         0         0         0         0         0           39 (a)         DPC Aluminium Round Wire         Colspan="8">Co		-									
39 (a) DPC Aluminium Round Wire  i  0.79 mm											
i         0.79 mm         Kg.         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         14999.00 <td></td> <td></td> <td>No.</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td>			No.	0	0	0	0	0	0	0	
i       0.81 mm       Kg.       14999.00       0.00       0.00       0.00       0.00       14999.00       14999.00         ii       1.03 mm       Kg.       5853.00       0.00       0.00       950.00       0.00       0.00       6803.00       0         iii       1.25 mm       Kg.       10424.00       0.00       0.00       0.00       0.00       0.00       10424.00       10424.00         iv       1.33 mm       Kg.       0.00											
ii       1.03 mm       Kg.       5853.00       0.00       0.00       950.00       0.00       0.00       6803.00       0         iii       1.25 mm       Kg.       10424.00       0.00       0.00       0.00       0.00       0.00       10424.00       10424         iv       1.33 mm       Kg.       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       22289.00       22289.00       22289.00       0.00	i		+ -							0.00	
iii         l.25 mm         Kg.         10424.00         0.00         0.00         0.00         0.00         10424.00         10424           iv         l.33 mm         Kg.         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         22289.00         22289.00         22289.00         0.	i	0.81 mm	Kg.		0.00	0.00	0.00	0.00	0.00	14999.00	14999
iv         1.33 mm         Kg.         0.00 <th< td=""><td>ii</td><td>1.03 mm</td><td>Kg.</td><td>5853.00</td><td>0.00</td><td>0.00</td><td>950.00</td><td>0.00</td><td>0.00</td><td>6803.00</td><td>0</td></th<>	ii	1.03 mm	Kg.	5853.00	0.00	0.00	950.00	0.00	0.00	6803.00	0
v         1.60 mm         Kg.         22289.00         0.00         0.00         0.00         0.00         22289.00         22289.00           vi         1.70 mm         Kg.         0.00	iii	1.25 mm	Kg.	10424.00	0.00	0.00	0.00	0.00	0.00	10424.00	10424
vi         1.70 mm         Kg.         0.00 <th< td=""><td>iv</td><td>1.33 mm</td><td>Kg.</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0</td></th<>	iv	1.33 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
vii 2.00 mm Kg. 8504.00 0.00 0.00 0.00 0.00 <b>8504.00 0</b>	v	1.60 mm	Kg.	22289.00	0.00	0.00	0.00	0.00	0.00	22289.00	22289
	vi	1.70 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
	vii	2.00 mm	Kg.	8504.00	0.00	0.00	0.00	0.00	0.00	8504.00	0
			Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

	STOCK TOSTITO!		NAME OF AREA STORE									
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	- Under Testing		
39 (b)	DPC Aluminium Rectangular Wire									0		
i	11 X 4 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
ii	11 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
iv	7.25 X 3.13 mm	Kg.	5963.00	0.00	0.00	0.00	0.00	0.00	5963.00	0		
v	10.6 x 4.6 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
	DPC Copper Round Wire									0		
i	1.95 mm dia	Kg.	2405.00	0.00	0.00	0.00	0.00	0.00	2405.00	0		
40 (b)	DPC Copper Rectangular Wire									0		
i	8.4 X 3.7 mm	Kg.	1893.00	0.00	0.00	0.00	0.00	0.00	1893.00	0		
41	HV / LV Brass Stud for Dist.X-mer									0		
i	LV 20 MM	No.	0	0	0	1650	0	0	1650	0		
ii	HV	No.	0	0	0	120	0	0	120	0		
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0		
43	Press Board									0		
i	1 MM	Kg.	0	0	0	0	0	0	0	0		
ii	2 MM	Kg.	0	0	0	0	0	0	0	0		
	3 MM	Kg.	0	0	0	0	0	0	0	0		
44	Kraft Paper	Kg.	0	0	0	0	0	0	0	0		
45	Gasket Sheet	115.	•	Ů		•	- U	Ů		0		
i	5 MM	No.	0	0	0	0	0	0	0	0		
ii	6 MM	Kg.	0	0	0	0	0	0	0	0		
iii	9 MM	Kg.	0	0	0	0	0	0	0	0		
46	HRC Fuse Base & Link -	115.	·	Ů		·		Ů		0		
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0	0		
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0		
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0		
iv	Link - 250 Amp./200 Amp	No.	0	0	0	3700	0	0	3700	0		
v	Link - 300 Amp.	No.	0	0	0	2600	0	0	2600	0		
vi	Link - 400 Amp.	No.	0	0	0	2600	0	0	2600	0		
47	LT Pole Fuse Unit & Robust Fuse Unit									0		
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0		
ii	Robust Fuse Unit	No.	0	0	0	0	0	0	0	0		
48	Pole Mounted Service connection Box							-		0		
i	Single Phase	No.	8029	27357	13932	13403	15548	9048	87317	0		
ii	Three Phase	No.	40	2638	3713	1415	4244	2418	14468	0		
49	МСВ									0		
i	Single Pole 16 Amp.	No.	1283	0	0	0	0	0	1283	0		
ii	Three Pole 32 Amp.	No.	3953	0	0	241	0	0	4194	0		
50	Poly Corbonate Meter Box									0		
i	Single Phase	No.	0	0	0	0	0	0	0	0		
ii	Three Phase	No.	1195	0	0	993	0	0	2188	0		
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0		
52	Safety Appliances									0		
i	Cutting Plier	No.	0	0	0	254	0	0	254	0		
ii	Lineman Tool Bag	No.	4637	0	0	3285	0	0	7922	0		
iii	Safety Jhoola Belt	No.	195	0	0	0	0	0	195	0		
iv	Screw Driver	No.	1276	0	0	70	0	0	1346	0		
53	Hand Gloves	No.	0	0	0	0	0	0	0	0		
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0		

No.  55  i  ii  iii  iv	NAME OF MATERIALS  Liveries Terrycot & Woolen-  Khaki Terrycot	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under
i ii iii	-						1	MANDSAUK	IUIAL	Testing
ii iii	Khaki Terrycot									0
iii		Mtr.	2125	0	0	0	0	0	2125	0
	White Terrycot	Mtr.	63	0	0	503	0	0	566	0
iv	Blue Woolen	Mtr.	28	0	0	20	0	0	48	0
	Khaki Woolen	Mtr.	1540	0	0	372	0	0	1912	0
v	Khaki Cellular	Mtr.	0	0	0	11297	0	0	11297	0
56	Scrap Conductor	Kg.	13040	5318	95	33823	731	2536	55543	0
57	Earthing Coil	No.	37931	32451	23933	0	15856	19823	129994	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0
59	MS Nut & Bolt									0
i	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	0	0	0	0	0
ii	M.S.Nut Bolt 16 X 200	Kg.	0	0	0	0	0	0	0	0
iii	M.S.Nut Bolt 16 X 160	Kg.	24362	0	0	0	0	0	24362	0
iv	M.S.Nut Bolt 16 X 140	Kg.	16738	0	0	0	0	0	16738	0
v	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	0	0	0	0	0
	M.S.Nut Bolt 16 X 75	Kg.	11350	0	0	3580	0	0	14930	0
vii	M.S.Nut Bolt 16 X 65	Kg.	0	0	0	0	0	0	0	0
viii	M.S.Nut Bolt 16 X 40	Kg.	5450	0	0	300	0	0	5750	0
ix	M.S.Nut Bolt 12 X 300	Kg.	3800	0	0	0	0	0	3800	0
х	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	9930	0	0	9930	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3000	0	0	0	0	0	3000	0
xii	M.S.Nut Bolt 12 X 65	1	650	0	0	0	0	0	650	0
		Kg.	030	0		0	0	U		0
60	Clamp & Connector	N	40.470	000	0	22000		0	70207	
i 	Suspenstion Clamp Ass.for LT Cable 25-50	Nos.	43473	996	0	33828	0	0	78297	0
	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	45017	0	0	51653	0	0	96670	0
	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	55425	3177	0	45969	0	0	104571	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	8438	0	83122	0	0	91560	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	12685	0	50688	0	0	63373	0
	T-Clamp for Dog	Nos.	0	1988	0	1210	0	0	3198	0
	11 KV RVT									0
i	(RVT) OUTDOOR TYPE	Nos.	0	0	0	0	0	0	0	0
62	11 KV CAPACITOR SWITCH									0
i	11 KV Outdoor Automatic Capacitor switch	Nos.	2	0	0	0	0	0	2	0
63	LT CT Meter Box									0
i	LT CT Meter Box	Nos.	1542	0	242	1965	434	0	4183	242
64	HT Meter Box									0
i	HT Meter Box	Nos.	405	0	0	43	0	0	448	0
65	BI-METALLIC CLAMPS									0
i	LV	No.	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	2527	3126	3550	0	9203	0
67	Electronic Relay	Nos.	20	0	0	0	0	0	20	0
	Additional items added by stores-	1		I		I	I	<u> </u>		

No.	NAME OF MATERIALS	UNIT			NAM	E OF AREA	STORE		TOTAL  31  0  38  195  6  11.079	Quantity Under
No.	NAME OF MATERIALS	UNII	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Testing
68	Digital power claim meter with automatic computation of single phase & three phase parameters	Nos.	31	0	0	0	0	0	31	0
69	3 Ph 4 Wire Smart Meter 10-60 amp.	Nos.	0	0	0	0	0	0	0	0
70	3 Ph 4 Wire Smart Meter 10-100 amp.	Nos.	38	0	0	0	0	0	38	0
71	Master Trip Relay	Nos.	195	0	0	0	0	0	195	0
72	Steel - WPB 160 MMX160 MM	MT	6	0	0	0	0	0	6	0
73	11 KV HT AB Cable 3x95+1x80 Sqmm	KM	0.000	0.000	0.000	8.079	3.000	0.000	11.079	0.000
74	11 K HT XLPE Cable 3Cx150 sqmm	Km	0.807	0.000	0.000	1.191	0.000	0.000	1.998	0
75	11 KV HT XLPE Cable 3Cx240 sqmm	Km	0.409	0.000	0.000	0.592	0.000	0.000	1.001	0
76	3P 4W 10-40 amp. Meter category - C2	Nos.	0	0	0	0	0	0	0	0