M.P.P.K.V.V.CO.LTD., INDORE

					ORE	051			VAHA	J11/1	1,111		AR		NG IIV		AIN	101			LAM			ANT	SAUF	•		TOT	'A T	
No.	NAME OF MATERIALS	UNIT	Clear			TI/T			Clear	TI/T	Clear		Clear	TI/T	Clear			TI/T				TI/T					Clear	U/T		U/T
1	DIST.TRANSFORMERS		NE		RE		NE		RE		NE		RE		NEV		RE		NE		RE		NE		RE		NE		REI	
_	16 KVA 1 Phase	Nos.	0	0	0	0	121	0	9	0	381	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	502	35	9	0
	16 KVA 1 Hase	Nos.	0	0	0	0	0	0	22	0	0	0	8	0	0	0	7	0	0	0	5	7	0	0	1	0	0	0	43	7
i	25 KVA (Non Star)	Nos.	0	0	573	0	0	0	287	0	0	0	67	0	0	0	143	418	0	0	323	0	0	0	292	0	0	0	1685	418
ii	25 KVA (Non Star)	Nos.	1089	55	0	0	1537	25	0	0	815	436	0	0	350	500	0	0	646	0	0	0	1184	5	0	0	5621	1021	0	0
iii	63 KVA	Nos.	1009	0	44	0	69	0	29	0	0	0	58	0	24	0	94	9	1	0	36	0	0	0	243	0	104	0	504	9
_			0	0	546	0	09	0	179	0	0	0	1057	0	0	0			0	0	206	0	0	0	400	0				
iv	100 KVA (Non Star)	Nos.															86	16	1	_							0	0	2474	16
v	100 KVA (3 Star)	Nos.	1385	0	0	0	726	0	0	0	154	0	0	0	366	176	0	0	-	0	0	0	549	8	0	0	3181	184	0	0
vi	200 KVA (Non Star)	Nos.	0	0	45	0	0	0	20	0	0	0	19	0	0	0	13	0	0	0	4	0	0	0	67	0	0	0	168	0
vii	200 KVA (3 Star)	Nos.	30	0	0	0	18	0	0	0	0	0	0	0	10	0	0	0	1	0	0	0	0	0	0	0	59	0	0	0
viii	315 KVA	Nos.	8	0	7	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	10	0	7	0
2	POWER X'MERS		NE	_	RE	_	NE	_	RE	_	NE	_	RE		NEV	_	RE		NE		RE		NE		RE	_	NE		REI	
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15 MVA	Nos.	0	0	11	0	0	0	18	0	0	0	6	0	0	0	31	0	0	0	16	0	0	0	31	0	0	0	113	0
iii	5.0 MVA	Nos.	7	0	3	0	0	0	1	0	0	0	0	0	10	0	3	1	0	0	3	0	2	0	2	0	19	0	12	1
iv	8.0 MVA	Nos.	10	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	12	0	1	0
V	10.0 MVA	Nos.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
3	CT/PT UNITS		11K	_	33K	_	11K		33K	_	11K		33K		11K	V	33K		11K		33K		11K		33K	_	111		33K	
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	0	1	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	27
iii	7.5/5 AMP	Nos.	65	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	67	0	0	0
iv	10/5 AMP	Nos.	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
v	15/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
vi	20/5 AMP	Nos.	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	0
vii	25/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	30/5 AMP	Nos.	0	0	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	0
ix	50/5 AMP	Nos.	0	0	29	0	0	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	32	0
Х	75/5 AMP	Nos.	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
xi	100/5 AMP	Nos.	2	0	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	18	0
xii	200/5 AMP	Nos.	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiv	400/5 AMP	Nos.	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0
xv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xvi	300-150/5 AMP	Nos.	136	0	17	30	0	0	2	20	0	0	0	20	8	0	21	0	7	0	0	0	2	10	2	0	153	10	42	70
xvii	400-200/5 AMP	Nos.	0	0	151	46	0	0	3	20	0	0	0	0	0	0	33	0	0	0	0	0	0	0	0	0	0	0	187	66
xviii	200-100/5 AMP	Nos.	162	0	111	18	0	28	2	16	0	0	0	0	80	0	0	0	0	0	0	0	0	0	0	0	242	28	113	34
4	CONTROL PANEL	11001	Feed		X-m		Feed		X-m		Feed		X-m		Feed		X-m		Feed		X-m		Feed		X-m		Fee		X-m	
i	11KV	Nos.	29	0	29	0	13	0	21	0	34	0	50	0	0	0	17	0	78	0	25	0	20	0	22	0	174	0	164	0
ii	33KV	Nos.	23	0	52	0	33	0	20	0	52	0	40	0	1	0	30	0	16	0	54	0	38	0	47	0	163	0	243	0
5	CABLE COPPER CONTROL	- 1001	UN		ARN		UN		ARM		UN	<u> </u>	ARN		UN	<u> </u>	ARN		UN		ARM		UN	<u> </u>	ARN		UN-Al		ARM	
i	2 Core 2.5 Sq.mm	Mtr.	7850	0	9990	0	0	0	0	0	1000	0	0	0	7580	0	10185	0	0	0	0	0	0	0	0	0	16430	0	20175	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	6986	0	0	0	0	0	0	0	0	0	0	0	7010	0	0	0	0	0	0	0	0	0	0	0	13996	0	0	0
iv	8 Core 2.5 Sq.mm	Mtr.	15509	0	0	0	0	0	0	0	0	0	0	0	16903	0	0	0	0	0	0	0	0	0	0	0	32412	0	0	0
v	12 Core 2.5 Sq.mm	Mtr.	1488	0	15692	0	0	0	0	0	0	0	0	0	1000	0	14122	0	0	0	0	0	0	0	0	0	2488	0	29814	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 K	V	33 K	V	11 K	V	33 K	V	11 F	(V	33 F	(V	11 K	V	33 K	V	11 K	V	33 K	V	11 K	(V	33 F	V	11 1	ΚV	33 K	V
i	1.5 Amp.	No.	20700	0	0	0	0	0	0	0	0	0	0	0	12200	0	0	0	0	0	0	0	0	0	0	0	32900	0	0	0
ii	3 Amp.	No.	2550	0	0	0	0	0	0	0	0	0	0	0	2050	0	0	0	0	0	0	0	0	0	0	0	4600	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	1247	0	0	0	0	0	0	0	0	0	0	0	1247	0	0	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
V	10 Amp.	No.	1200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1200	0	0	0
vi	15 Amp. 25 Amp.	No.	1300	0	0	0	0	0	0	0	0	0	0	0	98	0	0	0	0	0	0	0	0	0	0	0	1398	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
X	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
				J	J		,	J	9	J	J		,		J			J	J	J	J	J	,			J	_ "	J	,	

M.P.P.K.V.V.CO.LTD., INDORE

	STOCK POS	11101												CATID	TO T	
No.	NAME OF MATERIALS	UNIT	INDO		BARW		DHA		UJJA		RATL		MAND		TOT	
	CONDITION		Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
7 i	CONDUCTOR	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	AAAC-02 SQUIRREL AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	16.798	0.000	0.000		8.400		42.000	0.000	0.000	0.000
<u>ii</u>					675.800		959.407			0.000		0.000			67.198	0.000
iii	AAAC-05 RABBIT AAAC-075 RACCON	KM	2097.920	0.000		0.000		0.000	1333.334	0.000	1017.464	0.000	878.077	0.000	6962.002	0.000
iv		KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000	0.000	0.000	0.000
v	AAAC-DOG	KM	239.246	0.000	84.028	0.000	122.090	0.000	256.500	0.000	133.745	0.000	49.495	0.000	885.104	0.000
	AAAC Panther conductor 0.20 sq. inch	KM	10.068	0.000	8.068	0.000	5.744	0.000	24.441	0.000	0.000	17.288	0.000	0.000	48.321	17.288
8 i	LIGHTING ARRESTERS 11 KV(Polymer) 5 KA -Line type	Nos.	0	0	6593	0	6761	0	7328	0	235	2696	0	0	20917	2696
	11 KV 5 KA - Line type	Nos.	25569	0	0393	0	0	0	0	0	0	0	22930	0	48499	
	33 KV 10 KA - Line type	Nos.	2554	0	0	0	234	0	3168	0	12	0	223	0	6191	0
iv	11 KV 10 KA - Line type	Nos.	0	0	320	0	0	0	747	0	13955	0	0	0	15022	0
	VCB	NOS.	U	U	320	U	U	U	747	U	13933	U	U	U	15022	U
i	11 KV	Nos.	0	0	22	0	46	0	0	0	51	0	14	0	133	0
ii	33 KV 30V	Nos.	26	34	54	0	41	14	0	21	51	0	24	14	196	83
10	STAY SET	1105.	20	34	J+	U	41	14	U	21	J1	U	24	14	170	0.5
i	16 MM/Painted	Nos.	49142	0	31202	0	35994	0	34594	0	37291	0	26325	0	214548	0
ii	20 MM	Nos.	1217	0	202	0	1900	0	269	0	565	0	577	0	4730	0
	C.T.s	2.00.					-200	,			2.50	Ü		Ť	1750	, , , , , , , , , , , , , , , , , , ,
i	11 KV CT 200-100/5-5 A	Nos.	4	0	0	0	51	0	1	0	0	0	0	0	56	0
ii	11 KV CT 300-150/5-5 A	Nos.	2	0	0	0	79	0	0	61	0	0	0	0	81	61
iii	11 KV CT 400-200/5-5 A	Nos.	47	0	0	0	9	0	0	0	0	0	0	0	56	0
iv	11 KV CT 600-300/5-5 A	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
v	11 KV CT 600-300/5-5-1 A	Nos.	26	0	0	0	0	0	0	0	0	0	0	0	26	0
vi	33 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	12	0	0	0	0	0	0	0	12	0
	33 KV CT 200-100/5-5-1 A	Nos.	45	0	0	0	0	0	0	0	0	0	0	0	45	0
	33 KV CT 400-200/5-5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
X	132 KV CT 100/1	Nos.	17	0	0	0	0	0	0	0	2	0	0	0	19	0
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	12	0
	P.T.s								-							
i	11 KV PT	Nos.	539	0	0	0	0	0	201	0	0	0	0	0	740	0
ii	33 KV PT	Nos.	601	0	0	0	0	0	5	0	0	0	0	0	606	0
iii	132 KV PT	Nos.	10	0	0	0	0	0	0	0	6	0	0	0	16	0
13	LT / CT															
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable															
i	1 C X 16 Sqmm	KM	5.070	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.070	0.000
	1 C X 25 Sqmm	KM	428.613	0.000	0.000	0.000	34.454			0.000	0.000	0.000	345.300	-		0.000
iii	1 C X 50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	48.861	0.000	4.984	0.000	16.559	0.000	70.404	0.000
iv	1 C X 70 Sqmm	KM	186.623	0.000	8.000	0.000	11.092	0.000	12.044	0.000	90.163	0.000	0.000	0.000	307.922	0.000
v	1 C X 150 Sqmm	KM	35.263	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	35.263	0.000
vi	1 C X 300/350 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	175.177	0.000	175.177	0.000
15	Cable - Multicore PVC Cable	773.5	10.00.015	0.000	200.00-	0.000	100.00-	0.000	005.005	0.000	0.000	0.000	0.000	0.005	<0.40 :=:	0.000
i	2 C X 2.5 Sqmm	KM	4263.347	0.000	399.900	0.000	400.000	0.000	985.885	0.000	0.000	0.000	0.000	0.000	6049.132	0.000

	STOCK POS	11101												CATID	тот	TAT
No.	NAME OF MATERIALS	UNIT	INDO		BARW		DHA		UJJA		RATL		MAND		TOT	
	4 C X 2.5 Sqmm	IZM.	Clear 0.000	U/T 0.000	Clear 0.000	U/T 0.000	0.000	U/T 0.000	0.000	U/T 0.000	Clear 0.000	U/T 0.000	0.000	U/T 0.000	0.000	U/T 0.000
ii iii	2 C X 4 Sqmm	KM KM	9.261	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
	•		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	9.261	0.000
	4 C X 4 Sqmm	KM					0.000	0.000							0.000	0.000
V .	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable	173.4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	3 C X 185 Sqmm 11 KV	KM	23.619	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	23.619	0.000
	3 C X 300 Sqmm 11 KV	KM	3.118	0.000	0.000	0.000	0.000	0.000	2.103	0.000	0.000	0.000	0.000	0.000	5.221	0.000
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.746	0.000	0.000	0.000	0.253	0.000	0.999	0.000
	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
17	Cable - LT AB Cable	173.4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	3X25+1X16+1X25 Sqmm	KM	77.000	0.000	0.000	0.000	1.000	0.000	83.937	0.000	0.000	0.000	0.000	0.000	161.937	0.000
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
V	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ix	3X50+1X16+1X35 Sqmm	KM	225.403	0.000	0.000	0.000	0.000	0.000	95.900	0.000	0.000	0.000	0.000	0.000	321.303	0.000
X	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	46.041	0.000	0.000	0.000	0.000	0.000	46.041	0.000
xi	3X95+1X16+1X70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	1.492	0.000	0.000	0.000	0.000	0.000	1.492	0.000
X	1X25+1X16+1X25 Sq.mm	KM	438.069	0.000	648.867	0.000	812.927	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1899.863	0.000
xi	3X25+1X25 Sq.mm	KM	82.951	51.840	0.000	0.000	0.000	0.000	104.108	84.000	0.000	0.000	0.000	0.000	187.059	135.840
xii	3X120+1X70+1X16Sq.mm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
18	STEEL SECTIONS															
i	Rail Pole	MT	14.220	0.000	4.150	0.000	3.280	0.000	0.000	0.000	0.000	0.000	4.110	0.000	25.760	0.000
	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	131.157	0.000	170.635	0.000	0.460	0.000	186.381	0.000	51.925	0.000	540.558	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	9.895	0.000	6.690	0.000	21.570	0.000	44.400	0.000	27.210	0.000	0.000	0.000	109.765	0.000
v	MS Angle 65 x 65 x 6 mm	MT	84.590	0.000	0.000	0.000	207.150	0.000	217.220	0.000	13.772	0.000	131.789	0.000	654.521	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	35.385	0.000	0.000	0.000	74.250	0.000	66.875	0.000	76.404	0.000	33.226	0.000	286.140	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	10.270	0.000	165.789	0.000	12.090	0.000	31.705	0.000	219.854	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	7.603	0.000	3.266	0.000	4.630	0.000	19.790	0.000	0.000	0.000	1.245	0.000	36.534	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	148.440	0.000	77.970	0.000	85.495	0.000	112.557	0.000	97.717	0.000	38.165	0.000	560.344	0.000
xii	MS Flat 50 x 6 mm	MT	122.650	0.000	16.006	0.000	154.680	0.000	125.770	0.000	57.613	0.000	28.636	0.000	505.355	0.000
19	GI WIRES															
i	6 SWG	MT	49.671	0.000	0.000	0.000		0.000	68.165	0.000	0.505	0.000	0.000	0	119.841	0.000
ii	8 SWG	MT	48.880	0.000	55.778	0.000	72.835	0.000	77.780	0.000	100.170	0.000	73.355	0	428.798	0.000
iii	10 SWG	MT	3.044	0.000	13.750	0.000	0.000	0.000	1.852	0.000	0.000	0.000	9.120	0	27.766	0.000
	STAY WIRES															
i	7/8 SWG (7/4.00 mm)	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	6.104	0.000	6.104	0.000
ii	7/10 SWG (7/3.15 mm)	MT	202.865	0.000	25.996	0.000	79.431	0.000	180.820	0.000	73.570	0.000	67.860	0.000	630.542	0.000
21	HARDWARES															
i	LT SHACKLE H/W 90X75	Nos.	8708	0	0	0	0	0	0	0	0	0	0	0	8708	0
ii	11 KV H/W	Nos.	35986	0	0	0	0	0	0	0	0	0	0	0	35986	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	815	0	0	0	0	0	0	0	0	0	0	0	815	0
22	INSULATORS															

	STOCK POS												CATIE	mor	1 A T	
No.	NAME OF MATERIALS	UNIT	INDO		BARW		DHA		UJJA		RATL		MAND		TOT	
		NT.	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
	SHACKLE 90 X 75	Nos.	13700	0	0	0	0	0	0	0	0	0	0	0	13700	0
	SHACKLE 65 X 50	Nos.	31563	0	0	0	0	0	0	0	0	0	0	0	31563	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11 KV Polymer Pin Insulator	Nos.	95173	0	41939	0	47735	0	40733	0	28388	19782	35984	0	289952	19782
	33 KV Polymer Pin Insulator	Nos.	612	0	5	0	2779	0	25	0	1163	7551	612	0	5196	7551
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	22791	0	11774	0	16582	0	10563	0	25057	0	21761	0	108528	0
X	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DO SETS															
	11 KV	Nos.	17962	0	11004	0	17422	0	10919	0	18562	1178	12644	0	88513	1178
	33 KV	Nos.	258	0	76	0	200	0	122		165	0	187	0	1008	0
	AB SWITHCES															
	33 KV	Nos.	0	254	6	0	74	0	57	0	16	0	31	0	184	254
	11 KV 1 PHASE	Nos.	254	0	0	0	0	0	0	0	0	0	0	0	254	0
	11 KV 3 PHASE	Nos.	600	0	289	0	281	0	209	253	302	0	269	0	1950	253
	DIST. BOXES															
	25 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	494	0	494	0
	63 KVA	Nos.	17	0	0	0	0	0	129	0	0	0	83	0	229	0
	100 KVA	Nos.	29	50	0	50	56	0	20	0	36	0	95	0	236	100
	200 KVA	Nos.	1	0	0	0	0	0	0	0	1	0	0	0	2	0
	315 KVA	Nos.	0	0	0	0	0	0	18	0	0	0	0	0	18	0
	CAPACITORS															
	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	PC CUT OUT															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	500	0	0	0	0	0	0	0	1150	0	0	0	1650	0
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	METER NEW ELECTRONIC															
i	1 PHASE 5-30 Amp.	Nos.	25473	30000	0	13605	22628	0	41817	10000	12120	2000	19887	15000	121925	70605
	3 PHASE 10-40 Amp.	Nos.	60	0	0	0	9	0	3	0	1	0	0	0	73	0
iii	3 PHASE 20-100 Amp.	Nos.	826	0	0	0	0	0	0	0	0	0	0	0	826	0
iv	Whole Current 40-200 Amp.	Nos.	724	800	0	0	2	0	18	405	0	0	90	0	834	1205
v	LT C.T. Meter 100/5 Amp.	Nos.	1120	2500	0	0	0	0	3005	0	0	0	0	0	4125	2500
	HT Meter - 110 V	Nos.	398	0	0	0	0	0	0	351	0	0	0	0	398	351
vii	HT Meter - 110 V S/S.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	MAIN SWITHCES															
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	703	0	703	0
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 AMP.	Nos.	0	0	0	0	0	0	27	0	0	0	0	0	27	0
iv	200 AMP.	Nos.	8	0	0	0	0	0	472	0	0	0	0	0	480	0
v	320 AMP.	Nos.	0	0	0	0	0	0	33	0	0	0	0	0	33	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	3	0	0	0	0	0	3	0
30	G.I. PINS															
	11 KV	Nos.	0	0	0	0	1958	0	0	0	0	0	0	0	1958	0
	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	G.I.CONDUIT PIPE															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	40 MM	Mtr.	25906	0	22316	0	6062	0	21400	0	17629	0	26594	0	119907	0
	ISOLATORS															
	11 KV	Nos.	41	0	0	0	99	0	46	0	0	0	105	0	291	0
ii	33 KV	Nos.	68	0	0	0	0	95	70	0	0	0	0	0	138	95
34	PCC POLES															

	STOCK POS												CATTE	mor	1 A T	
No.	NAME OF MATERIALS	UNIT	INDO		BARW		DHA		UJJA		RATL		MAND	-	TOT	
	140 VC	N.	Clear 0	U/T 0	Clear 0	U/T 0	Clear 0	U/T 0	Clear 0	U/T 0	Clear	U/T 0	Clear	U/T 0	Clear	U/T
i	140 KG 280 KG	Nos.	0	0	0	0	0	0	0	0	774	0	0	0	774	0
ii iii	350 KG	Nos.	0	0	0	0	0	0	0	0	56 0	0	0	0	56 0	0
	BATTERY & CHARGER	Nos.	0	U	0	0	U	U	0	U	0	0	0	0	U	U
i	BATTERY	Nos.	8	55	0	0	0	0	51	99	0	0	0	0	59	154
ii	BATTERY CHARGER	Nos.	0	126	0	0	0	0	0	88	0	0	0	0	0	214
36	OIL X-MER	NOS.	U	120	U	U	U	U	U	00	U	U	U	U	U	214
i	Fresh Oil	KL	33.288	0.000	15.000	0.000	48.000	0.000	53.608	0.000	75.382	0.000	26.177	0.000	251.455	0.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	0.000	0.000	0.000	0.000	60.000	0.000	64.812	0.000	22.000	0.000	50.000	0.000	196.812	0.000
37	Male Female Contact suitable for	KL	0.000	0.000	0.000	0.000	00.000	0.000	04.612	0.000	22.000	0.000	30.000	0.000	190.812	0.000
i	11 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	ALU. LUGS	140.	U	U	U	U	U	U	0		U	U	U	U	U	U
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
V	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DPC Aluminium Round Wire	NO.	U	U	U	U	U	U	U	U	U	U	U	U	U	U
i	0.79 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
ii	1.03 mm	Kg.	11250.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	11250.00	0.00
iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
iv	1.33 mm	Kg.	4870.000	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.000	0	4870.0	0.00
V	1.60 mm	Kg.	4920.000	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.000	0	4920.00	0.00
vi	1.70 mm	Kg.	12450.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.000	0	12450.00	0.00
	2.00 mm	Kg.	6000.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0		
vii viii	2.20 mm	Kg.		0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	6000.00	0.00
	DPC Aluminium Rectangular Wire	Kg.	0.00	0.00	0.00	0.00	U	U	0.00	U	0.00	0.00	0.00	U	0.00	0.00
i	11 X 4 mm	Kg.	323.83	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	323.83	0.00
ii	11 X 5 11111 11 X 5.5 mm	Kg.	100.00	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	100.00	0.00
iii	7.2 X 5.5 mm	Kg.	0.0	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
iv	7.25 X 3.13 mm	Kg.	1000.0	0	0.000	0.000	0	0	0.0	0	0.00	0.00	0.0	0		
	10.6 x 4.6 mm		0.000	0	0.000		0	0	0.000	0	0.00	0.00	0.000	0	1000.00	0.00
V 40 (a)	DPC Copper Round Wire	Kg.	0.000	U	0.000	0.000	U	U	0.000	U	0.00	0.00	0.000	U	0.00	0.00
40 (a)	1.95 mm dia	Kg.	2000.000	0	0.000	0.000	0	0	0.000	0	0.00	0.00	0.000	0	2000.00	0.00
	DPC Copper Rectangular Wire	ng.	2000.000	3	0.000	0.000	3	0	0.000	0	0.00	0.00	0.000	J	2000.00	0.00
i	8.4 X 3.7 mm	Kg.	1780.75	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	1780.75	0.00
41	HV / LV Brass Stud for Dist.X-mer	6.	2.30.75		2.300	2.300			2.00		2.00	3.00	2.00		1,00.75	0.00
i	LV 20 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TPC Copper Strips	Kg.	0	0	0	0	0	0	0.0	0	0	0	0.0	0	0	0
	Press Board	6.						,	2.0		7		2.0	,	,	,
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kraft Paper	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	Gasket Sheet	-15.	,		3	,		,	3		,	,	,	,	, , , , , , , , , , , , , , , , , , ,	U
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	HRC Fuse Base & Link -	-6.	0												,	

	STOCKTOS	NAME OF MATERIALS VINIT INDOI Clear												CATID	TOT	1 A T
No.	NAME OF MATERIALS	UNIT		U/T	BARW		DHA		UJJA		RATL		MAND		TOT	
	Base - 250 Amp.	No.	0	0	Clear 0	U/T 0	Clear 0	U/T 0	Clear 370	U/T 0	Clear 0	U/T 0	Clear 0	U/T 0	Clear 370	U/T 0
i	Base - 300 Amp.	No.	0	0	0	0	0	0	110	0	0	0	0	0		
	Base - 400 Amp.		0	0	0	0	0	0	220	U	0	0	0	0	110 220	0
iii	Link - 250 Amp./200 Amp	No.	0	0	0	0	0	0	0	0	0	0	0	0		0
iv	1 1	No.					-								0	0
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48	Pole Mounted Service connection Box	NI-	0150	0	20501	0	15472	0	12652	0	15540	0	11112	0	0.4527	0
i	Single Phase	No.	9158	0	29591	0	15473	0	13653	0	15548	0	11113	0	94536	0
ii 49	Three Phase MCB	No.	1400	0	3965	U	4230	0	1815		40	0	4178	0	15628	0
i	Single Pole 16 Amp.	No.	2783	0	0	0	0	0	0	0	0	0	0	0	2792	0
ii	Three Pole 32 Amp.	No.	3953	0	0	0	0	0	225	0	0	0	0	0	2783	0
50	Poly Corbonate Meter Box	No.	3933	U	U	U	U	U	223	U	U	U	U	U	4178	U
i	Single Phase	No.	0	0	0	0	0	0	0	0	3224	0	0	0	3224	0
	Three Phase		0	0	0	0	0	0	2143	0	0	0	0	0		
ii		No.	0	0	0	0	0	0	0	0	0	0	0	0	2143	0
51 52	Barbed Wire	Kg.	U	U	U	U	U	U	U	U	U	U	U	U	0	0
52 i	Safety Appliances Cutting Plier	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt		0	0	0	0	0	0	0	0	0	0	0	0		
iv	Screw Driver	No.													0	0
53	Hand Gloves	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-	Man	124.20	0	0	0	0	0	0.00	0	0.00	0.00	0.00	0	124.20	0.00
i ::	Khaki Terrycot	Mtr.	134.39	0	0	0	0	0	0.00	0	0.00	0.00	0.00	0	134.39	0.00
ii	White Terrycot	Mtr.	210.86				0		431.00		0.00	0.00	0.00		641.86	0.00
iii	Blue Woolen	Mtr.	84.50	0	0	0	0	0	88.00	0	0.00	0.00	0.00	0.00	172.50	0.00
iv	Khaki Woolen	Mtr.	2150.50	0	0	0	0	0	676.00	0	0.00	0.00	0.00	0	2826.50	0.00
V	Khaki Cellular	Mtr.	0.00	0	0	0	0	0	5153.00	0	0.00	0.00	0.00	0	5153.00	0.00
56	Scrap Conductor	Kg.	23001	0	207	0	16000	0	198118	0	0	0	0	0	237326	0
57	Earthing Coil	No.	43333	0	35909	0	28620	0	8914	0	18231	0	30801	0	165808	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt	17	0.400	0	0	0	0	0	0	0	0	0	0	0	0.400	0
i	M.S.Nut Bolt 16 X 200	Kg.	9400	0	0	0	0	0	0	0	0	0	0	0	9400	0
ii	M.S.Nut Bolt 16 X 160	Kg.	55762	0	0	0	0	0	0	0	0	0	0	0	55762	0
iii	M.S.Nut Bolt 16 X 140	Kg.	50650	0	0	0	0	0	0	0	0	0	0	0	50650	0
iv	M.S.Nut Bolt 16 X 90	Kg.	15050	0	0	0	0	0	0	0	0	0	0	0	15050	0
v	M.S.Nut Bolt 16 X 65	Kg.	13000	0	0	0	0	0	0	0	0	0	0	0	13000	0
vi	M.S.Nut Bolt 12 X 65	Kg.	900	0	0	0	0	0	0	0	0	0	0	0	900	0
vii	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	11300	0	0	0	0	0	11300	0
viii	M.S.Nut Bolt 12 X 300	Kg.	5000	0	0	0	0	0	0	0	0	0	0	0	5000	0
ix	M.S.Nut Bolt 12 X 100	Kg.	3650	0	0	0	0	0	0	0	0	0	0	0	3650	0
	M.S.Nut Bolt 16 X 250	Kg.	3950	0	0	0	0	0	0	0	0	0	0	0	3950	0
60	Clamp & Connector		10005		4.400				25055						00-14	
i	Suspenstion Clamp Ass.for LT Cable 25-50	Nos.	43827	0	1628	0	0	0	35058	0	0	0	0	0	80513	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	3468	0	0	0	52390	0	0	0	0	0	55858	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	56724	0	3701	0	0	0	46469	0	0	0	0	0	106894	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	10289	0	0	0	88206	0	0	0	0	0	98495	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	660	0	0	0	52150	0	0	0	0	0	52810	0
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	0	0	0	0	0	0	1988	0
	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	17	0	0	0	0	0	0	0	0	0	0	0	17	0

2.7	NAME OF MARKET A	TINITE	INDO	RE	BARW	AHA	DHA	AR .	UJJA	IN	RATI	AM	MAND	SAUR	TOT	AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
62	11 KV CAPACITOR SWITCH															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	14	0	0	0	0	0	0	0	0	0	0	0	14	0
63	LT CT Meter Box															
i	LT CT Meter Box	Nos.	2641	350	0	0	0	0	2802	0	0	0	0	0	5443	350
64	HT Meter Box															
i	HT Meter Box	Nos.	283	0	96	0	0	0	77	0	0	0	0	0	456	0
65	BI-METALLIC CLAMPS															
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	0	0	3427	0	5376	0	0	0	0	0	8803	0
67	Electronic Relay	Nos.	18	236	0	0	0	0	16	0	0	0	0	0	34	236