

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020

[illegible]

[illegible]

[illegible]

## M.P.P.K.V.V.CO.LTD., INDORE

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>7</b>	<b>CONDUCTOR</b>															
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	16.798	0.000	0.000	0.000	8.400	0.000	42.000	0.000	<b>67.198</b>	<b>0.000</b>
iii	AAAC-05 RABBIT	KM	1993.920	0.000	217.048	0.000	857.407	0.000	1013.334	0.000	975.464	0.000	778.479	0.000	<b>5835.652</b>	<b>0.000</b>
iv	AAAC-075 RACCON	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
v	AAAC-DOG	KM	182.196	0.000	64.028	0.000	51.790	0.000	228.000	0.000	92.489	0.000	39.602	0.000	<b>658.105</b>	<b>0.000</b>
vi	AAAC Panther conductor 0.20 sq	KM	2.598	0.000	8.546	0.000	5.744	0.000	24.441	0.000	0.000	17.288	0.000	0.000	<b>41.329</b>	<b>17.288</b>
<b>8</b>	<b>LIGHTING ARRESTERS</b>															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	6291	0	6227	0	6430	0	0	2696	21930	0	<b>40878</b>	<b>2696</b>
ii	11 KV 5 KA - Line type	Nos.	23981	0	0	0	0	0	0	0	0	0	0	0	<b>23981</b>	<b>0</b>
iii	33 KV 10 KA - Line type	Nos.	2015	0	0	0	100	0	2676	0	0	0	166	0	<b>4957</b>	<b>0</b>
iv	11 KV 10 KA - Station type	Nos.	0	0	223	0	0	0	0	0	12340	0	0	0	<b>12563</b>	<b>0</b>
<b>9</b>	<b>VCB</b>															
i	11 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	33 KV 30V	Nos.	41	0	42	0	49	0	13	0	51	0	34	0	<b>230</b>	<b>0</b>
<b>10</b>	<b>STAY SET</b>															
i	16 MM/Painted	Nos.	49018	0	29849	0	35115	0	32828	0	11414	0	25979	0	<b>184203</b>	<b>0</b>
ii	20 MM	Nos.	1157	0	0	0	1500	0	106	0	565	0	577	0	<b>3905</b>	<b>0</b>
<b>11</b>	<b>C.T.s</b>															
i	11 KV CT 200-100/5-5 A	Nos.	0	100	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>100</b>
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	15	0	1	0	0	0	0	0	0	0	<b>16</b>	<b>0</b>
iii	11 KV CT 400-200/5-5 A	Nos.	3	0	0	0	3	0	3	0	0	0	0	0	<b>9</b>	<b>0</b>
iv	11 KV CT 600-300/5-5 A	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	<b>1</b>	<b>0</b>
v	11 KV CT 600-300/5-5-1 A	Nos.	4	0	0	0	0	0	0	0	0	0	0	0	<b>4</b>	<b>0</b>
vi	33 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
viii	33 KV CT 400-200/5-5 AMP	Nos.	0		0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ix	33 KV CT 200-100/5-5-1 A	Nos.	25	0	0	0	0	0	0	0	0	0	0	0	<b>25</b>	<b>0</b>
x	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	<b>1</b>	<b>0</b>
xi	132 KV CT 100/1	Nos.	17	0	1	0	0	0	0	0	2	0	0	0	<b>20</b>	<b>0</b>
xii	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	<b>12</b>	<b>0</b>
<b>12</b>	<b>P.T.s</b>															
i	11 KV PT	Nos.	437	0	0	0	0	0	102	0	0	0	0	0	<b>539</b>	<b>0</b>
ii	33 KV PT	Nos.	601	0	0	0	0	0	0	0	0	0	0	0	<b>601</b>	<b>0</b>
iii	132 KV PT	Nos.	9	0	1	0	0	0	0	0	6	0	0	0	<b>16</b>	<b>0</b>

[illegible]

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>17</b>	<b>Cable - LT AB Cable</b>															
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	3X25+1X16+1X25 Sqmm	KM	91.005	6.077	0.000	0.000	0.000	0.000	70.993	0.000	0.000	0.000	0.000	0.000	<b>161.998</b>	<b>6.077</b>
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ix	3X50+1X16+1X35 Sqmm	KM	96.944	0.000	0.000	0.000	0.000	0.000	41.408	0.000	0.000	0.000	0.000	0.000	<b>138.352</b>	<b>0.000</b>
x	3X70+1X16+1X50 Sqmm	KM	0.000	83.000	0.000	0.000	0.000	0.000	37.024	0.000	0.000	0.000	0.000	0.000	<b>37.024</b>	<b>83.000</b>
xi	3X95+1X16+1X70 Sqmm	KM	0.000	41.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>41.000</b>
x	1X25+1X16+1X25 Sq.mm	KM	432.819	0.000	817.317	0.000	796.127	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>2046.263</b>	<b>0.000</b>
xi	3X25+1X25 Sq.mm	KM	125.977	3.030	0.000	0.000	0.000	0.000	177.061	0.000	0.000	0.000	0.000	0.000	<b>303.038</b>	<b>3.030</b>
xii	3X120+1X70+1X16Sq.mm	KM	0.000	9.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>9.000</b>
<b>18</b>	<b>STEEL SECTIONS</b>															
i	Rail Pole	MT	0.000	0.000	4.150	0.000	3.280	0.000	0.000	0.000	0.000	0.000	4.110	0.000	<b>11.540</b>	<b>0.000</b>
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	90.607	0.000	102.800	0.000	0.000	0.000	149.591	0.000	19.370	0.000	<b>362.368</b>	<b>0.000</b>
iv	MS Angle 75 x 75 x 6 mm	MT	4.395	0.000	3.690	0.000	21.570	0.000	41.430	0.000	27.210	0.000	0.000	0.000	<b>98.295</b>	<b>0.000</b>
v	MS Angle 65 x 65 x 6 mm	MT	65.755	0.000	0.000	0.000	199.560	0.000	206.095	0.000	8.177	0.000	122.114	0.000	<b>601.701</b>	<b>0.000</b>
vi	MS Angle 50 x 50 x 6 mm	MT	23.965	0.000	5.600	0.000	74.250	0.000	66.875	0.000	76.404	0.000	33.226	0.000	<b>280.320</b>	<b>0.000</b>
vii	MS Channel 100 x 50 x 5 mm	MT	0.834	0.000	0.000	0.000	0.000	0.000	51.251	0.000	4.990	0.000	21.245	0.000	<b>78.320</b>	<b>0.000</b>
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	3.266	0.000	2.300	0.000	19.790	0.000	0.000	0.000	1.245	0.000	<b>26.601</b>	<b>0.000</b>
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
xi	MS Flat 65 x 8 mm	MT	148.440	0.000	77.750	0.000	84.825	0.000	112.557	0.000	97.717	0.000	38.465	0.000	<b>559.754</b>	<b>0.000</b>
xii	MS Flat 50 x 6 mm	MT	106.875	0.000	1.195	0.000	154.680	0.000	111.645	0.000	56.053	0.000	26.946	0.000	<b>457.394</b>	<b>0.000</b>
<b>19</b>	<b>GI WIRES</b>															
i	6 SWG	MT	49.671	0.000	0.000	0.000	1.500	0.000	68.165	0.000	0.505	0.000	0.000	0.000	<b>119.841</b>	<b>0.000</b>
ii	8 SWG	MT	45.780	0.000	48.160	0.000	72.835	0.000	77.780	0.000	98.437	0.000	69.355	0.000	<b>412.347</b>	<b>0.000</b>
iii	10 SWG	MT	3.044	0.000	13.750	0.000	0.000	0.000	1.852	0.000	0.000	0.000	9.120	0.000	<b>27.766</b>	<b>0.000</b>
<b>20</b>	<b>STAY WIRES</b>															
i	7/8 SWG (7/4.00 mm)	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.219	0.000	<b>5.219</b>	<b>0.000</b>
ii	7/10 SWG (7/3.15 mm)	MT	106.725	0.000	87.085	0.000	78.280	0.000	166.630	0.000	73.020	0.000	63.860	0.000	<b>575.600</b>	<b>0.000</b>

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>21</b>	<b>HARDWARES</b>															
i	LT SHACKLE H/W 90X75	Nos.	8708	0	0	0	0	0	0	0	0	0	0	0	<b>8708</b>	<b>0</b>
ii	11 KV H/W	Nos.	28801	0	0	0	0	0	44	0	0	0	0	0	<b>28845</b>	<b>0</b>
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>22</b>	<b>INSULATORS</b>															
i	SHACKLE 90 X 75	Nos.	12700	0	0	0	0	0	0	0	0	0	0	0	<b>12700</b>	<b>0</b>
ii	SHACKLE 65 X 50	Nos.	31063	0	0	0	0	0	0	0	0	0	0	0	<b>31063</b>	<b>0</b>
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vii	11 KV Polymer Pin Insulator	Nos.	89545	0	34049	0	44540	0	30763	0	1828	19782	33758	0	<b>234483</b>	<b>19782</b>
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	0	172	0	0	0	296	7551	292	0	<b>760</b>	<b>7551</b>
ix	11 KV Polymer Disc Insulator	Nos.	19854	0	5281	0	15396	0	4469	0	22644	0	20441	0	<b>88085</b>	<b>0</b>
x	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>23</b>	<b>DO SETS</b>															
i	11 KV	Nos.	16804	0	10496	0	17188	0	10125	0	18232	1178	12203	0	<b>85048</b>	<b>1178</b>
ii	33 KV	Nos.	205	0	0	0	180	0	122	0	165	0	184	0	<b>856</b>	<b>0</b>
<b>24</b>	<b>AB SWITHCES</b>															
i	33 KV	Nos.	228	0	187	0	24	0	169	0	194	0	0	0	<b>802</b>	<b>0</b>
ii	11 KV 1 PHASE	Nos.	254	0	0	0	0	0	0	0	0	0	0	0	<b>254</b>	<b>0</b>
iii	11 KV 3 PHASE	Nos.	325	0	59	0	195	0	0	0	162	0	113	0	<b>854</b>	<b>0</b>
<b>25</b>	<b>DIST. BOXES</b>															
i	16 KVA	Nos.	365	0	0	0	0	0	373	0	157	0	133	0	<b>1028</b>	<b>0</b>
ii	25 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	444	0	<b>444</b>	<b>0</b>
iii	63 KVA	Nos.	7	50	0	25	0	25	109	25	0	0	79	0	<b>195</b>	<b>125</b>
iv	100 KVA	Nos.	30	50	61	0	40	0	0	0	25	0	66	0	<b>222</b>	<b>50</b>
v	200 KVA	Nos.	0	0	0	0	0	0	0	0	1	0	0	0	<b>1</b>	<b>0</b>
vi	315 KVA	Nos.	0	0	0	0	0	0	12	0	0	0	0	0	<b>12</b>	<b>0</b>
<b>26</b>	<b>CAPACITORS</b>															
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>27</b>	<b>PC CUT OUT</b>															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0	1150	0	0	0	<b>1150</b>	<b>0</b>
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>28</b>	<b>METER NEW ELECTRONIC</b>															
i	1 PHASE 5-30 Amp.	Nos.	82150	0	40752	0	18574	0	40620	0	19168	220	56959	5000	<b>258223</b>	<b>5220</b>
ii	3 PHASE 10-40 Amp.	Nos.	38	3434	0	0	20	0	0	1824	0	0	0	0	<b>58</b>	<b>5258</b>
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	4	0	0	0	47	0	<b>51</b>	<b>0</b>
iv	Whole Current 40-200 Amp.	Nos.	0	0	4	0	0	0	0	405	0	0	65	0	<b>69</b>	<b>405</b>
v	LT C.T. Meter 100/5 Amp.	Nos.	2930	0	0	0	0	0	2774	0	0	0	0	0	<b>5704</b>	<b>0</b>
vi	HT Meter - 110 V	Nos.	296	0	0	0	0	0	347	0	0	0	0	0	<b>643</b>	<b>0</b>
vii	HT Meter - 110 V S/S.	Nos.	195	0	0	0	0	0	0	0	0	0	0	0	<b>195</b>	<b>0</b>
<b>29</b>	<b>MAIN SWITCHES</b>															
i	32 AMP.	Nos.	0	0	0	0	0	0	2	0	0	0	703	0	<b>705</b>	<b>0</b>
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	100 AMP.	Nos.	0	0	0	0	0	0	22	0	0	0	0	0	<b>22</b>	<b>0</b>
iv	200 AMP.	Nos.	8	0	0	0	0	0	312	0	0	0	0	0	<b>320</b>	<b>0</b>
v	320 AMP.	Nos.	0	0	0	0	0	0	23	0	0	0	0	0	<b>23</b>	<b>0</b>
vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>30</b>	<b>G.I. PINS</b>															
i	11 KV	Nos.	0	0	0	0	1958	0	0	0	0	0	0	0	<b>1958</b>	<b>0</b>
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>31</b>	<b>G.I.CONDUIT PIPE</b>															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	40 MM	Mtr.	23689	0	22130	0	5272	0	18134	0	17329	0	25381	0	<b>111935</b>	<b>0</b>
<b>33</b>	<b>ISOLATORS</b>															
i	11 KV	Nos.	24	0	21	0	99	0	0	0	0	0	100	0	<b>244</b>	<b>0</b>
ii	33 KV	Nos.	51	0	34	0	95	0	33	0	0	0	0	17	<b>213</b>	<b>17</b>
<b>34</b>	<b>PCC POLES</b>															
i	140 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	280 KG	Nos.	0	0	0	0	0	0	0	0	56	0	0	0	<b>56</b>	<b>0</b>
iii	350 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>35</b>	<b>BATTERY &amp; CHARGER</b>															
i	Battery Set	Nos.	0	0	0	0	0	0	18	8	0	0	0	0	<b>18</b>	<b>8</b>
ii	Battery Charger	Nos.	22	0	0	0	0	0	0	0	0	0	0	0	<b>22</b>	<b>0</b>
<b>36</b>	<b>OIL X-MER</b>															
i	Fresh Oil	KL	0.000	0.000	0.000	0.000	30.000	0.000	9.573	0.000	5.852	0.000	0.000	0.000	<b>45.425</b>	<b>0.000</b>
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	Burnt Oil	KL	0.000	0.000	0.000	0.000	80.000	0.000	24.417	0.000	50.285	0.000	50.000	0.000	<b>204.702</b>	<b>0.000</b>



[illegible]

### STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020

[illegible]

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.7.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>55</b>	<b>Liveries Terrycot &amp; Woolen-</b>															
i	Khaki Terrycot	Mtr.	4706.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	<b>4706.63</b>	<b>0.00</b>
ii	White Terrycot	Mtr.	210.86	0.00	0.00	0.00	0.00	0.00	197.00	0.00	0.00	0.00	0.00	0.00	<b>407.86</b>	<b>0.00</b>
iii	Blue Woolen	Mtr.	84.50	0.00	0.00	0.00	0.00	0.00	35.00	0.00	0.00	0.00	0.00	0.00	<b>119.50</b>	<b>0.00</b>
iv	Khaki Woolen	Mtr.	2112.50	0.00	0.00	0.00	0.00	0.00	386.00	0.00	0.00	0.00	0.00	0.00	<b>2498.50</b>	<b>0.00</b>
v	Khaki Cellular	Mtr.	0.00	0.00	0.00	0.00	0.00	0.00	5153.00	0.00	0.00	0.00	0.00	0.00	<b>5153.00</b>	<b>0.00</b>
<b>56</b>	<b>Scrap Conductor</b>	Kg.	16841	0	19881	0	13000	0	173212	0	4560	0	1961	0	<b>229454</b>	<b>0</b>
<b>57</b>	<b>Earthing Coil</b>	No.	42708	0	35909	0	28520	0	7914	0	17631	0	30711	0	<b>163393</b>	<b>0</b>
<b>58</b>	<b>Search Light 200/250 W</b>	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>59</b>	<b>MS Nut &amp; Bolt</b>															
i	M.S.Nut Bolt 16 X 250	Kg.	3700	0	0	0	0	0	0	0	0	0	0	0	<b>3700</b>	<b>0</b>
ii	M.S.Nut Bolt 16 X 200	Kg.	4100	0	0	0	0	0	0	0	0	0	0	0	<b>4100</b>	<b>0</b>
iii	M.S.Nut Bolt 16 X 160	Kg.	50362	0	0	0	0	0	0	0	0	0	0	0	<b>50362</b>	<b>0</b>
iv	M.S.Nut Bolt 16 X 140	Kg.	46800	0	0	0	0	0	10800	0	0	0	0	0	<b>57600</b>	<b>0</b>
v	M.S.Nut Bolt 16 X 90	Kg.	11050	0	0	0	0	0	0	0	0	0	0	0	<b>11050</b>	<b>0</b>
vi	M.S.Nut Bolt 16 X 75	Kg.	14450	0	0	0	0	0	4950	0	0	0	0	0	<b>19400</b>	<b>0</b>
vii	M.S.Nut Bolt 16 X 65	Kg.	10850	0	0	0	0	0	0	0	0	0	0	0	<b>10850</b>	<b>0</b>
viii	M.S.Nut Bolt 16 X 40	Kg.	12550	0	0	0	0	0	650	0	0	0	0	0	<b>13200</b>	<b>0</b>
ix	M.S.Nut Bolt 12 X 300	Kg.	5000	0	0	0	0	0	0	0	0	0	0	0	<b>5000</b>	<b>0</b>
x	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	10800	0	0	0	0	0	<b>10800</b>	<b>0</b>
xi	M.S.Nut Bolt 12 X 100	Kg.	3450	0	0	0	0	0	0	0	0	0	0	0	<b>3450</b>	<b>0</b>
xii	M.S.Nut Bolt 12 X 65	Kg.	900	0	0	0	0	0	0	0	0	0	0	0	<b>900</b>	<b>0</b>
<b>60</b>	<b>Clamp &amp; Connector</b>															
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	43827	0	996	0	0	0	35058	0	0	0	0	0	<b>79881</b>	<b>0</b>
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	52390	0	0	0	0	0	<b>52390</b>	<b>0</b>
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	56225	0	3701	0	0	0	46469	0	0	0	0	0	<b>106395</b>	<b>0</b>
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	9086	0	0	0	88206	0	0	0	0	0	<b>97292</b>	<b>0</b>
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	12685	0	0	0	52150	0	0	0	0	0	<b>64835</b>	<b>0</b>
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	0	0	0	0	0	0	<b>1988</b>	<b>0</b>