M.P.P.K.V.V.CO.LTD., INDORE

				IND		i o c i		BARV					EKIA IAR	LLI	1.10.		IAIN	TOKI			LAM	,21		MANI	DSAUF	}		TO	ΓAL	
No.	NAME OF MATERIALS	Unit	Clear		Clear	U/T	Clear		Clear		Clear		Clear	U/T	Clear	1	Clear	U/T	Clear		Clear	U/T	Clear		Clear	1	Clear		Clear	U/T
1	DIST.TRANSFORMERS		NE		RI	<u> </u>		EW		EP.		EW	RE		NE	<u> </u>		EP.	NE		1	EP.		EW		EP.	NE		RE	
i	16 KVA 1 Phase	Nos.	0	0	0	0	95	0	10	0	413	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	508	0	10	0
ii	16 KVA 3 Phase	Nos.	0	0	0	0	0	0	9	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	24	0
iii	25 KVA (Non Star)	Nos.	0	0	326	0	0	0	0	0	0	0	234	0	0	0	699	60	0	0	382	0	0	0	536	0	0	0	2177	60
iv	25 KVA (3 Star)	Nos.	11	0	0	0	1074	0	0	0	352	248	0	0	291	0	0	0	68	0	0	0	522	0	0	0	2318	248	0	0
v	63 KVA	Nos.	0	0	72	0	0	0	1	0	0	0	9	0	0	0	0	10	0	0	45	0	0	0	46	0	0	0	173	10
vi	100 KVA (Non Star)	Nos.	0	0	1315	0	0	0	248	0	0	0	405	0	0	0	743	90	0	0	457	0	0	0	565	0	0	0	3733	90
vii	100 KVA (3 Star)	Nos.	166	70	0	0	132	0	0	0	57	0	0	0	340	40	0	0	0	0	0	0	412	0	0	0	1107	110	0	0
viii	200 KVA (Non Star)	Nos.	0	0	7	0	0	0	14	0	0	0	2	0	0	0	0	0	0	0	22	0	0	0	32	0	0	0	77	0
ix	200 KVA (3 Star)	Nos.	1	0	0	0	0	0	0	0	36	0	0	0	0	0	0	0	11	0	0	0	40	0	0	0	88	0	0	0
x	315 KVA	Nos.	2	0	7	0	0	0	0	0	0	0	0	0	6	0	3	0	0	0	1	0	0	0	0	0	8	0	11	0
2	POWER X'MERS		NE	EW	RI	EP.	NE	E W	RI	EP.	NI	EW	RE	EP.	NE	E W	RI	EP.	NE	W	RI	EP.	NE	EW	RI	EP.	NE	w	RE	EP.
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15 MVA	Nos.	0	0	14	0	0	0	11	0	0	0	4	0	0	0	22	0	0	0	7	0	0	0	23	0	0	0	81	0
iii	5.0 MVA	Nos.	2	0	8	0	4	0	0	0	2	0	0	0	7	0	2	0	0	0	1	0	1	0	1	0	16	0	12	0
iv	8.0 MVA	Nos.	6	0	1	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	9	0	1	0
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0
3	CT/PT UNITS		111	KV	331	KV	111	KV	33	KV	11	KV	331	KV	111	KV	33	KV	111	KV	331	KV	111	KV	331	KV	111	KV	331	KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	0	127	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	127	70
iii	7.5/5 AMP	Nos.	22	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	23	40	0	0
iv	10/5 AMP	Nos.	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
v	15/5 AMP	Nos.	0	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	28	0	0
vi	20/5 AMP	Nos.	0	0	2	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	16
vii	25/5 AMP	Nos.	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	3	0	0
viii	30/5 AMP	Nos.	0	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	0
ix	50/5 AMP	Nos.	0	0	16	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	19	0
x	75/5 AMP	Nos.	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
xi	100/5 AMP	Nos.	2	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	11	0
xii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiv	400/5 AMP	Nos.	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	0
xv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xvi	300-150/5 AMP	Nos.	0	0	42	20	40	0	0	0	1	0	0	2	16	0	0	0	0	0	0	0	0	0	1	8	57	0	43	30
xvii	400-200/5 AMP	Nos.	0	0	114	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	10	0	0	115	11
xviii	200-100/5 AMP	Nos.	4	0	151	0	24	0	0	18	3	0	0	2	0	0	17	0	0	0	10	0	0	7	0	6	31	7	178	26
4	CONTROL PANEL		Fee	der	X-r	ner	Fee	der	X-r	ner	Fee	der	X-n	ner	Fee	der	X-ı	mer	Fee	der	X-n	ner	Fee	der	X-n	ner	Fee	der	X-n	aer

.	NAME OF MATERIAL C	T Y •4		IND	ORE			BARV	VAHA			DH	IAR			UJJ	AIN			RAT	LAM		ľ	MANI	DSAUR			TO	ΓAL	
No.	NAME OF MATERIALS	Unit	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
i	11KV	Nos.	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	17	0	6	0	0	0	1	0	17	0	13	0
ii	33KV	Nos.	0	0	0	0	0	0	0	0	20	0	4	0	0	0	16		0	0	31	0	32	0	11	0	52	0	62	0
5	CABLE COPPER CONTRO	L	UN-A	rmd.	Arr	nd.	UN-A	rmd.	Arı	nd.	UN-A	Armd.	Arn	nd.	UN-A	rmd.	Arı	md.	UN-A	rmd.	Arn	nd.	UN-A	rmd.	Arn	nd.	UN-A	RMD.	ARN	MD.
i	2 Core 2.5 Sq.mm	Mtr.	0	0	6753	0	0	0	0	0	0	0	0	0	3492	0	6660	0	0	0	0	0	0	0	0	0	3492	0	13413	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	8 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	12 Core 2.5 Sq.mm	Mtr.	0	0	5377	0	0	0	0	0	0	0	0	0	0	0	7452	0	0	0	0	0	0	0	0	0	0	0	12829	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11	KV	33]	KV	11 1	KV	33	KV	11	KV	33 1	KV	11	KV	33	KV	11 1	KV	33 1	KV	11 1	KV	33 1	KV	11	KV	33 1	KV
i	1.5 Amp.	No.	####	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15550	0	0	0
ii	3 Amp.	No.	####	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12200	0	0	0
iii	5 Amp.	No.	####	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14300	0	0	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	10 Amp.	No.	####	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12840	0	0	0
vi	15 Amp.	No.	####	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15000	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
x	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

M.P.P.K.V.V.CO.LTD., INDORE

			INDO			VAHA	RIAL LY.		UJJ		RAT		MANE	SAUR	TO	ΓAL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
7	CONDUCTOR		0.00.	0,1	0.00.	0,1	0.00.2	0,1	0.00.	0,1	0.000.	0,1	0.10.11	0,1	0.000.	0,1
	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	AAAC-05 RABBIT	KM	1021.545	0.000	0.000	0.000	352.000	0.000	222.371	0.000	787.964	0.000	512.083	0.000	2895.963	0.000
iv	AAAC-075 RACCON	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	AAAC-DOG	KM	0.000	0.000	0.000	0.000	0.000	0.000	99.747	0.000	46.181	0.000	6.602	0.000	152.530	0.000
vi	AAAC Panther conductor 0.20 sq. inch	KM	2.598	0.000	8.546	0.000	0.000	0.000	24.441	0.000	19.711	0.000	0.000	0.000	55.296	0.000
8	LIGHTING ARRESTERS															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	5998	0	4654	0	5065	0	11385	0	16269	0	43371	0
ii	11 KV 5 KA - Line type	Nos.	22803	0	0	0	0	0	0	0	0	0	0	0	22803	0
iii	33 KV 10 KA - Line type	Nos.	1523	0	0	0	18	0	1973	0	0	0	0	0	3514	0
iv	11 KV 10 KA - Station type	Nos.	0	0	118	0	0	0	0	0	0	0	0	0	118	0
9	VCB															
i	11 KV	Nos.	30	0	0	0	0	0	0	37	0	0	0	0	30	37
ii	33 KV 30V	Nos.	0	0	0	0	0	0	0	0	11	0	2	0	13	0
10	STAY SET															
i	16 MM/Painted	Nos.	47625	0	25641	0	30760	0	27560	0	36292	0	23880	0	191758	0
ii	20 MM	Nos.	0	0	0	0	429	0	0	0	916	0	72	0	1417	0
11	C.T.s															
i	11 KV CT 200-100/5-5 A	Nos.	1	93	0	0	0	0	37	37	0	0	0	0	38	130
ii	11 KV CT 300-150/5-5 A	Nos.	1	110	0	0	0	0	44	44	0	0	0	0	45	154
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	13	0	0	0	0	0	0	6	0	0	0	0	13	6
v	11 KV CT 600-300/5-5-1 A	Nos.	58	6	0	0	0	0	0	19	0	0	0	0	58	25
vi	33 KV CT 200-100/5-5 A	Nos.	4	36	0	0	0	0	0	39	0	0	0	0	4	75
vii	33 KV CT 300-150/5-5 A	Nos.	2	13	0	0	0	0	0	13	0	0	0	0	2	26
viii	33 KV CT 400-200/5-5 AMP	Nos.	0	6	0	0	0	0	0	6	0	0	0	0	0	12
ix	33 KV CT 200-100/5-5-1 A	Nos.	18	4	0	0	0	0	0	0	0	0	0	0	18	4
X	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
xi	132 KV CT 100/1	Nos.	12	0	0	0	0	0	0	0	2	0	0	0	14	0
xii	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	12	0
12	P.T.s															
i	11 KV PT	Nos.	229	0	0	0	0	0	0	0	0	0	0	0	229	0
ii	33 KV PT	Nos.	569	0	0	0	0	0	0	0	0	0	0	0	569	0
iii	132 KV PT	Nos.	4	0	0	0	0	0	0	0	3	0	0	0	7	0
13	LT / CT															
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

			INDO	ORE	BARV	VAHA	DH	AR	UJJ	AIN	RAT	LAM	MAND	SAUR	TOT	Γ AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable															
i	1 C X 16 Sqmm	KM	5.070	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.070	0.000
ii	1 C X 25 Sqmm	KM	307.218	0.000	0.000	0.000	0.000	0.000	329.992	0.000	0.000	0.000	161.665	0.000	798.875	0.000
iii	1 C X 35 Sqmm	KM	14.069	0.000	0.000	0.000	2.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000	16.089	0.000
iv	1 C X 50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	7.266	0.000	7.266	0.000
v	1 C X 70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	1 C X 95 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	1 C X 150 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	1 C X 300 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ix	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
х	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	2 C X 2.5 Sqmm	KM	4187.847	0.000	362.900	0.000	390.000	0.000	1500.275	0.000	535.745	0.000	122.109	0.000	7098.876	0.000
15	Cable - Multicore PVC Cable															
i	2 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	145.561	0.000	0.000	0.000	0.000	0.000	40.423	0.000	0.000	0.000	0.000	0.000	185.984	0.000
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable															
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3 C X 185 Sqmm 11 KV	KM	22.378	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	22.378	0.000
iii	3 C X 300 Sqmm 11 KV	KM	2.571	0.000	0.000	0.000	0.000	0.000	1.109	0.000	0.000	0.000	0.000	0.000	3.680	0.000
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.505	0.000	0.000	0.000	0.000	0.000	0.505	0.000
17	Cable - LT AB Cable															
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

			INDO		BARV		RIAL LY.		UJJ			LAM	MANI	SAUR	TOT	ΓΑΙ
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	31.371	0.000	0.000	0.000	0.000	0.000	31.371	0.000
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ix	3X50+1X16+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Х	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	3X95+1X16+1X70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
х	1X25+1X16+1X25 Sq.mm	KM	368.448	0.000	380.110	0.000	120.167	0.000	0.000	0.000	0.000	0.000	0.000	0.000	868.725	0.000
xi	3X25+1X25 Sq.mm	KM	22.991	0.000	0.000	0.000	0.000	0.000	114.419	0.000	0.000	0.000	0.000	0.000	137.410	0.000
xii	3X120+1X70+1X16Sq.mm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
18	STEEL SECTIONS															
i	Rail Pole	MT	0.000	0.000	0.000	0.000	3.280	0.000	0.000	0.000	0.000	0.000	0.000	0.000	3.280	0.000
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.361	0.000	0.000	0.000	0.361	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	0.000	0.000	0.000	0.000	4.490	0.000	32.400	0.000	19.100	0.000	0.000	0.000	55.990	0.000
v	MS Angle 65 x 65 x 6 mm	MT	12.345	0.000	0.000	0.000	136.570	0.000	178.200	0.000	5.087	0.000	69.024	0.000	401.226	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	7.565	0.000	0.000	0.000	104.376	0.000	57.830	0.000	76.024	0.000	31.226	0.000	277.021	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	51.050	0.000	51.050	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	2.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2.300	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
х	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	142.960	0.000	77.750	0.000	82.305	0.000	110.482	0.000	93.387	0.000	87.465	0.000	594.349	0.000
xii	MS Flat 50 x 6 mm	MT	70.433	0.000	1.195	0.000	150.790	0.000	95.555	0.000	56.053	0.000	19.896	0.000	393.922	0.000
19	GI WIRES															
i	6 SWG	MT	48.571	0.000	0.000	0.000	1.500	0.000	67.747	0.000	0.505	0.000	0.000	0.000	118.323	0.000
ii	8 SWG	MT	38.665	0.000	42.385	0.000	66.365	0.000	72.640	0.000	97.437	0.000	61.596	0.000	379.088	0.000
iii	10 SWG	MT	3.044	0.000	13.750	0.000	0.000	0.000	0.000	0.000	0.000	0.000	8.416	0.000	25.210	0.000
20	STAY WIRES															
i	7/8 SWG (7/4.00 mm)	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	7/10 SWG (7/3.15 mm)	MT	248.819	0.000	119.900	0.000	115.660	0.000	216.195	0.000	193.611	0.000	73.000	0.000	967.185	0.000
21	HARDWARES															
i	LT SHACKLE H/W 90X75	Nos.	4003	0	0	0	0	0	0	0	0	0	0	0	4003	0
ii	11 KV H/W	Nos.	14926	0	0	0	0	0	0	0	0	0	0	0	14926	0
iii	33 KV H/W	Nos.	869	0	0	0	0	0	0	0	0	0	0	0	869	0

			INDO		BARV		RIAL LY.		UJJ		RAT		MAND	SAUR	TOT	ΓAL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	INSULATORS															
i	SHACKLE 90 X 75	Nos.	4870	0	0	0	0	0	0	0	0	0	0	0	4870	0
ii	SHACKLE 65 X 50	Nos.	29288	0	0	0	0	0	0	0	0	0	0	0	29288	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	79637	0	23402	0	21794	0	9824	0	20769	0	21847	0	177273	0
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	2509	0	0	1388	0	11	0	1635	0	3034	2509
ix	11 KV Polymer Disc Insulator	Nos.	14322	0	389	0	4702	0	0	0	19295	0	15617	0	54325	0
х	33 KV Polymer Disc Insulator	Nos.	53	0	470	0	395	0	891	0	252	0	0	0	2061	0
23	DO SETS															
i	11 KV	Nos.	16066	0	8777	0	3269	0	6797	0	18001	0	9124	0	62034	0
ii	33 KV	Nos.	163	0	0	0	120	0	97	0	165	0	134	0	679	0
24	AB SWITHCES															
i	33 KV	Nos.	0	0	47	0	0	0	29	0	2	0	0	0	78	0
ii	11 KV 1 PHASE	Nos.	404	0	140	0	90	0	0	0	0	0	0	0	634	0
iii	11 KV 3 PHASE	Nos.	0	0	0	0	29	0	0	0	3	0	0	0	32	0
25	DIST. BOXES															
i	16 KVA	Nos.	355	0	0	0	0	0	363	0	157	0	23	0	898	0
ii	25 KVA	Nos.	0	0	0	0	0	0	0	0	249	0	366	0	615	0
iii	63 KVA	Nos.	0	0	0	0	0	0	0	0	107	0	46	0	153	0
iv	100 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	2	0	2	0
v	200 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	315 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	CAPACITORS															
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	PC CUT OUT															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	300 AMP.	Nos.	0	0	0	0	0	0	287	0	0	0	0	0	287	0
28	METER NEW ELECTRONIC															
i	1 PHASE 5-30 Amp.	Nos.	510	0	938	0	0	0	496	0	8106	0	31694	0	41744	0
	1 PHASE 5-30 Amp. SMART Meter	Nos.	250	0	0	0	0	0	0	0	0	0	0	0	250	0
ii	3 PHASE 10-40 Amp.	Nos.	1696	0	1	0	23	0	1077	0	0	0	231	0	3028	0
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	0	0	0	0	20	0	20	0

			INDO		BARV		DH	AR		AIN	RAT		MANE	SAUR	TOT	ſ AL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iv	Whole Current 40-200 Amp.	Nos.	775	0	0	0	0	0	0	0	0	0	37	0	812	0
v	LT C.T. Meter 100/5 Amp.	Nos.	2005	0	0	0	0	0	2030	0	0	0	128	0	4163	0
vi	HT Meter - 110 V	Nos.	156	0	0	0	0	0	86	0	0	0	0	0	242	0
vii	HT Meter - 110 V S/S.	Nos.	9	0	0	0	0	0	0	0	0	0	0	0	9	0
29	MAIN SWITHCES															
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	100 AMP.	Nos.	0	0	0	0	0	0	22	0	0	0	0	0	22	0
iv	200 AMP.	Nos.	50	0	0	0	0	0	222	0	0	0	0	0	272	0
v	320 AMP.	Nos.	9	0	0	0	0	0	0	0	0	0	0	0	9	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	G.I. PINS															
i	11 KV	Nos.	0	0	0	0	1575	0	0	0	0	0	0	0	1575	0
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	G.I.CONDUIT PIPE															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	40 MM	Mtr.	20223	0	20125	0	0	0	13234	0	15967	0	18949	0	88498	0
33	ISOLATORS															
i	11 KV	Nos.	24	0	21	0	65	0	0	0	0	0	0	0	110	0
	33 KV	Nos.	0	0	34	0	93	0	12	0	37	0	1	0	177	0
	PCC POLES	N	0	0	0	0	0	0	0	0	0	0	0	0		
i	140 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	280 KG	Nos.	0	0	0	0	0	0	0	0	362	0	0	0	362	0
iii 35	350 KG BATTERY & CHARGER	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Battery Set	Nos.	0	0	0	0	0	0	0	8	0	0	0	0	0	8
	Battery Charger	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	OIL X-MER		,			,	,	-	-			,	,	-	,	
i	Fresh Oil	KL	91.806	0.000	35.000	0.000	38.902	0.000	61.673	0.000	47.132	0.000	48.041	0.000	322.554	0.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	0.000	0.000	80.000	0.000	25.000	0.000	18.000	0.000	54.000	0.000	0.000	0.000	177.000	0.000
37	Male Female Contact suitable for															
i	11 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	ALU. LUGS															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- 1		Ÿ	-	,	Ť	l ,		, , , , , , , , , , , , , , , , , , ,			, , , , , , , , , , , , , , , , , , ,			l	

			INDO		BARV		DH			AIN	RAT		MANE	SAUR	TOT	ΓAL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	9020	0	0	0	0	0	9020
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	3700	0	0	0	0	0	3700
39 (a)	DPC Aluminium Round Wire															
i	0.79 mm	Kg.	3625.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3625.0	0.00
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ii	1.03 mm	Kg.	1723.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1723.00	0.00
iii	1.25 mm	Kg.	292.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	292.00	0.00
iv	1.33 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
v	1.60 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
vi	1.70 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
vii	2.00 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire															
i	11 X 4 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ii	11 X 5.5 mm	Kg.	225.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	225.75	0.00
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
iv	7.25 X 3.13 mm	Kg.	3573.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3573.00	0.00
v	10.6 x 4.6 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40 (a)	DPC Copper Round Wire															
i	1.95 mm dia	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40 (b)	DPC Copper Rectangular Wire															
i	8.4 X 3.7 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41	HV / LV Brass Stud for Dist.X-mer															
i	LV 20 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	Press Board															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kraft Paper	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Gasket Sheet															
i	5 MM	No.	50	0	0	0	0	0	0	0	0	0	0	0	50	0

			INDO		BARV		DH		UJJ		RAT		MANE	SAUR	ТОТ	ſAL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -		0													
i	Base - 250 Amp.	No.	0	0	0	0	0	0	194	0	0	0	0	0	194	0
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	20	0	0	0	0	0	20	0
iv	Link - 250 Amp./200 Amp	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit															
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Robust Fuse Unit	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48	Pole Mounted Service connection Box															
i	Single Phase	No.	8284	0	27762	0	15436	0	13403	0	15548	0	9048	0	89481	0
ii	Three Phase	No.	0	0	3012	0	3870	0	1815	0	4294	0	2418	0	15409	0
49	MCB															
i	Single Pole 16 Amp.	No.	1783	0	0	0	0	0	0	0	0	0	0	0	1783	0
ii	Three Pole 32 Amp.	No.	3953	0	0	0	0	0	241	0	0	0	0	0	4194	0
50	Poly Corbonate Meter Box															
i	Single Phase	No.	0	0	0	0	0	0	0	0	1204	0	0	0	1204	0
ii	Three Phase	No.	1195	0	0	0	0	0	1693	0	0	0	0	0	2888	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Safety Appliances															
i	Cutting Plier	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Screw Driver	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Hand Gloves	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-															
i	Khaki Terrycot	Mtr.	2643.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2643.13	0.00
ii	White Terrycot	Mtr.	72.36	0.00	0.00	0.00	0.00	0.00	143.00	0.00	0.00	0.00	0.00	0.00	215.36	0.00
iii	Blue Woolen	Mtr.	39.50	0.00	0.00	0.00	0.00	0.00	20.00	0.00	0.00	0.00	0.00	0.00	59.50	0.00
iv	Khaki Woolen	Mtr.	1692.50	0.00	0.00	0.00	0.00	0.00	372.00	0.00	0.00	0.00	0.00	0.00	2064.50	0.00
v	Khaki Cellular	Mtr.	0.00	0.00	0.00	0.00	0.00	0.00	4987.00	0.00	0.00	0.00	0.00	0.00	4987.00	0.00
56	Scrap Conductor	Kg.	20685	0	1296	0	95	0	53678	0	1645	0	5300	0	82699	0

3.7	NAME OF MATERIALS	I D I T	INDO	ORE	BARV	VAHA	DH	AR	UJJ	AIN	RAT	LAM	MANI	SAUR	TOT	ΓAL
No.	NAME OF MATERIALS	UNIT	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
57	Earthing Coil	No.	41328	0	34109	0	25780	0	4052	0	16056	0	21831	0	143156	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt															
i	M.S.Nut Bolt 16 X 250	Kg.	1350		0	0	0	0	0	0	0	0	0	0	1350	0
ii	M.S.Nut Bolt 16 X 200	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	M.S.Nut Bolt 16 X 160	Kg.	35062	0	0	0	0	0	0	0	0	0	0	0	35062	0
iv	M.S.Nut Bolt 16 X 140	Kg.	31200	0	0	0	0	0	0	0	0	0	0	0	31200	0
v	M.S.Nut Bolt 16 X 90	Kg.	3450	0	0	0	0	0	0	0	0	0	0	0	3450	0
vi	M.S.Nut Bolt 16 X 75	Kg.	14250	0	0	0	0	0	4450	0	0	0	0	0	18700	0
vii	M.S.Nut Bolt 16 X 65	Kg.	2603	0	0	0	0	0	0	0	0	0	0	0	2603	0
viii	M.S.Nut Bolt 16 X 40	Kg.	8050	0	0	0	0	0	350	0	0	0	0	0	8400	0
ix	M.S.Nut Bolt 12 X 300	Kg.	4900	0	0	0	0	0	0	0	0	0	0	0	4900	0
х	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	10530	0	0	0	0	0	10530	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3050	0	0	0	0	0	0	0	0	0	0	0	3050	0
xii	M.S.Nut Bolt 12 X 65	Kg.	850	0	0	0	0	0	0	0	0	0	0	0	850	0
60	Clamp & Connector															
i	Suspenstion Clamp Ass.for LT Cable 25-50	Nos.	43577	0	996	0	0	0	34840	0	0	0	0	0	79413	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	45017	0	0	0	0	0	52190	0	0	0	0	0	97207	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	55625	0	3701	0	0	0	46469	0	0	0	0	0	105795	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	8438	0	0	0	86706	0	0	0	0	0	95144	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	12685	0	0	0	52150	0	0	0	0	0	64835	0
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	1680	0	0	0	0	0	3668	0
61	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
62	11 KV CAPACITOR SWITCH															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	2	0	0	0	0	0	0	0	0	0	0	0	2	0
63	LT CT Meter Box															
i	LT CT Meter Box	Nos.	1754	0	0	0	0	242	2102	0	459	0	0	0	4315	242
64	HT Meter Box															
i	HT Meter Box	Nos.	0	0	86	0	0	0	5	0	0	0	0	0	91	0

		0100	X 1 0511	1011 01 1	JEI VEIVI			1110 1111	THE TOTAL	OTTES TES	01100.0				1	
No.	NAME OF MATERIALS	UNIT	IND	ORE	BARV	VAHA	DH	AR	UJJ.	AIN	RAT	LAM	MAND	SAUR	TOT	Γ AL
INO.	NAME OF MATERIALS	UNII	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
65	BI-METALLIC CLAMPS															
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	0	0	2527	0	4726	0	3550	0	0	0	10803	0
67	Electronic Relay	Nos.	0	280	0	0	0	0	170	0	0	0	0	0	170	280
	Additional items added by stores-															
68	Digital power claim meter with automatic computation of single phase & three phase parameters	Nos.	66	0	0	0	0	0	0	0	0	0	0	0	66	0
69	3 Ph 4 Wire Smart Meter 10-60 amp.	Nos.	148	0	0	0	0	0	0	0	0	0	0	0	148	0
70	3 Ph 4 Wire Smart Meter 10-100 amp.	Nos.	0	100	0	0	0	0	0	0	0	0	0	0	0	100
71	Master Trip Relay	Nos.	0	153	0	0	0	0	0	0	0	0	0	0	0	153
72	Steel - WPB 160 MMX160 MM	MT	13.685	0	17.020	0	0	0	0	0	0	0	0	0	30.705	0.00
73	11 KV HT AB Cable 3x95+1x80 Sqmm	KM	0	0	0	0	0	0	8.584	0.0	3.000	0.0	0	0	11.584	0.00