

**M.P.P.K.V.V.CO.LTD., INDORE**

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020**

No.	NAME OF MATERIALS	UNIT	INDORE				BARWAHA				DHAR				UJJAIN				RATLAM				MANDSAUR				TOTAL			
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>1</b>	<b>DIST.TRANSFORMERS</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>	
	16 KVA 1 Phase	Nos.	0	0	0	0	115	0	11	0	381	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	496	35	11	0
	16 KVA 3 Phase	Nos.	0	0	0	0	0	0	8	0	0	0	4	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0	19	0
i	25 KVA (Non Star)	Nos.	0	0	528	0	0	0	86	0	0	0	2	0	0	0	305	77	0	0	291	0	0	0	294	15	0	0	1506	92
ii	25 KVA (3 Star)	Nos.	1093	0	0	0	1512	0	0	0	1089	250	0	0	633	250	0	0	636	0	0	0	1142	5	0	0	6105	505	0	0
iii	63 KVA	Nos.	9	0	25	0	82	0	12	0	0	0	12	0	0	0	24	13	1	0	56	0	0	0	295	0	92	0	424	13
iv	100 KVA (Non Star)	Nos.	0	0	508	0	0	0	76	0	0	0	1119	0	0	0	40	7	0	0	229	0	0	0	517	11	0	0	2489	18
v	100 KVA (3 Star)	Nos.	1367	12	0	0	560	0	0	0	145	0	0	0	339	100	0	0	1	0	0	0	510	8	0	0	2922	120	0	0
vi	200 KVA (Non Star)	Nos.	0	0	15	0	0	0	5	0	0	0	23	0	0	0	0	0	0	0	0	0	0	0	42	0	0	0	85	0
vii	200 KVA (3 Star)	Nos.	21	16	0	0	8	0	0	0	0	0	0	0	8	40	0	0	0	14	0	0	0	14	0	0	37	84	0	0
viii	315 KVA	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	4	0	0	0
<b>2</b>	<b>POWER X'MERS</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>		<b>NEW</b>		<b>REP.</b>	
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15 MVA	Nos.	0	0	11	0	0	0	18	0	0	0	6	0	0	0	31	0	0	0	16	0	0	0	31	0	0	0	113	0
iii	5.0 MVA	Nos.	3	0	8	0	0	0	1	0	0	0	0	0	10	0	0	0	0	3	0	2	0	1	0	15	0	13	0	0
iv	8.0 MVA	Nos.	10	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	12	0	1	0	0
v	10.0 MVA	Nos.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<b>3</b>	<b>CT/PT UNITS</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>		<b>11KV</b>		<b>33KV</b>	
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	0	5	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	20	0
iii	7.5/5 AMP	Nos.	55	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	57	0	0	0	0
iv	10/5 AMP	Nos.	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
v	15/5 AMP	Nos.	0	25	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	25	0	0
vi	20/5 AMP	Nos.	0	0	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23	0
vii	25/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	30/5 AMP	Nos.	0	0	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	37	0
ix	50/5 AMP	Nos.	0	0	28	0	0	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	31	0
x	75/5 AMP	Nos.	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
xi	100/5 AMP	Nos.	2	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	17	0
xii	200/5 AMP	Nos.	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiv	400/5 AMP	Nos.	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0
xv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xvi	300-150/5 AMP	Nos.	107	0	47	0	0	0	17	55	0	0	0	20	0	0	15	0	5	0	0	0	2	0	2	0	114	0	81	75
xvii	400-200/5 AMP	Nos.	0	0	181	11	0	0	23	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	0	0	0	0	221	11
xviii	200-100/5 AMP	Nos.	146	0	111	18	0	28	0	18	0	0	0	0	20	0	18	0	8	0	0	0	0	0	0	0	174	28	129	36
<b>4</b>	<b>CONTROL PANEL</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>		<b>Feeder</b>		<b>X-mer</b>	
i	11KV	Nos.	26	0	14	0	13	0	18	0	24	0	48	0	0	0	7	0	78	0	25	0	20	0	22	0	161	0	134	0
ii	33KV	Nos.	21	0	49	0	53	0	19	0	50	0	38	0	0	0	30	0	16	0	54	0	38	0	47	0	178	0	237	0
<b>5</b>	<b>CABLE COPPER CONTROL</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-</b>		<b>ARMD.</b>		<b>UN-ARMD.</b>		<b>ARMD.</b>	
i	2 Core 2.5 Sq.mm	Mtr.	7850	0	7488	0	0	0	0	0	1000	0	0	0	6575	0	9175	0	0	0	0	0	0	0	0	0	15425	0	16663	0

[illegible]

**M.P.P.K.V.V.CO.LTD., INDORE**

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>7</b>	<b>CONDUCTOR</b>															
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	16.798	0.000	0.000	0.000	8.400	0.000	42.000	0.000	<b>67.198</b>	<b>0.000</b>
iii	AAAC-05 RABBIT	KM	#####	0.000	441.048	0.000	959.407	0.000	#####	0.000	999.464	0.000	860.077	0.000	<b>6511.250</b>	<b>0.000</b>
iv	AAAC-075 RACCON	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
v	AAAC-DOG	KM	210.696	0.000	84.028	0.000	62.690	0.000	256.500	0.000	99.089	0.000	49.495	0.000	<b>762.498</b>	<b>0.000</b>
vi	AAAC Panther conductor 0.20 sq. inch	KM	10.068	0.000	8.068	0.000	5.744	0.000	24.441	0.000	0.000	17.288	0.000	0.000	<b>48.321</b>	<b>17.288</b>
<b>8</b>	<b>LIGHTING ARRESTERS</b>															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	6557	0	6761	0	7328	0	0	2696	0	0	<b>20646</b>	<b>2696</b>
ii	11 KV 5 KA - Line type	Nos.	25419	0	0	0	0	0	0	0	0	0	22272	0	<b>47691</b>	<b>0</b>
iii	33 KV 10 KA - Line type	Nos.	2398	0	0	0	234	0	3168	0	12	0	200	0	<b>6012</b>	<b>0</b>
iv	11 KV 10 KA - Station type	Nos.	0	0	320	0	0	0	570	0	13590	0	0	0	<b>14480</b>	<b>0</b>
<b>9</b>	<b>VCB</b>															
i	11 KV	Nos.	0	0	3	0	10	0	0	0	25	0	9	0	<b>47</b>	<b>0</b>
ii	33 KV 30V	Nos.	50	0	50	0	55	0	21	0	51	0	34	0	<b>261</b>	<b>0</b>
<b>10</b>	<b>STAY SET</b>															
i	16 MM/Painted	Nos.	49142	0	31192	0	35994	0	33734	0	37291	0	26175	0	<b>213528</b>	<b>0</b>
ii	20 MM	Nos.	1217	0	202	0	1525	0	269	0	565	0	577	0	<b>4355</b>	<b>0</b>
<b>11</b>	<b>C.T.s</b>															
i	11 KV CT 200-100/5-5 A	Nos.	0	0	0	0	15	0	0	0	0	0	0	0	<b>15</b>	<b>0</b>
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	60	0	25	0	16	0	0	0	0	0	<b>101</b>	<b>0</b>
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	9	0	0	0	0	0	0	0	<b>9</b>	<b>0</b>
iv	11 KV CT 600-300/5-5 A	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	<b>1</b>	<b>0</b>
v	11 KV CT 600-300/5-5-1 A	Nos.	4	0	0	0	0	0	0	0	0	0	0	0	<b>4</b>	<b>0</b>
vi	33 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	6	0	0	0	0	0	0	0	<b>6</b>	<b>0</b>
viii	33 KV CT 200-100/5-5-1 A	Nos.	42	0	0	0	0	0	0	0	0	0	0	0	<b>42</b>	<b>0</b>
	33 KV CT 400-200/5-5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	<b>1</b>	<b>0</b>
x	132 KV CT 100/1	Nos.	17	0	0	0	0	0	0	0	2	0	0	0	<b>19</b>	<b>0</b>
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	<b>12</b>	<b>0</b>
<b>12</b>	<b>P.T.s</b>															
i	11 KV PT	Nos.	499	0	0	0	0	0	201	0	0	0	0	0	<b>700</b>	<b>0</b>
ii	33 KV PT	Nos.	601	0	0	0	0	0	5	0	0	0	0	0	<b>606</b>	<b>0</b>
iii	132 KV PT	Nos.	9	0	0	0	0	0	0	0	6	0	0	0	<b>15</b>	<b>0</b>
<b>13</b>	<b>LT / CT</b>															
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>



## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
xi	3X95+1X16+1X70 Sqmm	KM	0.000	16.994	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	16.994
x	1X25+1X16+1X25 Sq.mm	KM	438.069	0.000	644.667	0.000	806.627	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1889.363	0.000
xi	3X25+1X25 Sq.mm	KM	161.942	0.000	0.000	0.000	0.000	0.000	191.105	0.000	0.000	0.000	0.000	0.000	353.047	0.000
xii	3X120+1X70+1X16Sq.mm	KM	0.000	5.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.000
18	STEEL SECTIONS															
i	Rail Pole	MT	0.000	0.000	4.150	0.000	3.280	0.000	0.000	0.000	0.000	0.000	4.110	0.000	11.540	0.000
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	110.902	0.000	129.901	0.000	0.000	0.000	186.381	0.000	41.430	0.000	468.614	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	9.895	0.000	3.690	0.000	21.570	0.000	44.400	0.000	27.210	0.000	0.000	0.000	106.765	0.000
v	MS Angle 65 x 65 x 6 mm	MT	67.155	0.000	0.000	0.000	207.150	0.000	217.220	0.000	8.177	0.000	131.789	0.000	631.491	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	35.385	0.000	0.000	0.000	74.250	0.000	66.875	0.000	76.404	0.000	33.226	0.000	286.140	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	3.000	0.000	148.789	0.000	4.990	0.000	24.355	0.000	181.134	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	3.266	0.000	4.630	0.000	19.790	0.000	0.000	0.000	1.245	0.000	28.931	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	148.440	0.000	77.750	0.000	84.825	0.000	112.557	0.000	97.717	0.000	38.165	0.000	559.454	0.000
xii	MS Flat 50 x 6 mm	MT	111.815	0.000	7.585	0.000	154.680	0.000	114.205	0.000	57.613	0.000	26.946	0.000	472.844	0.000
19	GI WIRES															
i	6 SWG	MT	49.671	0.000	0.000	0.000	1.500	0.000	68.165	0.000	0.505	0.000	0.000	0	119.841	0.000
ii	8 SWG	MT	45.780	0.000	48.160	0.000	72.835	0.000	77.780	0.000	100.170	0.000	73.355	0	418.080	0.000
iii	10 SWG	MT	3.044	0.000	13.750	0.000	0.000	0.000	1.852	0.000	0.000	0.000	9.120	0	27.766	0.000
20	STAY WIRES															
i	7/8 SWG (7/4.00 mm)	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	6.104	0.000	6.104	0.000
ii	7/10 SWG (7/3.15 mm)	MT	197.355	0.000	87.085	0.000	79.181	0.000	180.820	0.000	73.570	0.000	65.860	0.000	683.871	0.000
21	HARDWARES															
i	LT SHACKLE H/W 90X75	Nos.	8708	0	0	0	0	0	0	0	0	0	0	0	8708	0
ii	11 KV H/W	Nos.	32981	0	0	0	0	0	0	0	0	0	0	0	32981	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	365	0	0	0	0	0	0	0	0	0	0	0	365	0
22	INSULATORS															
i	SHACKLE 90 X 75	Nos.	13700	0	0	0	0	0	0	0	0	0	0	0	13700	0
ii	SHACKLE 65 X 50	Nos.	31563	0	0	0	0	0	0	0	0	0	0	0	31563	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	91883	0	39389	0	47435	0	37281	0	26938	19782	33908	0	276834	19782
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	0	1129	0	0	0	346	7551	367	0	1842	7551
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	20591	0	9886	0	16282	0	8373	0	23321	0	20641	0	99094	0
x	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	DO SETS															

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
i	11 KV	Nos.	17937	0	10889	0	17422	0	10577	0	18512	1178	12313	0	<b>87650</b>	<b>1178</b>
ii	33 KV	Nos.	258	0	66	0	200	0	122		165	0	184	0	<b>995</b>	<b>0</b>
<b>24</b>	<b>AB SWITHCES</b>															
i	33 KV	Nos.	0	254	0	254	39	0	12	253	5	0	0	0	<b>56</b>	<b>761</b>
ii	11 KV 1 PHASE	Nos.	254	0	0	0	0	0	0	0	0	0	0	0	<b>254</b>	<b>0</b>
iii	11 KV 3 PHASE	Nos.	450	0	251	0	246	0	124	0	262	0	138	0	<b>1471</b>	<b>0</b>
<b>25</b>	<b>DIST. BOXES</b>															
i	25 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	469	0	<b>469</b>	<b>0</b>
ii	63 KVA	Nos.	15	0	0	0	0	0	119	0	0	0	83	0	<b>217</b>	<b>0</b>
iii	100 KVA	Nos.	55	0	74	0	48	0	13	0	35	0	95	0	<b>320</b>	<b>0</b>
iv	200 KVA	Nos.	0	0	0	0	0	0	0	0	1	0	0	0	<b>1</b>	<b>0</b>
v	315 KVA	Nos.	0	0	0	0	0	0	18	0	0	0	0	0	<b>18</b>	<b>0</b>
<b>26</b>	<b>CAPACITORS</b>															
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>27</b>	<b>PC CUT OUT</b>															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0	1150	0	0	0	<b>1150</b>	<b>0</b>
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>28</b>	<b>METER NEW ELECTRONIC</b>															
i	1 PHASE 5-30 Amp.	Nos.	51342	40000	5591	41734	20491	0	49835	0	11870	10000	29003	35000	<b>168132</b>	<b>126734</b>
ii	3 PHASE 10-40 Amp.	Nos.	38	0	0	0	23	0	3	0	1	0	0	0	<b>65</b>	<b>0</b>
iii	3 PHASE 20-100 Amp.	Nos.	433	0	0	0	0	0	0	0	0	0	0	0	<b>433</b>	<b>0</b>
iv	Whole Current 40-200 Amp.	Nos.	1105	800	0	0	2	0	18	405	0	0	69	0	<b>1194</b>	<b>1205</b>
v	LT C.T. Meter 100/5 Amp.	Nos.	3606	0	0	0	0	0	2995	0	0	0	0	0	<b>6601</b>	<b>0</b>
vi	HT Meter - 110 V	Nos.	369	0	0	0	0	0	351	0	0	0	0	0	<b>720</b>	<b>0</b>
vii	HT Meter - 110 V S/S.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>29</b>	<b>MAIN SWITHCES</b>															
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	703	0	<b>703</b>	<b>0</b>
ii	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	100 AMP.	Nos.	0	0	0	0	0	0	27	0	0	0	0	0	<b>27</b>	<b>0</b>
iv	200 AMP.	Nos.	8	0	0	0	0	0	322	0	0	0	0	0	<b>330</b>	<b>0</b>
v	320 AMP.	Nos.	0	0	0	0	0	0	28	0	0	0	0	0	<b>28</b>	<b>0</b>
vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>30</b>	<b>G.I. PINS</b>															
i	11 KV	Nos.	0	0	0	0	1958	0	0	0	0	0	0	0	<b>1958</b>	<b>0</b>
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
31	G.I.CONDUIT PIPE															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	40 MM	Mtr.	25198	0	21932	0	6012	0	20048	0	17329	0	26194	0	116713	0
33	ISOLATORS															
i	11 KV	Nos.	24	0	0	0	99	0	45	0	0	0	100	0	268	0
ii	33 KV	Nos.	55	0	0	0	0	95	65	0	0	0	0	0	120	95
34	PCC POLES															
i	140 KG	Nos.	0	0	0	0	0	0	0	0	1039	0	0	0	1039	0
ii	280 KG	Nos.	0	0	0	0	0	0	0	0	56	0	0	0	56	0
iii	350 KG	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BATTERY & CHARGER															
i	BATTERY	Nos.	1	55	0	0	0	0	19	99	0	0	0	0	20	154
ii	BATTERY CHARGER	Nos.	24	76	0	0	0	0	11	88	0	0	0	0	35	164
36	OIL X-MER															
i	Fresh Oil	KL	0.000	0.000	31.000	0.000	40.000	0.000	43.861	0.000	56.161	0.000	30.578	0.000	201.600	0.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	150.000	0.000	105.000	0.000	80.000	0.000	40.000	0.000	35.000	0.000	50.000	0.000	460.000	0.000
37	Male Female Contact suitable for															
i	11 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	ALU. LUGS															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire															
i	0.79 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
ii	1.03 mm	Kg.	#####	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	11250.00	0.00
iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
iv	1.33 mm	Kg.	#####	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.000	0	4870.0	0.00
v	1.60 mm	Kg.	#####	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.000	0	2912.00	0.00
vi	1.70 mm	Kg.	#####	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	12450.00	0.00
vii	2.00 mm	Kg.	6000.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	6000.00	0.00
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0	0	0.00	0	0.00	0.00	0.00	0	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire															

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
i	11 X 4 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
ii	11 X 5.5 mm	Kg.	100.00	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	<b>100.00</b>	<b>0.00</b>
iii	7.2 X 5.5 mm	Kg.	0.0	0	0.000	0.000	0	0	0.0	0	0.00	0.00	0.0	0	<b>0.00</b>	<b>0.00</b>
iv	7.25 X 3.13 mm	Kg.	1000.0	0	0.000	0.000	0	0	0.0	0	0.00	0.00	0.0	0	<b>1000.00</b>	<b>0.00</b>
v	10.6 x 4.6 mm	Kg.	0.000	0	0.000	0.000	0	0	0.000	0	0.00	0.00	0.000	0	<b>0.00</b>	<b>0.00</b>
<b>40 (a)</b>	<b>DPC Copper Round Wire</b>															
i	1.95 mm dia	Kg.	#####	0	0.000	0.000	0	0	0.000	0	0.00	0.00	0.000	0	<b>2000.00</b>	<b>0.00</b>
<b>40 (b)</b>	<b>DPC Copper Rectangular Wire</b>															
i	8.4 X 3.7 mm	Kg.	1780.75	0	0.000	0.000	0	0	0.00	0	0.00	0.00	0.00	0	<b>1780.75</b>	<b>0.00</b>
<b>41</b>	<b>HV / LV Brass Stud for Dist.X-mer</b>															
i	LV 20 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>42</b>	<b>TPC Copper Strips</b>	Kg.	0	0	0	0	0	0	0.0	0	0	0	0.0	0	<b>0</b>	<b>0</b>
<b>43</b>	<b>Press Board</b>															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>44</b>	<b>Kraft Paper</b>	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>45</b>	<b>Gasket Sheet</b>															
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>46</b>	<b>HRC Fuse Base &amp; Link -</b>															
i	Base - 250 Amp.	No.	0	0	0	0	0	0	350	0	0	0	0	0	<b>350</b>	<b>0</b>
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	90	0	0	0	0	0	<b>90</b>	<b>0</b>
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	200	0	0	0	0	0	<b>200</b>	<b>0</b>
iv	Link - 250 Amp./200 Amp	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>47</b>	<b>LT Pole Fuse Unit &amp; Robust Fuse Unit</b>	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>48</b>	<b>Pole Mounted Service connection Box</b>															
i	Single Phase	No.	9158	0	27932	0	15473	0	13653	0	15548	0	11113	0	<b>92877</b>	<b>0</b>
ii	Three Phase	No.	1100	0	3727	0	4230	0	1815		40	0	4178	0	<b>15090</b>	<b>0</b>
<b>49</b>	<b>MCB</b>															
i	Single Pole 16 Amp.	No.	1783	0	0	0	0	0	0	0	0	0	0	0	<b>1783</b>	<b>0</b>
ii	Three Pole 32 Amp.	No.	3953	0	0	0	0	0	251	0	0	0	0	0	<b>4204</b>	<b>0</b>
<b>50</b>	<b>Poly Carbonate Meter Box</b>															
i	Single Phase	No.	0	0	0	0	0	0	0	0	2624	0	0	0	<b>2624</b>	<b>0</b>



## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	Three Phase	No.	0	0	0	0	0	0	2143	0	0	0	0	0	2143	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Safety Appliances															
i	Cutting Plier	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Screw Driver	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	Hand Gloves	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-															
i	Khaki Terrycot	Mtr.	4760.63	0	0	0	0	0	0.00	0	0.00	0.00	0.00	0	4760.63	0.00
ii	White Terrycot	Mtr.	210.86	0	0	0	0	0	197.00	0	0.00	0.00	0.00	0	407.86	0.00
iii	Blue Woolen	Mtr.	84.50	0	0	0	0	0	35.00	0	0.00	0.00	0.00	0.00	119.50	0.00
iv	Khaki Woolen	Mtr.	2112.50	0	0	0	0	0	389.00	0	0.00	0.00	0.00	0	2501.50	0.00
v	Khaki Cellular	Mtr.	0.00	0	0	0	0	0	5153.00	0	0.00	0.00	0.00	0	5153.00	0.00
56	Scrap Conductor	Kg.	35165	0	3976	0	15000	0	196628	0	0	0	1500	0	252269	0
57	Earthing Coil	No.	43165	0	35909	0	28520	0	8914	0	17631	0	30801	0	164940	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt															
i	M.S.Nut Bolt 16 X 200	Kg.	6300	0	0	0	0	0	0	0	0	0	0	0	6300	0
ii	M.S.Nut Bolt 16 X 160	Kg.	54262	0	0	0	0	0	0	0	0	0	0	0	54262	0
iii	M.S.Nut Bolt 16 X 140	Kg.	48450	0	0	0	0	0	0	0	0	0	0	0	48450	0
iv	M.S.Nut Bolt 16 X 90	Kg.	12450	0	0	0	0	0	0	0	0	0	0	0	12450	0
v	M.S.Nut Bolt 16 X 65	Kg.	11900	0	0	0	0	0	0	0	0	0	0	0	11900	0
vi	M.S.Nut Bolt 12 X 65	Kg.	900	0	0	0	0	0	0	0	0	0	0	0	900	0
vii	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	10800	0	0	0	0	0	10800	0
viii	M.S.Nut Bolt 12 X 300	Kg.	5000	0	0	0	0	0	0	0	0	0	0	0	5000	0
ix	M.S.Nut Bolt 12 X 100	Kg.	3650	0	0	0	0	0	0	0	0	0	0	0	3650	0
x	M.S.Nut Bolt 16 X 250	Kg.	3950	0	0	0	0	0	0	0	0	0	0	0	3950	0
60	Clamp & Connector															
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	43827	0	1628	0	0	0	35058	0	0	0	0	0	80513	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	3468	0	0	0	52390	0	0	0	0	0	55858	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	56724	0	3701	0	0	0	46469	0	0	0	0	0	106894	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	10289	0	0	0	88206	0	0	0	0	0	98495	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	660	0	0	0	52150	0	0	0	0	0	52810	0
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	0	0	0	0	0	0	1988	0
61	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	17	0	0	0	0	0	0	0	0	0	0	0	17	0

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2020**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>62</b>	<b>11 KV CAPACITOR SWITCH</b>															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	14	0	0	0	0	0	0	0	0	0	0	0	<b>14</b>	<b>0</b>
<b>63</b>	<b>LT CT Meter Box</b>															
i	LT CT Meter Box	Nos.	2991	350	0	0	0	0	2802	0	0	0	0	0	<b>5793</b>	<b>350</b>
<b>64</b>	<b>HT Meter Box</b>															
i	HT Meter Box	Nos.	254	0	96	0	0	0	77	0	0	0	0	0	<b>427</b>	<b>0</b>
<b>65</b>	<b>BI-METALLIC CLAMPS</b>															
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>66</b>	<b>BPL Service Connection Kit</b>	Nos.	0	0	0	0	3427	0	5376	0	3550	0	0	0	<b>12353</b>	<b>0</b>
<b>67</b>	<b>Electronic Relay</b>	Nos.	10	437	0	0	0	0	0	200	0	0	0	0	<b>10</b>	<b>637</b>