M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.1.2022

			100111	NAME OF STORE												
No.	NAME OF MATERIALS	Unit	IND	ORE	BARV	VAHA	DH		UJJ	-	1	LAM	MANE	SAUR	SAUR TOTAL	
1	DIST.TRANSFORMERS		NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP
i	16 KVA 1 Phase	Nos.	0	0	22	7	406	5	0	0	0	0	0	0	428	12
ii	16 KVA 3 Phase	Nos.	0	0	0	0	0	1	0	0	0	0	0	0	0	1
iii	25 KVA (Non Star)	Nos.	0	394	0	123	0	137	0	41	0	331	0	244	0	1270
iv	25 KVA (3 Star)	Nos.	1	0	0	0	0	0	4	0	0	0	120	0	125	0
v	63 KVA	Nos.	0	190	0	3	0	92	0	182	0	68	0	188	0	723
vi	100 KVA (Non Star)	Nos.	0	196	0	56	0	135	0	63	0	164	0	255	0	869
vii	100 KVA (3 Star)	Nos.	393	0	117	0	22	0	0	0	59	0	90	0	681	0
viii	200 KVA (Non Star)	Nos.	0	6	0	25	0	15	0	22	0	20	0	18	0	106
ix	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	0	0	3	0	18	0	21	0
x	315 KVA	Nos.	0	3	0	0	0	0	1	1	0	0	0	0	1	4
2	POWER X'MERS		NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP	NEW	REP
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15 MVA	Nos.	0	7	0	13	0	4	0	24	0	7	0	23	0	78
iii	5.0 MVA	Nos.	2	13	3	0	0	0	3	3	0	0	0	0	8	16
iv	8.0 MVA	Nos.	4	0	0	0	0	0	0	0	0	0	0	0	4	0
v	10.0 MVA	Nos.	1	0	0	0	0	0	1	0	0	0	0	0	2	0
3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	84	0	0	0	0	0	0	0	0	0	0	0	84
iii	7.5/5 AMP	Nos.	32	0	0	0	0	0	0	0	0	0	1	0	33	0
iv	10/5 AMP	Nos.	0	28	0	0	0	0	0	0	0	0	0	0	0	28
v	15/5 AMP	Nos.	31	0	0	0	0	0	0	0	1	0	0	0	32	0
vi	20/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	30/5 AMP	Nos.	0	4	0	0	0	0	0	0	0	0	0	0	0	4
ix	50/5 AMP	Nos.	0	15	0	2	0	0	0	0	0	1	0	0	0	18
	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	0	6	0	0	0	0	0	0	0	0	0	0	0	6
	200/5 AMP	Nos.	0	3	0	0	0	0	0	0	0	0	0	0	0	3
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xiv	400/5 AMP	Nos.	0	5	0	0	0	0	0	0	0	0	0	0	0	5
	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
-	300-150/5 AMP	Nos.	0	40	39	0	1	2	16	0	0	0	0	9	56	51
-	400-200/5 AMP	Nos.	0	93	0	0	0	1	0	0	0	1	0	10	0	105
-	200-100/5 AMP	Nos.	1	166	0	18	0	2	0	17	0	10	7	6	8	219
4	CONTROL PANEL		FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER	FDR	XMER
i	11KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	33KV	Nos.	0	0	0	0	7	4	0	0	0	14	12	11	19	29
5	CABLE COPPER CONTROL		UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM	UN-AR	ARM
i	2 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	5105	0	0	0	0	0	5105
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	8 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	12 Core 2.5 Sq.mm	Mtr.	0	234	0	0	0	0	0	0	0	0	0	0	0	234
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<u> </u>	<u> </u>				<u> </u>								I .		l	<u> </u>

	NAME OF MATERIALS	TT	NAME OF STORE														
No.	NAME OF MATERIALS	Unit	INDORE		BARV	VAHA	DHAR		UJJ	AIN	RAT	LAM	MANI	SAUR	TO	TAL	
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	D.O.FUSE ELEMENTS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	
i	1.5 Amp.	No.	15550	0	0	0	0	0	0	0	0	0	0	0	15550	0	
ii	3 Amp.	No.	11700	0	0	0	0	0	0	0	0	0	0	0	11700	0	
iii	5 Amp.	No.	9300	0	0	0	0	0	0	0	0	0	0	0	9300	0	
iv	7.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
v	10 Amp.	No.	6640	0	0	0	0	0	0	0	0	0	0	0	6640	0	
vi	15 Amp.	No.	8600	0	0	0	0	0	0	0	0	0	0	0	8600	0	
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
viii	50 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ix	75 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
X	100 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

M.P.P.K.V.V.CO.LTD., INDORE STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.1.2022

	STOCK POSITION	OF GE	NEKAL MA	TEKIAL LI		E OF AREAS		2022		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under
7	CONDUCTOR		INDORE	DAKWAHA	DIIAK	UJJAIN	KATLAWI	MANDSAUK	TOTAL	Testing
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	AAAC-05 RABBIT	KM	0.000	0.000	32.000	0.000	0.000	308.770	340.770	0
iv	AAAC-075 RACCON	KM	4.850	0.000	3.230	2.018	0.000	0.000	10.098	10.098
v	AAAC-DOG	KM	133.338	87.996	82.752	144.994	0.000	95.992	545.072	545.072
vi	AAAC Panther conductor 0.20 sq. inch	KM	1.298	8.546	0.000	24.441	19.711	0.000	53.996	0
8	LIGHTING ARRESTERS									0
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	4329	3337	2912	11222	15278	37078	0
ii	11 KV 5 KA - Line type	Nos.	20927	0	0	0	0	0	20927	0
iii	33 KV 10 KA - Line type	Nos.	1214	0	18	1554	0	0	2786	0
iv	11 KV 10 KA - Station type	Nos.	0	18	0	0	0	0	18	0
9	VCB									0
i	11 KV	Nos.	39	33	15	34	16	12	149	0
ii	33 KV 30V	Nos.	14	23	12	3	8	34	94	0
10	STAY SET									0
i	16 MM/Painted	Nos.	46082	22866	28916	26157	35868	23880	183769	0
ii	20 MM	Nos.	1113	1099	262	1291	2015	72	5852	0
11	C.T.s									0
i	11 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0	0
v	11 KV CT 600-300/5-5-1 A	Nos.	5	0	0	0	0	0	5	0
vi	33 KV CT 200-100/5-5 A	Nos.	36	0	0	0	0	0	36	36
vii	33 KV CT 300-150/5-5 A	Nos.	82	0	0	0	0	0	82	0
viii	33 KV CT 400-200/5-5 AMP	Nos.	0	0	0	0	0	0	0	0
ix	33 KV CT 200-100/5-5-1 A	Nos.	4	0	0	3	0	0	7	0
х	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1	0
xi	132 KV CT 100/1	Nos.	12	0	0	0	2	0	14	0
xii	132 KV CT 200/1	Nos.	7	0	0	0	5	0	12	0
12	P.T.s									0
i	11 KV PT	Nos.	169	0	0	0	0	0	169	0
ii	33 KV PT	Nos.	533	0	0	0	0	0	533	0
iii	132 KV PT	Nos.	4	0	0	0	3	0	7	0
13	LT/CT									0
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable	1103.							•	0
i	1 C X 16 Sqmm	KM	4.050	0.000	0.000	0.000	0.000	0.000	4.050	0
	•									
ii	1 C X 25 Sqmm	KM	264.284	0.000	0.000	193.588	0.000	161.665	619.537	0
iii	1 C X 35 Sqmm	KM	0.000	0.000	1.000	0.000	0.000	0.000	1.000	0
iv	1 C X 50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	1 C X 70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vi	1 C X 95 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	1 C X 150 Sqmm	KM	15.487	0.000	0.000	0.000	0.000	0.000	15.487	0
viii	1 C X 300 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
	•									
ix	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0

	STOCK POSITION					E OF AREA S				Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	- Under Testing
х	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi	2 C X 2.5 Sqmm	KM	4127.115	283.000	348.000	1458.275	537.745	110.078	6864.213	0
15	Cable - Multicore PVC Cable									0
i	2 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	2 C X 4 Sqmm	KM	61.389	0.000	0.000	36.423	0.000	0.000	97.812	0
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
	4 C X 8 Sqmm	KM								0
vi 	•		0.000	0.000	0.000	0.000	0.000	0.000	0.000	
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
16	Cable - HT XLPE Cable									0
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	1.184	0.000	0.000	1.184	0
ii	3 C X 185 Sqmm 11 KV	KM	21.891	0.000	0.000	0.000	0.000	0.000	21.891	0
iii	3 C X 300 Sqmm 11 KV	KM	3.374	0.000	0.000	2.042	0.000	0.000	5.416	0
iv	3 C X 185 Sqmm 33 KV	KM	0.801	0.000	0.000	1.190	0.000	0.000	1.991	0
v	3 C X 300 Sqmm 33 KV	KM	1.792	0.000	0.000	6.060	0.000	0.000	7.852	0
17	Cable - LT AB Cable									0
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ii	3X16+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
v	3X25+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	3X50+1X16+1X35 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
x	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi	3X95+1X16+1X70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
X	1X25+1X16+1X25 Sq.mm	KM	298.089	223.000	92.117	0.000	0.000	0.000	613.206	0
xi	3X25+1X25 Sq.mm	KM	0.000	0.000	0.000	62.220	0.000	0.000	62.220	0
xii	3X120+1X70+1X16Sq.mm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
18	STEEL SECTIONS									0
i	Rail Pole	MT	0.000	0.000	3.280	0.000	0.000	0.000	3.280	0
ii	H-Beam 152 x 152 mm	MT	0.000	75.000	21.920	43.090	129.820	224.440	494.270	0
iii	RS Joist 175 x 85 mm	MT	0.000	0.000	0.000	0.000	0.361	0.000	0.361	0
iv	MS Angle 75 x 75 x 6 mm	MT	19.500	0.000	8.030	8.885	8.690	12.880	57.985	0
V	MS Angle 65 x 65 x 6 mm	MT	30.240	27.200	69.530	83.890	3.937	41.943	256.740	0
vi	MS Angle 50 x 50 x 6 mm	MT	0.000	0.000	99.136	36.615	74.824	31.226	241.801	0
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	1.450	59.536	0.000	13.973	74.959	0
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
X .	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
xi 	MS Flat 65 x 8 mm	MT	142.960	74.950	77.085	110.482	88.522	87.465	581.464	0
xii	MS Flat 50 x 6 mm	MT	49.893	0.000	121.270	82.660	54.600	8.496	316.919	0

	STOCK POSITION C	/ GE	T VETUTE IVIT			E OF AREA		2022		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
19	GI WIRES									0
i	6 SWG	MT	39.741	0.000	1.300	66.607	0.505	0.000	108.153	0
ii	8 SWG	MT	35.246	8.000	55.215	72.260	96.446	60.069	327.236	0
iii	10 SWG	MT	3.044	13.750	0.000	0.000	0.000	8.416	25.210	0
20	STAY WIRES									0
i	7/8 SWG (7/4.00 mm)	MT	40.560	0.000	0.000	20.000	0.000	0.000	60.560	23.89
ii	7/10 SWG (7/3.15 mm)	MT	237.964	112.238	105.400	196.540	189.148	73.000	914.290	0
	HARDWARES									0
i	LT SHACKLE H/W 90X75	Nos.	2703	0	0	0	0	0	2703	0
	11 KV H/W	Nos.	7002	0	0	0	0	0	7002	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0
22	INSULATORS		-			-				0
i	SHACKLE 90 X 75	Nos.	1279	0	0	0	0	0	1279	0
ii	SHACKLE 65 X 50	Nos.	27488	0	0	0	0	0	27488	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0
	11 KV Polymer Pin Insulator	Nos.	71993	12069	16271	0	18031	17856	136220	0
viii	33 KV Polymer Pin Insulator	Nos.	0	45	0	0	11	0	56	0
	11 KV Polymer Disc Insulator	Nos.	4757	0	1364	0	16574	14405	37100	0
	33 KV Polymer Disc Insulator	Nos.	0	0	0	18	0	0	18	0
	DO SETS	1,001		Ů		10	·	Ů		0
i	11 KV	Nos.	15030	7076	2285	4999	17764	8447	55601	0
	33 KV	Nos.	103	0	85	42	165	120	515	0
24	AB SWITHCES	1403.	100	0		72	100	120	010	0
i	33 KV	Nos.	0	0	0	0	0	0	0	0
ii	11 KV 1 PHASE	Nos.	315	124	3	0	0	0	442	0
	11 KV 3 PHASE	Nos.	0	0	0	0	0	0	0	0
25	DIST. BOXES	1105.	0	0		0	0	Ü		0
i	16 KVA	Nos.	318	11	133	351	157	0	970	0
ii	25 KVA	Nos.	0	0	251	0	182	357	790	0
	63 KVA	Nos.	0	0	0	0	0	36	36	0
iv	100 KVA	Nos.	0	0	0	0	0	0	0	0
	200 KVA	Nos.	0	0	0	0		0	0	0
							0			
	315 KVA	Nos.	0	0	0	0	0	0	0	0
26	CAPACITORS	Nac	0	0	0	0	0	0		0
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0
ii 27	242 KVAR	Nos.	0	0	0	0	0	0	0	0
	PC CUT OUT	Nac		0			0	0		0
i ::	63 AMP.	Nos.	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0
iv	300 AMP.	Nos.	0	0	0	17	0	0	17	0
. 28	METER NEW ELECTRONIC	N	000	4046	70	F700	4770	440	640=	0
i	1 PHASE 5-30 Amp.	Nos.	300	1219	78	5700	1778	112	9187	0
	1 PHASE 5-30 Amp. SMART Meter	Nos.	1300	0	0	0	0	0	1300	0
ii	3 PHASE 10-40 Amp.	Nos.	10630	2000	1970	5000	2000	2040	23640	21500
iii	3 PHASE 20-100 Amp.	Nos.	0	4	0	0	0	5	9	0
iv	Whole Current 40-200 Amp.	Nos.	400	10	0	400	0	23	833	800
	LT C.T. Meter 100/5 Amp.	Nos.	1736	0	0	1906	0	110	3752	0
vi	HT Meter - 110 V	Nos.	29	0	0	8	0	0	37	0
	HT Meter - 110 V S/S.	Nos.	891	0	0	0	0	0	891	702
	MAIN SWITHCES									0
i	32 AMP.	Nos.	0	0	0	0	0	0	0	0

No. NAME OF MATERIALS UNIT Under		STOCKTOSITION		GENERAL MATERIAL LYING IN AREA STORES AS ON 31.1.2022 NAME OF AREA STORE									
	No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA			1	MANDSAUR	TOTAL	Under Testing		
No. Distantify No. No.	ii	63 AMP.	Nos.	0	0	0	0	0	0	0	<u> </u>		
No. No	iii	100 AMP.	Nos.	0	0	0	22	0	0	22	0		
	iv	200 AMP.	Nos.	0	0	0	210	0	0	210	0		
11 IN No.	v	320 AMP.	Nos.	0	0	0	0	0	0	0	0		
	vi	400 AMP.	Nos.	0	0	0	0	0	0	0	0		
	30	G.I. PINS									0		
STATEMENTENE STAT	i	11 KV	Nos.	0	0	1575	0	0	0	1575	0		
1	ii	33 KV	Nos.	0	0	0	0	0	0	0	0		
MM	31	G.I.CONDUIT PIPE									0		
1 1 1 1 1 1 1 1 1 1	i	20 MM	Mtr.	0	0	0	0	0	0	0	0		
I I I I I I I I I I I I I I I I I I I	ii	40 MM	Mtr.	16147	19025	0	9787	15567	17504	78030	0		
	33	ISOLATORS									0		
1	i	11 KV	Nos.	24	0	4	26	0	0	54	0		
1	ii	33 KV	Nos.	42	21	83	0	7	27	180	26		
140 KG													
SAN KG	i	140 KG	Nos.	0	0	0	0	0	0	0	0		
Section Sect	ii	280 KG	Nos.	0	0	0	0	0	0	0	0		
State Stat			Nos.				0			0	0		
Battery Set											0		
Battery Charger			Nos.	0	0	0	0	0	0	0	-		
36 OII.X-MER			+										
i Fresh Oil KL 35,546 28,000 36,255 65,168 39,109 33,674 237,752 0 iii Reclaimed Oil KL 0,000 0,000 0,000 0,000 5,278 5,278 0 iii Burnt Oil KL 0,000 40,000 50,000 13,671 60,000 10,000 173,671 0 37 Male Female Contact suitable for C C C C C C 0 i 1 KV A.B.Switch No. 0 0 0 0 0 0 0 0 0 0 38 ALU.LUGS LUGS LUGS LUGS LUGS LUGS LUGS LUGS 0						-							
iii Reclaimed Oil KL 0.000 0.000 0.000 0.000 5.278 5.278 0 iii Burnt Oil KL 0.000 40.000 50.000 13.671 60.000 10.000 173.671 0 37 Male Female Contact suitable for Image: Contact suitable for			KL	35.546	28.000	36.255	65.168	39.109	33.674	237.752			
iii Bunt Oil KL 0.000 40.000 50.000 13.671 60.000 10.000 173.671 0 37 Male Female Contact suitable for			KL								0		
Male Female Contact suitable for													
I I KV A.B.Switch			+	0.000	10.000		10.07	00.000	10.000		-		
13 3 KV A.B. Switch			No.	0	0	0	0	0	0	0			
38 ALU. LUGS No. 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
i 16 Sq.mm No. 0 0 0 0 0 0 0 0 ii 25 Sq.mm No. 0 0 0 0 0 0 0 0 iii 35 Sq.mm No. 0 0 0 0 0 0 0 0 iv 70 Sq.mm No. 0 0 0 0 6580 0 0 6580 0 v 150 Sq.mm No. 0 0 0 0 8210 0 0 8210 0 vi 300 Sq.mm No. 0 0 0 0 8210 0 0 8210 0 vi 300 Sq.mm No. 0 0 0 1050 0 0 1150 0 vi 300 Sq.mm No. 0 0 0 0 0 0 0 0 0 0 0 <			110.	0	Ů		0	0	•	•			
ii 25 Sq.mm No. 0 0 0 0 0 0 0 iii 35 Sq.mm No. 0 0 0 0 0 0 0 0 iv 70 Sq.mm No. 0 0 0 0 6580 0 0 6580 0 v 150 Sq.mm No. 0 0 0 8210 0 0 8210 0 vi 300 Sq.mm No. 0 0 0 0 1050 0 0 1050 0 39 (a) DPC Aluminium Round Wire Image: Control of the c			No	0	0	0	0	0	0	•	+		
iii 35 Sq.mm No. 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
iv 70 Sq.mm No. 0 0 0 6580 0 0 6580 0 v 150 Sq.mm No. 0 0 0 8210 0 0 8210 0 vi 300 Sq.mm No. 0 0 0 1050 0 0 1050 0 39 (a) DPC Aluminium Round Wire 0 <													
v 150 Sq.mm No. 0 0 0 8210 0 8210 0 vi 300 Sq.mm No. 0 0 0 1050 0 0 1050 0 39 (a) DPC Aluminium Round Wire											-		
vi 300 Sq.mm No. 0 0 0 1050 0 1050 0 39 (a) DPC Aluminium Round Wire Column Col													
39 (a) DPC Aluminium Round Wire i 0.79 mm											-		
i 0.79 mm Kg. 0.00			No.	0	0	0	1050	0	0	1050			
i 0.81 mm Kg 0.00 0											-		
ii 1.03 mm Kg. 12173.00 0.00 0.00 3000.00 0.00 0.00 15173.00 0 iii 1.25 mm Kg. 0.00	i									0.00	0		
iii 1.25 mm Kg. 0.00 <t< td=""><td>i</td><td>0.81 mm</td><td>Kg.</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0</td></t<>	i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
iv 1.33 mm Kg. 1381.00 0.00 0.00 2470.00 0.00 0.00 3851.00 0 v 1.60 mm Kg. 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 9413.00 0 vii 2.00 mm Kg. 10000.00 0.00 0.00 0.00 0.00 0.00 10000.00 0	ii	1.03 mm	Kg.	12173.00	0.00	0.00	3000.00	0.00	0.00	15173.00	0		
v 1.60 mm Kg 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 9413.00 0 vii 2.00 mm Kg 10000.00 0.00 0.00 0.00 0.00 0.00 10000.00 0	iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
vi 1.70 mm Kg. 9413.00 0.00 0.00 0.00 0.00 9413.00 0 vii 2.00 mm Kg. 10000.00 0.00 0.00 0.00 0.00 10000.00 0	iv	1.33 mm	Kg.	1381.00	0.00	0.00	2470.00	0.00	0.00	3851.00	0		
vii 2.00 mm Kg. 10000.00 0.00 0.00 0.00 0.00 10000.00 0	v	1.60 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		
	vi	1.70 mm	Kg.	9413.00	0.00	0.00	0.00	0.00	0.00	9413.00	0		
viii 2.20 mm	vii	2.00 mm	Kg.	10000.00	0.00	0.00	0.00	0.00	0.00	10000.00	0		
	viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0		

	STOCK FOSITION					E OF AREA S		-		Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
39 (b)	DPC Aluminium Rectangular Wire									0
i	11 X 4 mm	Kg.	1000.00	0.00	0.00	0.00	0.00	0.00	1000.00	0
	11 X 5.5 mm	Kg.	725.75	0.00	0.00	0.00	0.00	0.00	725.75	0
	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00		0.00	0.00	0.00	0
						0.00				
	7.25 X 3.13 mm	Kg.	6597.00	0.00	0.00	0.00	0.00	0.00	6597.00	0
v	10.6 x 4.6 mm	Kg.	38.00	0.00	0.00	0.00	0.00	0.00	38.00	0
40 (a)	DPC Copper Round Wire									0
i	1.95 mm dia	Kg.	2400.00	0.00	0.00	0.00	0.00	0.00	2400.00	2400
40 (b)	DPC Copper Rectangular Wire									0
i	8.4 X 3.7 mm	Kg.	1900.00	0.00	0.00	0.00	0.00	0.00	1900.00	1900
41	HV / LV Brass Stud for Dist.X-mer									0
i	LV 20 MM	No.	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0
43	Press Board	† -								0
i	1 MM	Kg.	750	0	0	0	0	0	750	0
-	2 MM	Kg.	1145	0	0	0	0	0	1145	0
	3 MM	Kg.	0	0	0	0	0	0	0	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0	0
	Gasket Sheet				-	-	-	-		0
i	5 MM	No.	0	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -									0
i	Base - 250 Amp.	No.	0	0	0	80	0	0	80	0
ii	Base - 300 Amp.	No.	0	0	0	280	0	0	280	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	0	0	0	580	0	0	580	0
v	Link - 300 Amp.	No.	0	0	0	700	0	0	700	0
vi	Link - 400 Amp.	No.	0	0	0	347	0	0	347	0
	LT Pole Fuse Unit & Robust Fuse Unit									0
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0
ii	Robust Fuse Unit	No.	0	0	0	0	0	0	0	0
48	Pole Mounted Service connection Box									0
i	Single Phase	No.	8139	27457	13932	13403	15548	9048	87527	0
ii	Three Phase	No.	40	2838	3713	1815	4244	2418	15068	0
49	МСВ									0
i	Single Pole 16 Amp.	No.	1783	0	0	0	0	0	1783	0
ii	Three Pole 32 Amp.	No.	3953	0	0	241	0	0	4194	0
50	Poly Corbonate Meter Box									0
i	Single Phase	No.	0	0	0	0	0	0	0	0
ii	Three Phase	No.	1195	0	0	1093	0	0	2288	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0
52	Safety Appliances									0
i	Cutting Plier	No.	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	260	0	0	0	0	0	260	0
iv	Screw Driver	No.	0	0	0	0	0	0	0	0
53	Hand Gloves	No.	170	0	0	0	0	0	170	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0

			NAME OF AREA STORE							Quantity
No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Under Testing
55	Liveries Terrycot & Woolen-									0
i	Khaki Terrycot	Mtr.	2160	0	0	0	0	0	2160	0
ii	White Terrycot	Mtr.	63	0	0	143	0	0	206	0
iii	Blue Woolen	Mtr.	28	0	0	20	0	0	48	0
iv	Khaki Woolen	Mtr.	1540	0	0	372	0	0	1912	0
v	Khaki Cellular	Mtr.	0	0	0	4987	0	0	4987	0
56	Scrap Conductor	Kg.	7266	2807	95	30713	656	823	42359	0
57	Earthing Coil	No.	40032	32949	24133	0	15856	20631	133601	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0
59	MS Nut & Bolt									0
i	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	0	0	0	0	0
ii	M.S.Nut Bolt 16 X 200	Kg.	0	0	0	0	0	0	0	0
iii	M.S.Nut Bolt 16 X 160	Kg.	29462	0	0	0	0	0	29462	0
iv	M.S.Nut Bolt 16 X 140	Kg.	23638	0	0	0	0	0	23638	0
v	M.S.Nut Bolt 16 X 90	Kg.	650	0	0	0	0	0	650	0
vi	M.S.Nut Bolt 16 X 75	Kg.	14250	0	0	4450	0	0	18700	0
vii	M.S.Nut Bolt 16 X 65	Kg.	234	0	0	0	0	0	234	0
viii	M.S.Nut Bolt 16 X 40	Kg.	5650	0	0	350	0	0	6000	0
ix	M.S.Nut Bolt 12 X 300	Kg.	3800	0	0	0	0	0	3800	0
х	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	10030	0	0	10030	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3000	0	0	0	0	0	3000	0
xii	M.S.Nut Bolt 12 X 65	Kg.	850	0	0	0	0	0	850	0
60	Clamp & Connector									0
i	Suspenstion Clamp Ass. for LT Cable 25-50	Nos.	43577	996	0	33828	0	0	78401	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	45017	0	0	51710	0	0	96727	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	55425	3177	0	45969	0	0	104571	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	8438	0	83806	0	0	92244	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	12685	0	50782	0	0	63467	0
vi	T-Clamp for Dog	Nos.	0	1988	0	1570	0	0	3558	0
61	11 KV RVT		-							0
i	(RVT) OUTDOOR TYPE	Nos.	0	0	0	0	0	0	0	0
62	11 KV CAPACITOR SWITCH		-	-	-	-	-	-	-	0
i	11 KV Outdoor Automatic Capacitor switch	Nos.	2	0	0	0	0	0	2	0
63	LT CT Meter Box									0
i	LT CT Meter Box	Nos.	1675	0	242	1983	459	0	4359	242
64	HT Meter Box		-			_			-	0
i	HT Meter Box	Nos.	248	0	0	62	0	0	310	0
65	BI-METALLIC CLAMPS			-	-		-	-		0
i	LV	No.	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	2527	3726	3550	0	9803	0
67	Electronic Relay	Nos.	283	0	0	0	0	0	283	0
	Additional items added by stores-									

No.	NAME OF MATERIALS	UNIT			NAM	E OF AREA	STORE			Quantity Under
NO.	NAME OF MATERIALS	UNII	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL	Testing
	Digital power claim meter with automatic computation of single phase & three phase parameters	Nos.	34	0	0	0	0	0	34	0
69	3 Ph 4 Wire Smart Meter 10-60 amp.	Nos.	89	0	0	0	0	0	89	0
70	3 Ph 4 Wire Smart Meter 10-100 amp.	Nos.	50	0	0	0	0	0	50	0
71	Master Trip Relay	Nos.	180	0	0	0	0	0	180	50
72	Steel - WPB 160 MMX160 MM	MT	28	0	0	0	0	0	28	0
73	11 KV HT AB Cable 3x95+1x80 Sqmm	KM	0.000	0.000	0.000	8.584	3.000	0.000	11.584	0.000
74	11 K HT XLPE Cable 3Cx150 sqmm	Km	0.807	0.000	0.000	1.191	0.000	0.000	1.998	0
75	11 KV HT XLPE Cable 3Cx240 sqmm	Km	0.409	0.000	0.000	0.592	0.000	0.000	1.001	0
76	3P 4W 10-40 amp. Meter category - C2	Nos.	0	0	0	0	0	0	0	0