

Data Representation

Lab 06.02: API Keys

Lecturer: Andrew Beatty

In this lab we are going to use Python access APIs that need a key

We are using the APIs as described by:

- <https://html2pdf.app/>
- <https://developer.github.com/v3/guides/>

NOTE: You will have to get your own key from GitHub and html2pdf (you will need to register for that)

Create a pdf.

1. Go to html2pdf.com and create an account for yourself and copy the api key.

(if you are really lazy use my key)

2. Look at their documentation.
3. Write a script that will convert the Wikipedia website into a pdf.

```
import requests
import urllib.parse

targetUrl = "https://en.wikipedia.org"

apiKey = "XXXXXXXXXXXXXXXXXXXXXXXXXXXX"
#api = "XXXXXXXX"

apiurl = 'https://api.html2pdf.app/v1/generate'

params = {'url': targetUrl, 'apiKey': apiKey}
parsedparams = urllib.parse.urlencode(params)
requestUrl = apiurl + "?" + parsedparams

response = requests.get(requestUrl)
print (response.status_code)

result = response.content
with open("document.pdf", "wb") as handler:
    handler.write(result)
```

4. you should probably put the api into a config file

```
config = {
    "htmltopdfkey": "eAs3mWn7R59gxZ6kSYysYdpTUsivY7Am74aSN36pOHdMMMyTu3XDpdS0taAySz3qF"
}
```

5. And modify the code.

```
from config import config as cfg

targetUrl = "https://en.wikipedia.org"

apiKey = cfg["htmltopdfkey"]
```

Get private data from GitHub:

6. Create a new repository on your GitHub account called 'aprivateone', make it a private repository
7. Get your own API key for your GitHub account. (See lectures) it should look something like

Github_XXXXXXXaa146eafee094d3a7cb0eec8b910

NOTE: you key will cease to work if you put it into a file that is uploaded to GitHub (this is for security reasons)

Replace this with your key

8. Use curl to check that it works

```
curl -i -H "Authorization: token githubXXXXXXXX0"
https://api.github.com/user/repos
```

9. Write python script that will get the information from the private repository you created

```
url = 'https://api.github.com/repos/your-username/aprivateone'
```

And output the result to a file

```
response = requests.get(url, auth=('token', apiKey))
repoJSON = response.json()
#print (response.json())

with open(filename, 'w') as fp:
    json.dump(repoJSON, fp, indent=4)
```

You will need to make a variable called apiKey that contains the key
Read the key from your config.py file

If the file had got "bad credentials" written in it. Then the key you are using is invalid. (you may have accidentally pushed it in a file to GitHub.

10. Add the line config.py to your .gitignore file so that the config.py is not pushed up to your repository

```
# my configuration files
config.py
```

Challenge

11. Write a script to get more information from your repository.
12. Write a script that will make a change to your repository.