

ONLINE FOOD ORDER WEBSITE

**A Project Report Submitted
In Partial Fulfillment of the Requirements
for the Degree of**

MASTERSOF COMPUTERAPPLICATIONS

By

**Ayush Verma
(1900290149031)**

Under the Supervision of

Neelam Rawat

KIET Group of Institutions, Ghaziabad



To the

FACULTY OF MCA

**DR. APJ ABDUL KALAM TECHNICAL UNIVERSITY
(Formerly Uttar Pradesh Technical University) LUCKNOW**

July 2021

DECLARATION

I hereby declare that the work presented in this report entitled "Online Food Order Website", was carried out by me. I have not submitted the matter embodied in this report for the award of any other degree or diploma of any other University or Institute.


I have given due credit to the original authors/sources for all the words, ideas, diagrams, graphics, computer programs, experiments, results, that are not my original contribution. I have used quotation marks to identify verb a time sentences and given credit to the original authors/sources.

I affirm that no portion of my work is plagiarized, and the experiments and results reported in the report are not manipulated. In the event of complaint of plagiarism and the manipulation of the experiments and results, I shall be fully responsible and answerable.

Name : Ayush Verma

Roll No. :1900290149031

Branch : Master of Computer Application

A handwritten signature in blue ink that reads "Ayush Verma." The signature is written in a cursive style and is underlined with a single horizontal line.

Relieving Cum Experience Letter

Date – May 27, 2021


Name- Ayush Verma

To Whomsoever It May Concern

This is to certify that **Ayush Verma** has worked with us as an "Android Developer Trainee" from **4/Jan/2021 to 20/April/2021**. He has been relieved from his duties from 20/April/2021.

During his training with us, we found him hardworking, diligent and honest in performing his duties. The management would like to thank you for your services with Zimozi solutions and we wish you all the best in your future endeavors.

Best Regards,



Priyanka Bijolia

HR HEAD

Zimozi Solutions Pvt. Ltd.



+91-120-4158818



hr@zimozi.co



www.zimozi.co

CERTIFICATE

Certified that **Ayush Verma (1900290149031)** has carried out the project work presented in this report entitled “**Online Food Order Website**” for the award of **Master of Computer Application** from Dr. A.P.J. Abdul Kalam Technical University, Lucknow under my supervision. The report embodies result of original work, and studies are carried out by the student himself and the content soft here port do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University.

Neelam Rawat

AssociateProfessor

Department of Computer Applications

KIET Group of Institutions, Ghaziabad

External Examiner

Dr. Ajay Kumar Srivastava

Professor & Head

Department of Computer Applications

KIET Group of Institutions, Ghaziabad

Date:

ABSTRACT

There cent past showed a greater interest in recommender techniques. Now-a-days there are many online food order existing from different websites to almost all the places over the world. A customer finds it very difficult to search for the best restaurants as he/she has to browse multiple websites, contact many restaurants and etc. which is a tedious process and is time consuming. There should be a system where the user should find the best restaurants on the Internet with a single click.


Food order is an application based which help the customer or any other user to get accurate and best data in no time. This system is helpful for the person who loves to eating, who want to explore new food item sand when visiting someone restaurants. The user can explore the world by getting the information of any particular restaurants such as name of the place, images, food variety, address, location on maps, description etc. It is design to provide information of any particular restaurants. In this App, the customer can easily search to the new food items.

ACKNOWLEDGEMENT

Success in life is never attained single handedly. My deepest gratitude goes to my Project supervisor, **Neelam Rawat, Professor, Department of Computer Applications** for her guidance, help and encouragement throughout my research work. Their enlightening ideas, comments, and suggestions. Words are not enough to express my gratitude for his insightful comments and administrative help at various occasions.

Fortunately, I have many understanding friends, who have helped me a lot on many critical conditions.

Finally, my sincere thanks go to my family members and all those who have directly and indirectly provided me moral support and other kind of help. Without their support, completion of this work would not have been possible in time. They keep my life filled with enjoyment and happiness.



Ayush Verma
1900290149031

TABLE OF CONTENTS

	Page No.
Declaration	i
Certificate	ii
Abstract	iii
Acknowledgement	iv
List of Figure	v
List of Tables	vi
CHAPTER 1: INTRODUCTION	4-6
1.1 Project Description	4-5
1.2 Project Purpose	5
1.3 Tools/Environment used	6
CHAPTER 2: LITERATURE REVIEW	7-13
2.1 System analysis	7-8
2.2 Feasibility study	9
2.3 Fact finding technique	10-11
2.4 Scheduling	12-13
CHAPTER 3: REQUIREMENT SPECIFICATIONS	14-18
3.1 Hardware Requirements	14
3.2 Software Requirements	14-15
3.3 SRS of the project	16-18
3.3.1 Functional	18
3.3.2 Non-Functional	19

CHAPTER 4: DESIGN	20-28
4.1 Entity Relationship Diagram	21
4.2 Data Flow Diagram	22-24
4.2.1 0 level Data Flow Diagram	22
4.2.2 1 st level Data Flow Diagram	23
4.2.3 2 nd level Data Flow Diagram	24
4.3 Data Dictionary	26-30
4.3.1 Table used	25-28
 CHAPTER 5: USER INTERFACES / CODING	 26-68
5.1 User Interface	26-33
5.2 Coding	34-68
 CHAPTER 6: LIMITATION AND FUTURE SCOPE	 69-71
6.1 Limitation	69
6.2 Future Scope	70
6.2 References	71

LIST OF FIGURES

1 Fig. 2 Process Design of System Analysis	5
2 Fig. Gantt Chart	9
3 Fig. ERD	13-14
4 Fig. 0 LEVEL DFD	15
5 Fig. 1 ST LEVEL DFD	16
6 Fig. 2 ND LEVEL DFD	17

LIST OF TABLES

TABLE 4.5.1 CUSTOMER DETAILS	22
TABLE 4.5.2 DELIVERY DETAILS	22
TABLE 4.5.3 ADMIN DETAILS	23
TABLE 4.5.4 STAFF DETAILS	23
TABLE 4.5.5 FEEDBACKDETAILS	24
TABLE 4.5.6 ORDER DETAILS	24
TABLE 4.5.7 LOGIN DETAILS	25

CHAPTER 1

INTRODUCTION

1.1 PROJECTDESCRIPTION

It is known globally that, in today's market, it is extremely difficult to start a new small-scale business and live-through the competition from the well-established and settled owners. In fast paced time of today, when everyone is squeezed for time, the majority of people are finicky when it comes to placing a food order. The customers of today are not only attracted because placing an order online is very convenient but also because they have visibility into the items offered, price and extremely simplified navigation for the order.

Online ordering system that I am proposing here, greatly simplifies the ordering process for both the customer and the restaurant. System presents an interactive and up-to-date menu with all available options in an easy to use manner. Customer can choose one or more items to place an order which will land in the Cart. Customer can view all the order details in the cart before checking out. At the end, customer gets order confirmation details. Once the order is placed it is entered in the database and retrieved in pretty much real time. This allows Restaurant Employees to quickly go through the orders as they are received and process all orders efficiently and effectively with minimal delays and confusion.

1.2 PROJECTPURPOSE

This Case study looks at the problem of setting up a fast food restaurant. In existing system there are few problems:

- For placing any orders customers have to visit hotels or restaurants to know about food items and then place order and pay. In this method time and manual work is required.
- While placing an order over the phone, customer lacks the physical copy of the menu item, lack of visual confirmation that the order was placed correctly.

- Every restaurant needs certain employees to take the order over phone or in-person, to offer a rich dining experience and process the payment. In today's market, labour rates are increasing day by day making it difficult to find employees when needed.

Hence, to solve this issue, what I propose is an "Online Food Order System, originally designed for small scale business like College Cafeterias, Fast Food restaurant or Take-Out, but this system is just as applicable in any food delivery industry.

The main advantage of my system is that it greatly simplifies the ordering process for both the customer and the restaurant and also greatly lightens the load on the restaurant's end, as the entire process of taking orders is automated.

Anticipated Benefits are:

- This will minimize the number of employees at the back of the counter.
- The system will help to reduce labour cost involved.
- The system will be less probable to make mistake, since it's a machine.
- This will avoid long queues at the counter due to the speed of execution and number of optimum screens to accommodate the maximum throughput.

1.3 Tools/Environment Used:

HARDWAREUSED

PROCESSOR-I56thgeneration

RAM- 8 GB

Monitor – HCL LCD

Hard disk – 256 GB

Key board – HP

SOFTWARE USED

Visual studio Code - 2020

Operating System – Window

CHAPTER 2

LITERATURE REVIEW

2.1 System Analysis

System Analysis by definition is a process of systematic investigation for the purpose of gathering data, interpreting the facts, diagnosing the problem and using this information to either build a completely new system or to recommend the improvements to the existing system.

A satisfactory system analysis involves the process of examining a business situation with the intent of improving it through better methods and procedures. In its core sense, the analysis phase defines the requirements of the system and the problems which user is trying to solve irrespective of how the requirements would be accomplished.

System development can generally be thought of having two major components: systems analysis and systems design. In System analysis more emphasis is given to understanding the details of an existing system or a proposed one and then deciding whether the proposed system is desirable or not and whether the existing system needs improvements. Thus, system analysis is the process of investigating a system, identifying problems, and using the information to recommend improvements to the system.

Process Design of System Analysis




Fig. 1

2.2 Feasibility Study

Feasibility is the determination of whether or not a project is worth doing. The process followed in making this determination is called a feasibility study.

Types of feasibility

- I. **Technical Feasibility:** -It is concerned with the availability of hardware and software required for the development of the system. The technical needs of the system may vary considerable, but might include:
 - The facility to produce outputs in a given time.
 - Response time under certain condition.
 - Ability to process a certain volume of transaction at a particular speed.
 - Facility to communication data to distinct location.
- II. **Operational Feasibility:** - Operational feasibility is all about problems that may arise during operations. There are two aspects related with this issue:-
 - What is the probability that the solution developed may not be put to use or may not work?
 - What is the inclination of the management and end users towards the solution?
- III. **Economic Feasibility:** -It is the measure of cost effectiveness of the project. The economic feasibility is nothing but judging whether the possible benefit of solving the problem is worth right or not.
- IV. **Social Feasibility:** - Social feasibility is determined a proposed project will be acceptable to the people or not.
- V. **Management Feasibility:** - This type of feasibility determines a proposed project will be acceptable to management. If Management does not support or gives a negligible support to it. The analyst will tend to view the project as a non-feasible one.
- VI. **Legal Feasibility:** - Legal feasibility studies issues arising out of the need to the development of the system. The possible consideration might include copyright law, labor law, antitrust legislation, foreign trade, regulation etc.

2.3 Fact Finding Techniques

To Study any system the analyst needs to do collect facts and all relevant information the facts when expressed in quantitative form are termed as data. The success of any project is depended upon the accuracy of available data. Accurate information can be collected with help of certain methods/ techniques. These specific methods for finding information of the system are termed as fact finding techniques. Interview, Questionnaire, Record View and Observations are the different fact finding techniques used by the analyst. The analyst may use more than one technique for investigation.

Interview

This method is used to collect the information from groups or individuals. Analyst selects the people who are related with the system for the interview. In this method the analyst sits face to face with the people and records their responses. The interviewer must plan in advance the type of questions he/ she is going to ask and should be ready to answer any type of question. He should also choose a suitable place and time which will be comfortable for the respondent.

The information collected is quite accurate and reliable as the interviewer can clear and cross check the doubts there itself. This method also helps gap the areas of misunderstandings and help to discuss about the future problems. Structured and unstructured are the two sub categories of Interview. Structured interview is more formal interview where fixed questions are asked and specific information is collected whereas unstructured interview is more or less like a casual conversation where in-depth areas topics are covered and other information apart from the topic may also be obtained.

Questionnaire

It is the technique used to extract information from number of people. This method can be adopted and used only by a skillful analyst. The Questionnaire consists of series of questions framed together in logical manner. The questions are simple, clear and to the point. This method is very useful for attaining information from people who are concerned with the usage of the system and who are living in different countries. The questionnaire can be mailed or send to people by post. This is the cheapest source of fact finding.

Record view

The information related to the system is published in the sources like newspapers, magazines, journals, documents etc. This record review helps the analyst to get valuable information about the system and the organization.

On-Site Observation

Unlike the other fact finding techniques, in this method the analyst himself visits the organization and observes and understand the flow of documents, working of the existing system, the users of the system etc. For this method to be adopted it takes an analyst to perform this job as he knows which points should be noticed and highlighted. In analyst may observe the unwanted things as well and simply cause delay in the development of the new system.

2.4 Scheduling

2.4.1 Gantt chart:

Gantt chart is a project control technique that can be used for several purposes including scheduling and planning. Gantt chart is also known bar chart with each box representing an activity.

We estimated the no. of weeks required for each as follows :




Fig. 2

2.4.2 Program Evaluation and Review Technique(PERT)

Like the Gantt chart, PERT makes use of tasks. Like milestone charts, it shows achievements. These achievements however are not task achievements. They are terminal achievement, called events. Arrows are used to represent tasks and circles represent the beginning or completion of a task. The PERT chart uses these paths and events to show the interrelationships of project activities.

The events in my project can be categorised as:

1. Meeting to the Employees of company to understand the project.
2. Table Designing
3. Form Designing
4. Writing Codes
5. Designing Reports
6. Testing the project
7. Implementation of project

Each task is limited by an identifiable event. An event has no duration; it simply tells you that the activity has ended or begun. Each task must have a beginning and an ending event. A task can start only after the tasks depends on have been completed.

PERT does not allow “looping back” because a routing that goes back to a task does not end.

CHAPTER 3

REQUIREMENT SPECIFICATIONS

3.1 HARDWARE REQUIREMENTS

- RAM: 2GB
- Operating system: Android or iOS

3.2 SOFTWARE REQUIREMENTS

3.3 SRS of the Project

FUNCTIONAL & NON-FUNCTIONAL REQUIREMENTS

Functional Requirements:

1. Registration

If customer wants to order the food then he/she must be registered, unregistered user can't go for ordering.

2. Login

The customer login to the system by entering valid user id and password for ordering.

3. Display the menu

In the system, all the items are displayed with their rates.

4. Modify menu

System can make changings in menu like adding or removing food items which are not

available.

5. Select food item/s

Items are selected customer feel free to order.

6. Changes to order^{[1][SEP]} Changes to order means the customer can make changings in order like he/she can delete or add food item in order.

7. Review the order before submitting

Before submitting the complete order is reviewed to the customer. Customer name, phone number, location (address) and placed order, hence finally order is submitted.

8. Payment:^{[1][SEP]} For customer there are many type of secure billing will be prepaid as debit or credit card, postpaid as after delivering, check or bank draft.

9. Provide de livery and payment details

Here bill is generated, order no. and payment is given and confirmation of delivery is done.

10. Logout

After the payment or surf the product the customer will log out.

Non-Functional Requirements:

1. Portability

System running on one platform can easily be converted to run on another platform.

2. Reliability

The ability of the system to behave consistently in a user-acceptable manner when operating within the environment for which the system was intended.

3. Availability

The system should be available at all times, meaning the user can access it using a web browser, only restricted by the down time of the server on which the system runs.

4. Maintainability

A commercial database is used for maintaining the database and the application server takes care of the site.

5. Security

Secure access of confidential data (customer information).

CHAPTER 4

DESIGN

4.1 ENTITY RELATIONSHIP DIAGRAM

An ER diagram is a model that identifies the concepts or entities that exist in a system and the relationships between those entities. An ERD is often used as a way to visualize a relational database: each entity represents a database table and the relationship lines represents the key in one table that point to specific records in related tables.

Advantages of ER diagram

- Professional and faster Development.
- Productivity Improvement.
- Fewer Faults in Development.
- Maintenance becomes easy.




Fig. 3

4.2 0 Level DFD




Fig. 4

4.3 1- Level DFD




Fig. 5

4.4 2nd levelDFD




Fig. 6

4.5 DATADITIONARY

- **Tables Used**

1) CustomerDetails

S.No.	Attribute	Data Type	Size	Description
1.	userID	varchar	20	This is the primary key which stores unique ID of the users
2.	FirstName	varchar	50	This stores the first name of the users.
3.	LastName	Varchar	50	This stores the last name of the users.
4.	Address	Varchar	MAX	This stores the address of the users.
5.	EmailId	varchar	50	This stores the email address of the users.
6.	MobileNo	integar		This stores mobile number of the users.
9.	Password	Varchar	50	This stores password of the users.

TABLE 4.5.1

2. Delivery Details

S.No.	Attribute	Data Type	Size	Description
1.	PlacePINCode	Varchar	20	This is primary key which stores the unique ID for places.
2.	NameOfPlace	Varchar	50	This field stores the name of the place.
3.	Address	Varchar	MAX	This filed stores the address of the places.
4.	City	varchar	20	This field stores the city of the place.

TABLE 4.5.2

3. AdminDetails

S.No.	Attribute	Data Type	Size	Description
1.	AdminID	varchar	20	This is the primary key which stores unique ID of the staff/admin.
2.	AdminName	varchar	50	This stores the name of the admin/staff.
3.	Password	varchar	50	This stores password of the admin/staff.
4.	Age	int	10	This will store age of the admin/staff.
5.	Address	varchar	MAX	This will store address of the admin/staff.
6.	DOJ	date		This will store date of joining of the admin/staff.
7.	Gender	varchar	20	This stores gender of the admin/staff

TABLE 4.5.3

4. StaffDetails

S.No.	Attribute	Data Type	Size	Description
1.	StaffID	varchar	20	This is the primary key which store unique ID of guide.
2.	StaffName	varchar	50	This will store name of the guide.
3.	Mobile No.	integer	10	This stores mobile number of the staff.
5.	Address	varchar	MAX	This stores the address of the guide.
6.	Qualification	varchar	50	This stores the qualification of the guide.
7.	Age	int	10	This stores the age of the guide.
8.	DOJ	varchar		This stores gender of the admin/staff

9.	Gender	varchar	20	This stores gender of the guide.
----	--------	---------	----	----------------------------------

TABLE 4.5.4

5. FeedbackDetails

S.No.	Attribute	Data Type	Size	Description
1.	FeedbackNo.	Varchar	20	This is primary key and store unique number for feedback.
2.	FeedbackMessage	Varchar	MAX	This field store feedback messages from the users.
3.	FeedbackDate	Date		This store the date of the message.
4.	FeedbackTime	Time		This store the time of the message.
6.	userID	Varchar	20	This is foreign key.

TABLE 4.5.5

6. OrderDetails

S.No.	Attribute	Data Type	Size	Description
1.	OrderNo.	varchar	20	This is primary key which stores unique number for queries.
2.	OrderDate	date		This stores date of the query.
3.	OrderTime	time		This stores time of the query.
5.	userID	varchar	20	

TABLE 4.5.6

7. LoginDetails

S.No.	Attribute	Data Type	Size	Description
1.	LoginID	varchar	20	This stores the Login ID of users and staff
2.	Password	varchar	50	This stores the password of users and staff.
3.	Role	int		This stores Role.

GE

TABLE 4.5.7


CHAPTER 5

USER INTERFACES / CODING

5.1 User Interfaces


5.1.1 Splash Screen

This is our Splash Screen. User get started here.




5.1.2 SignIn Screen


This is our SignIn Screen. User login our id.



5.1.3 Home Screen


This is our Home Screen. User get the list of explore places here.






5.1.4 Profile Screen

This is our Profile Screen. User check profile h



ere.



5.1.5 Notification Screen

This is our Notification Screen. User get the update or notification here.

5.1.6 Edit Profile Screen

This is our Edit Profile Screen. User update profile here.

5.1.7 Explore Screen

This is our Explore Screen. User get the list of explore places here.

5.1.8 SignUp Screen

This is our SignUp Screen. User do registered here.

}

```
<Spacer position="bottom" size="large">
<RestaurantInfoCard restaurant={item} />
</Spacer>
```

ABOUT.HTML

```

<!DOCTYPE html>
<html lang="en">

<head>
  <!-- basic -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- mobile metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="viewport" content="initial-scale=1, maximum-scale=1">
  <!-- site metas -->
  <title>Spicyo</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- bootstrap css -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- owl css -->
  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <!-- style css -->
  <link rel="stylesheet" href="css/style.css">
  <!-- responsive-->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- awesome fontfamily -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif]-->
</head>
<!-- body -->

<body class="main-layout about_page">
  <!-- loader -->
  <div class="loader_bg">
    <div class="loader"></div>
  </div>

  <div class="wrapper">
    <!-- end loader -->

    <div class="sidebar">
      <!-- Sidebar -->
      <nav id="sidebar">

        <div id="dismiss">
          <i class="fa fa-arrow-left"></i>
        </div>

        <ul class="list-unstyled components">

```

```

        <li >
            <a href="index.html">Home</a>
        </li>
        <li class="active">
            <a href="about.html">About</a>
        </li>
        <li>
            <a href="recipe.html">Recipe</a>
        </li>
        <li>
            <a href="blog.html">Blog</a>
        </li>
        <li>
            <a href="contact.html">Contact Us</a>
        </li>
    </ul>

</nav>
</div>

<div id="content">
<!-- header -->
<header>
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-3">
                <div class="full">
                    <a class="logo" href="index.html"></a>
                </div>
            </div>
            <div class="col-md-9">
                <div class="full">
                    <div class="right_header_info">
                        <ul>
                            <li class="dinone">Contact Us : <a href="#">821-822-
3816</a></li>
                            <li class="dinone"><a href="#">ayushverma@gmail.com</a></li>
                            <li class="dinone"><a href="#">84 , MZN</a></li>
                            <li class="button_user"><a class="button active" href="#">Logi
n</a><a class="button" href="#">Register</a></li>
                            <li></li>
                            <li>
                                <button type="button" id="sidebarCollapse">

```



```

        <a href="#">Read More <i class="fa fa-long-arrow-right" aria-
hidden="true"></i></a>
    </div>
</div>
    <div class="col-xl-5 col-lg-5 col-md-10 col-sm-12 about_img_boxpdnt">
        <div class="about_img">
            <figure></figure>
        </div>
    </div>
</div>
</div>
<!-- end about -->

<!-- footer -->
<fooeetr>
    <div class="footer">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-12">
                    <h2>Request A<strong class="white"> Call Back</strong></h2>
                </div>
                <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">

                    <form class="main_form">
                        <div class="row">

                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <input class="form-
control" placeholder="Name" type="text" name="Name">
                            </div>
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <input class="form-
control" placeholder="Email" type="text" name="Email">
                            </div>
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <input class="form-
control" placeholder="Phone" type="text" name="Phone">
                            </div>
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <textarea class="textarea" placeholder="Message" type="tex
t" name="Message"></textarea>
                            </div>
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <button class="send">Send</button>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
            <div class="img-box">
                <figure></figure>
            </div>
        </div>
    </div>
    <div class="row">
        <div class="col-md-12">
            <div class="footer_logo">
                <a href="index.html"></a>
            </div>
        </div>
        <div class="col-md-12">
            <ul class="lik">
                <li> <a href="index.html">Home</a></li>
                <li class="active"> <a href="about.html">About</a></li>
                <li> <a href="recipe.html">Recipe</a></li>
                <li> <a href="blog.html">blog</a></li>
                <li> <a href="contact.html">Contact us</a></li>
            </ul>
        </div>
        <div class="col-md-12">
            <div class="new">
                <h3>Newsletter</h3>
                <form class="newtetter">
                    <input class="tetter" placeholder="Your email" type="text" nam
e="Your email">
                    <button class="submit">Subscribe</button>
                </form>
            </div>
        </div>
    </div>
    <div class="copyright">
        <div class="container">
            <p>© 2021 All Rights Reserved. Design by<a href="https://html.design/"> Ay
ush Verma</a></p>
        </div>
    </div>
</div>
</div>
<div class="overlay"></div>
<!-- Javascript files-->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>

```

```

<script src="js/owl.carousel.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/jquery.mCustomScrollbar.concat.min.js"></script>

<script src="js/jquery-3.0.0.min.js"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#sidebar").mCustomScrollbar({
            theme: "minimal"
        });

        $('#dismiss, .overlay').on('click', function() {
            $('#sidebar').removeClass('active');
            $('.overlay').removeClass('active');
        });

        $('#sidebarCollapse').on('click', function() {
            $('#sidebar').addClass('active');
            $('.overlay').addClass('active');
            $('.collapse.in').toggleClass('in');
            $('a[aria-expanded=true]').attr('aria-expanded', 'false');
        });
    });
</script>
</body>
</html>

```

BLOG.HTML

```

<!DOCTYPE html>
<html lang="en">

<head>

```

```

<!-- basic -->
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<!-- mobile metas -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="initial-scale=1, maximum-scale=1">
<!-- site metas -->
<title>Spicyo</title>
<meta name="keywords" content="">
<meta name="description" content="">
<meta name="author" content="">
<!-- bootstrap css -->
<link rel="stylesheet" href="css/bootstrap.min.css">
<!-- owl css -->
<link rel="stylesheet" href="css/owl.carousel.min.css">
<!-- style css -->
<link rel="stylesheet" href="css/style.css">
<!-- responsive-->
<link rel="stylesheet" href="css/responsive.css">
<!-- awesome fontfamily -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif]-->
</head>
<!-- body -->

<body class="main-layout blog_page">
    <!-- loader -->
    <div class="loader_bg">
        <div class="loader"></div>
    </div>

    <div class="wrapper">
        <!-- end loader -->

        <div class="sidebar">
            <!-- Sidebar -->
            <nav id="sidebar">

                <div id="dismiss">
                    <i class="fa fa-arrow-left"></i>
                </div>

                <ul class="list-unstyled components">

                    <li >
                        <a href="index.html">Home</a>
                    </li>

```

```

        <li>
            <a href="about.html">About</a>
        </li>
        <li>
            <a href="recipe.html">Recipe</a>
        </li>
        <li class="active">
            <a href="blog.html">Blog</a>
        </li>
        <li>
            <a href="contact.html">Contact Us</a>
        </li>
    </ul>

</nav>
</div>

<div id="content">
<!-- header -->
<header>
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-3">
                <div class="full">
                    <a class="logo" href="index.html"></a>
                </div>
            </div>
            <div class="col-md-9">
                <div class="full">
                    <div class="right_header_info">
                        <ul>
                            <li class="dinone">Contact Us : <a href="#">821-822-
3816</a></li>
                            <li class="dinone"><a href="#">ayushverma@gmail.com</a></li>
                            <li class="dinone"><a href="#">84 ,MZN</a></li>
                            <li class="button_user"><a class="button active" href="#">Logi
n</a><a class="button" href="#">Register</a></li>
                            <li></li>
                            <li>
                                <button type="button" id="sidebarCollapse">
                                    
                                </button>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

        <span>02 FEB 2021</span>
    </figure>
</div>
<h3>Egg & Tosh</h3>
<p>The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the </p>
</div>
</div>
<div class="col-xl-4 col-lg-4 col-md-4 col-sm-12">
    <div class="blog_box">
        <div class="blog_img_box">
            <figure>
            <span>02 FEB 2021</span>
        </figure>
        </div>
        <h3>Pizza</h3>
        <p>The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the </p>
        </div>
    </div>
</div>
</div>
<!-- end blog -->

<!-- footer -->
<fooeatr>
    <div class="footer">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-12">
                    <h2>Request A<strong class="white"> Call Back</strong></h2>
                </div>
                <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
                    <form class="main_form">
                        <div class="row">
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <input class="form-control" placeholder="Name" type="text" name="Name">
                            </div>
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                                <input class="form-control" placeholder="Email" type="text" name="Email">
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <input class="form-
control" placeholder="Phone" type="text" name="Phone">
    </div>
    <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
        <textarea class="textarea" placeholder="Message" type="tex
t" name="Message"></textarea>
    </div>
    <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
        <button class="send">Send</button>
    </div>
</div>
</form>
</div>
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
    <div class="img-box">
        <figure></figure>
    </div>
</div>
</div>
<div class="row">
    <div class="col-md-12">
        <div class="footer_logo">
            <a href="index.html"></a>
        </div>
    </div>
    <div class="col-md-12">
        <ul class="lik">
            <li> <a href="index.html">Home</a></li>
            <li> <a href="about.html">About</a></li>
            <li> <a href="recipe.html">Recipe</a></li>
            <li class="active"> <a href="blog.html">Blog</a></li>
            <li> <a href="contact.html">Contact us</a></li>
        </ul>
    </div>
    <div class="col-md-12">
        <div class="new">
            <h3>Newsletter</h3>
            <form class="newtetter">
                <input class="tetter" placeholder="Your email" type="text" nam
e="Your email">
                <button class="submit">Subscribe</button>
            </form>
        </div>
    </div>
</div>
</div>
<div class="copyright">
    <div class="container">
        <p>© 2021All Rights Reserved. Design by<a href="https://html.design/"> Ayu
sh Verma</a></p>

```



```

        </div>
    </div>
</div>
</fooeatr>
<!-- end footer -->

</div>
</div>
<div class="overlay"></div>
<!-- Javascript files-->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/custom.js"></script>
    <script src="js/jquery.mCustomScrollbar.concat.min.js"></script>

    <script src="js/jquery-3.0.0.min.js"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#sidebar").mCustomScrollbar({
            theme: "minimal"
        });

        $('#dismiss, .overlay').on('click', function() {
            $('#sidebar').removeClass('active');
            $('.overlay').removeClass('active');
        });

        $('#sidebarCollapse').on('click', function() {
            $('#sidebar').addClass('active');
            $('.overlay').addClass('active');
            $('.collapse.in').toggleClass('in');
            $('a[aria-expanded=true]').attr('aria-expanded', 'false');
        });
    });
</script>
</body>
</html>

```

CONTACT.HTML

```

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <!-- basic -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- mobile metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="viewport" content="initial-scale=1, maximum-scale=1">
  <!-- site metas -->
  <title>Spicyo</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- bootstrap css -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- owl css -->
  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <!-- style css -->
  <link rel="stylesheet" href="css/style.css">
  <!-- responsive-->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- awesome fontfamily -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif]-->
</head>
<!-- body -->

<body class="main-layout Contact_page">
  <!-- loader -->
  <div class="loader_bg">
    <div class="loader"></div>
  </div>

  <div class="wrapper">
    <!-- end loader -->

    <div class="sidebar">
      <!-- Sidebar -->
      <nav id="sidebar">

        <div id="dismiss">
          <i class="fa fa-arrow-left"></i>
        </div>

        <ul class="list-unstyled components">

          <li >

```

```

        <a href="index.html">Home</a>
    </li>
    <li>
        <a href="about.html">About</a>
    </li>
    <li>
        <a href="recipe.html">Recipe</a>
    </li>
    <li>
        <a href="blog.html">Blog</a>
    </li>
    <li class="active">
        <a href="contact.html">Contact Us</a>
    </li>
</ul>

</nav>
</div>

<div id="content">
<!-- header -->
<header>
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-3">
                <div class="full">
                    <a class="logo" href="index.html"></a>
                </div>
            </div>
            <div class="col-md-9">
                <div class="full">
                    <div class="right_header_info">
                        <ul>
                            <li class="dinone">Contact Us : <a href="#">821-822-
3816</a></li>
                            <li class="dinone"><a href="#">ayushverma@gmail.com</a></li>
                            <li class="dinone"><a href="#">84 , MZN</a></li>
                            <li class="button_user"><a class="button active" href="#">Logi
n</a><a class="button" href="#">Register</a></li>
                            <li></li>
                            <li>
                                <button type="button" id="sidebarCollapse">
                                    
                                </button>

```



```

        <div class="row">
            <div class="col-md-12">
                <div class="footer_logo">
                    <a href="index.html"></a>
                </div>
            </div>
            <div class="col-md-12">
                <ul class="lik">
                    <li> <a href="index.html">Home</a></li>
                    <li> <a href="about.html">About</a></li>
                    <li> <a href="recipe.html">Recipe</a></li>
                    <li> <a href="blog.html">blog</a></li>
                    <li class="active"> <a href="contact.html">Contact us</a></li>
                </ul>
            </div>
            <div class="col-md-12">
                <div class="new">
                    <h3>Newsletter</h3>
                    <form class="newtetter">
                        <input class="tetter" placeholder="Your email" type="text" nam
e="Your email">
                        <button class="submit">Subscribe</button>
                    </form>
                </div>
            </div>
        </div>
        <div class="copyright">
            <div class="container">
                <p>© 2021 All Rights Reserved. Design by<a href="https://html.design/"> Ay
ush Verma</a></p>
            </div>
        </div>
    </div>
</fooetr>
<!-- end footer -->

</div>
</div>
<div class="overlay"></div>
<!-- Javascript files-->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/jquery.mCustomScrollbar.concat.min.js"></script>

<script src="js/jquery-3.0.0.min.js"></script>
<script type="text/javascript">

```

```

$(document).ready(function() {
    $("#sidebar").mCustomScrollbar({
        theme: "minimal"
    });

    $('#dismiss, .overlay').on('click', function() {
        $('#sidebar').removeClass('active');
        $('.overlay').removeClass('active');
    });

    $('#sidebarCollapse').on('click', function() {
        $('#sidebar').addClass('active');
        $('.overlay').addClass('active');
        $('.collapse.in').toggleClass('in');
        $('a[aria-expanded=true]').attr('aria-expanded', 'false');
    });
});
</script>
</body>
</html>

```

INDEX.HTML

```

<!DOCTYPE html>
<html lang="en">

<head>
    <!-- basic -->
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <!-- mobile metas -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="initial-scale=1, maximum-scale=1">
    <!-- site metas -->
    <title>Spicyo</title>
    <meta name="keywords" content="">
    <meta name="description" content="">
    <meta name="author" content="">
    <!-- bootstrap css -->
    <link rel="stylesheet" href="css/bootstrap.min.css">
    <!-- owl css -->

```

```

<link rel="stylesheet" href="css/owl.carousel.min.css">
<!-- style css -->
<link rel="stylesheet" href="css/style.css">
<!-- responsive-->
<link rel="stylesheet" href="css/responsive.css">
<!-- awesome fontfamily -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif]-->
</head>
<!-- body -->

<body class="main-layout">
    <!-- loader -->
    <div class="loader_bg">
        <div class="loader"></div>
    </div>

    <div class="wrapper">
    <!-- end loader -->

        <div class="sidebar">
            <!-- Sidebar -->
            <nav id="sidebar">

                <div id="dismiss">
                    <i class="fa fa-arrow-left"></i>
                </div>

                <ul class="list-unstyled components">

                    <li class="active">
                        <a href="index.html">Home</a>
                    </li>
                    <li>
                        <a href="about.html">About</a>
                    </li>
                    <li>
                        <a href="recipe.html">Recipe</a>
                    </li>
                    <li>
                        <a href="blog.html">Blog</a>
                    </li>
                    <li>
                        <a href="contact.html">Contact Us</a>
                    </li>
                </ul>
            </nav>
        </div>
    </div>

```

```

        </nav>
    </div>

    <div id="content">
    <!-- header -->
    <header>
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-3">
                    <div class="full">
                        <a class="logo" href="index.html"></a>
                    </div>
                </div>
                <div class="col-md-9">
                    <div class="full">
                        <div class="right_header_info">
                            <ul>
                                <li class="dinone">Contact Us : <a href="#">821-822-
3816</a></li>
                                <li class="dinone"><a href="#">ayushverma@gmail.com</a></li>
                                <li class="dinone"><a href="#">84 , MZN</a></li>
                                <li class="button_user"><a class="button active" href="#">Logi
n</a><a class="button" href="#">Register</a></li>
                                <li></li>
                                <li>
                                    <button type="button" id="sidebarCollapse">
                                        
                                    </button>
                                </li>
                            </ul>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </header>
    <!-- end header -->
    <!-- start slider section -->
    <div class="slider_section">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="full">

```



```

        <div id="main_slider" class="carousel vert slide" data-
ride="carousel" data-interval="5000">
            <div class="carousel-inner">
                <div class="carousel-item active">
                    <div class="row">
                        <div class="col-md-5">
                            <div class="slider_cont">
                                <h3>Discover Restaurants<br>That deliver near
You</h3>
                                <p>It is a long established fact that a reader
will be distracted by the readable content of a page when looking at its layout.</p>
                                <a class="main_bt_border" href="#">Order Now</
a>
                            </div>
                        </div>
                        <div class="col-md-7">
                            <div class="slider_image full text_align_center">
                                
                            </div>
                        </div>
                    </div>
                </div>
                <div class="carousel-item">
                    <div class="row">
                        <div class="col-md-5">
                            <div class="slider_cont">
                                <h3>Discover Restaurants<br>That deliver near
You</h3>
                                <p>It is a long established fact that a reader
will be distracted by the readable content of a page when looking at its layout.</p>
                                <a class="main_bt_border" href="#">Order Now</
a>
                            </div>
                        </div>
                        <div class="col-md-7 full text_align_center">
                            <div class="slider_image">
                                
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <a class="carousel-control-
prev" href="#main_slider" role="button" data-slide="prev">
                <i class="fa fa-angle-up"></i>
            </a>
            <a class="carousel-control-
next" href="#main_slider" role="button" data-slide="next">

```

```

        <i class="fa fa-angle-down"></i>
      </a>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
<!-- end slider section -->

```

```

<!-- section -->
<section class="resip_section">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="ourheading">
          <h2>Our Recipes</h2>
        </div>
      </div>
    </div>
  </div>
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="owl-carousel owl-theme">

          <div class="item">
            <div class="product_blog_img">
              
            </div>
            <div class="product_blog_cont">
              <h3>Homemade</h3>
              <h4><span class="theme_color">${</span>10</h4>
            </div>
          </div>
          <div class="item">
            <div class="product_blog_img">
              
            </div>
            <div class="product_blog_cont">

```

```

        <h3>Noodles</h3>
        <h4><span class="theme_color">$</span>20</h4>
    </div>
</div>
<div class="item">
    <div class="product_blog_img">
        
    </div>
    <div class="product_blog_cont">
        <h3>Egg</h3>
        <h4><span class="theme_color">$</span>30</h4>
    </div>
</div>
<div class="item">
    <div class="product_blog_img">
        
    </div>
    <div class="product_blog_cont">
        <h3>Sushi Dizzy</h3>
        <h4><span class="theme_color">$</span>40</h4>
    </div>
</div>
<div class="item">
    <div class="product_blog_img">
        
    </div>
    <div class="product_blog_cont">
        <h3>The Coffee Break</h3>
        <h4><span class="theme_color">$</span>50</h4>
    </div>
</div>
<div class="item">
    <div class="product_blog_img">
        
    </div>
    <div class="product_blog_cont">
        <h3>Homemade</h3>
        <h4><span class="theme_color">$</span>10</h4>
    </div>
</div>
<div class="item">
    <div class="product_blog_img">
        
    </div>
    <div class="product_blog_cont">
        <h3>Noodles</h3>
        <h4><span class="theme_color">$</span>20</h4>
    </div>
</div>
<div class="item">

```



```

<div class="row">
  <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12">
    <div class="about_box">
      <h3>Best Food</h3>
      <p>Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscureContrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard </p>
      <a href="#">Read More <i class="fa fa-long-arrow-right" aria-hidden="true"></i></a>
    </div>
  </div>
  <div class="col-xl-5 col-lg-5 col-md-10 col-sm-12 about_img_boxpdnt">
    <div class="about_img">
      <figure></figure>
    </div>
  </div>
</div>
<!-- end about -->

<!-- blog -->
<div class="blog">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="title">
          <i></i>
          <h2>Our Blog</h2>
          <span>when looking at its layout. The point of using Lorem</span>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-xl-4 col-lg-4 col-md-4 col-sm-12 mar_bottom">
        <div class="blog_box">
          <div class="blog_img_box">
            <figure>
            <span>02 FEB 2019</span>
          </figure>
        </div>
        <h3>Spicy Barger</h3>
        <p>The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the </p>
      </div>
    </div>
  </div>

```

```

<div class="col-xl-4 col-lg-4 col-md-4 col-sm-12 mar_bottom">
  <div class="blog_box">
    <div class="blog_img_box">
      <figure>
      <span>02 FEB 2019</span>
    </figure>
  </div>
  <h3>Egg & Tosh</h3>
  <p>The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the </p>
  </div>
</div>
<div class="col-xl-4 col-lg-4 col-md-4 col-sm-12">
  <div class="blog_box">
    <div class="blog_img_box">
      <figure>
      <span>02 FEB 2019</span>
    </figure>
  </div>
  <h3>Pizza</h3>
  <p>The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the </p>
  </div>
</div>
</div>
</div>
</div>
<!-- end blog -->

<!-- Our Client -->
<div class="Client">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="title">
          <i></i>
          <h2>Our Client</h2>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-6 offset-md-3">
        <div class="Client_box">
          
          <h3>Roock Due</h3>
          <p>There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, by injected humour, or randomised words which don't lo

```

ok even slightly believable. If you are going to use a passage of Lorem Ipsum, you need to be sure there isn't anything embarrassing hidden in the middle of text.</p>

```
<i></i>
</div>
</div>
</div>
</div>
</div>
<!-- end Our Client -->
</div>
<!-- footer -->
<fooeer>
  <div class="footer">
    <div class="container-fluid">
      <div class="row">
        <div class=" col-md-12">
          <h2>Request A<strong class="white"> Call Back</strong></h2>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">

          <form class="main_form">
            <div class="row">

              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Name" type="text" name="Name">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Email" type="text" name="Email">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Phone" type="text" name="Phone">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <textarea class="textarea" placeholder="Message" type="tex
t" name="Message"></textarea>
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <button class="send">Send</button>
              </div>
            </div>
          </form>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
          <div class="img-box">
            <figure></figure>
          </div>
        </div>
      </div>
    </div>
  </div>
</fooeer>
```

```

    </div>
    <div class="row">
        <div class="col-md-12">
            <div class="footer_logo">
                <a href="index.html"></a>
            </div>
        </div>
        <div class="col-md-12">
            <ul class="lik">
                <li class="active"> <a href="index.html">Home</a></li>
                <li> <a href="about.html">About</a></li>
                <li> <a href="recipe.html">Recipe</a></li>
                <li> <a href="blog.html">Blog</a></li>
                <li> <a href="contact.html">Contact us</a></li>
            </ul>
        </div>
        <div class="col-md-12">
            <div class="new">
                <h3>Newsletter</h3>
                <form class="newtetter">
                    <input class="tetter" placeholder="Your email" type="text" nam
e="Your email">
                    <button class="submit">Subscribe</button>
                </form>
            </div>
        </div>
    </div>
    <div class="copyright">
        <div class="container">
            <p>© 2021 All Rights Reserved. Design by<a href="https://html.design/"> Ay
ush Verma</a></p>
        </div>
    </div>
</div>
</fooetr>
<!-- end footer -->

</div>
</div>
<div class="overlay"></div>
<!-- Javascript files-->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/jquery.mCustomScrollbar.concat.min.js"></script>

<script src="js/jquery-3.0.0.min.js"></script>

```



```

<script type="text/javascript">
    $(document).ready(function() {
        $("#sidebar").mCustomScrollbar({
            theme: "minimal"
        });

        $('#dismiss, .overlay').on('click', function() {
            $('#sidebar').removeClass('active');
            $('.overlay').removeClass('active');
        });

        $('#sidebarCollapse').on('click', function() {
            $('#sidebar').addClass('active');
            $('.overlay').addClass('active');
            $('.collapse.in').toggleClass('in');
            $('a[aria-expanded=true]').attr('aria-expanded', 'false');
        });
    });
</script>

<style>
#owl-demo .item{
    margin: 3px;
}
#owl-demo .item img{
    display: block;
    width: 100%;
    height: auto;
}
</style>

<script>
    $(document).ready(function() {
        var owl = $('.owl-carousel');
        owl.owlCarousel({
            margin: 10,
            nav: true,
            loop: true,
            responsive: {
                0: {
                    items: 1
                },
                600: {
                    items: 2
                },
                1000: {
                    items: 5
                }
            }
        });
    });

```

```

    })
  })
</script>

</body>

</html>

```

RECIPE.HTML

```

<!DOCTYPE html>
<html lang="en">

<head>
  <!-- basic -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- mobile metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="viewport" content="initial-scale=1, maximum-scale=1">
  <!-- site metas -->
  <title>Spicyo</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- bootstrap css -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- owl css -->
  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <!-- style css -->
  <link rel="stylesheet" href="css/style.css">
  <!-- responsive-->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- awesome fontfamily -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif]-->
</head>

```

```

<!-- body -->

<body class="main-layout Recipes_page">
  <!-- loader -->
  <div class="loader_bg">
    <div class="loader"></div>
  </div>

  <div class="wrapper">
    <!-- end loader -->

    <div class="sidebar">
      <!-- Sidebar -->
      <nav id="sidebar">

        <div id="dismiss">
          <i class="fa fa-arrow-left"></i>
        </div>

        <ul class="list-unstyled components">

          <li >
            <a href="index.html">Home</a>
          </li>
          <li>
            <a href="about.html">About</a>
          </li>
          <li class="active">
            <a href="recipe.html">Recipe</a>
          </li>
          <li>
            <a href="blog.html">Blog</a>
          </li>
          <li>
            <a href="contact.html">Contact Us</a>
          </li>
        </ul>

      </nav>
    </div>

    <div id="content">
      <!-- header -->
      <header>
        <div class="container-fluid">
          <div class="row">
            <div class="col-md-3">
              <div class="full">
                <a class="logo" href="index.html"></a>

```



```

<div class="owl-carousel owl-theme">

  <div class="item">
    <div class="product_blog_img">
      
    </div>
    <div class="product_blog_cont">
      <h3>Homemade</h3>
      <h4><span class="theme_color">$</span>10</h4>
    </div>
  </div>
  <div class="item">
    <div class="product_blog_img">
      
    </div>
    <div class="product_blog_cont">
      <h3>Noodles</h3>
      <h4><span class="theme_color">$</span>20</h4>
    </div>
  </div>
  <div class="item">
    <div class="product_blog_img">
      
    </div>
    <div class="product_blog_cont">
      <h3>Egg</h3>
      <h4><span class="theme_color">$</span>30</h4>
    </div>
  </div>
  <div class="item">
    <div class="product_blog_img">
      
    </div>
    <div class="product_blog_cont">
      <h3>Sushi Dizzy</h3>
      <h4><span class="theme_color">$</span>40</h4>
    </div>
  </div>
  <div class="item">
    <div class="product_blog_img">
      
    </div>
    <div class="product_blog_cont">
      <h3>The Coffee Break</h3>
      <h4><span class="theme_color">$</span>50</h4>
    </div>
  </div>
  <div class="item">
    <div class="product_blog_img">
      
    </div>

```

```

        </div>
        <div class="product_blog_cont">
            <h3>Homemade</h3>
            <h4><span class="theme_color">$</span>10</h4>
        </div>
    </div>
    <div class="item">
        <div class="product_blog_img">
            
        </div>
        <div class="product_blog_cont">
            <h3>Noodles</h3>
            <h4><span class="theme_color">$</span>20</h4>
        </div>
    </div>
    <div class="item">
        <div class="product_blog_img">
            
        </div>
        <div class="product_blog_cont">
            <h3>Egg</h3>
            <h4><span class="theme_color">$</span>30</h4>
        </div>
    </div>
    <div class="item">
        <div class="product_blog_img">
            
        </div>
        <div class="product_blog_cont">
            <h3>Sushi Dizzy</h3>
            <h4><span class="theme_color">$</span>40</h4>
        </div>
    </div>
    <div class="item">
        <div class="product_blog_img">
            
        </div>
        <div class="product_blog_cont">
            <h3>The Coffee Break</h3>
            <h4><span class="theme_color">$</span>50</h4>
        </div>
    </div>

</div>
</div>
</div>
</div>
</section>

```

```

<!-- footer -->
<fooeatr>
  <div class="footer">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
          <h2>Request A<strong class="white"> Call Back</strong></h2>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">

          <form class="main_form">
            <div class="row">

              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Name" type="text" name="Name">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Email" type="text" name="Email">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <input class="form-
control" placeholder="Phone" type="text" name="Phone">
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <textarea class="textarea" placeholder="Message" type="tex
t" name="Message"></textarea>
              </div>
              <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                <button class="send">Send</button>
              </div>
            </div>
          </form>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
          <div class="img-box">
            <figure></figure>
          </div>
        </div>
      </div>
      <div class="row">
        <div class="col-md-12">
          <div class="footer_logo">
            <a href="index.html"></a>
          </div>
        </div>
        <div class="col-md-12">
          <ul class="lik">
            <li> <a href="index.html">Home</a></li>

```

```

        <li> <a href="about.html">About</a></li>
        <li class="active"> <a href="recipe.html">Recipe</a></li>
        <li> <a href="blog.html">blog</a></li>
        <li> <a href="contact.html">Contact us</a></li>
    </ul>
</div>
<div class="col-md-12">
    <div class="new">
        <h3>Newsletter</h3>
        <form class="newtetter">
            <input class="tetter" placeholder="Your email" type="text" nam
e="Your email">
            <button class="submit">Subscribe</button>
        </form>
    </div>
</div>
</div>
<div class="copyright">
    <div class="container">
        <p>© 2021 All Rights Reserved. Design by<a href="https://html.design/"> Ay
ush Verma</a></p>
    </div>
</div>
</div>
</fooetr>
<!-- end footer -->

</div>
</div>
<div class="overlay"></div>
<!-- Javascript files-->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/jquery.mCustomScrollbar.concat.min.js"></script>

<script src="js/jquery-3.0.0.min.js"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#sidebar").mCustomScrollbar({
            theme: "minimal"
        });

        $('#dismiss, .overlay').on('click', function() {
            $('#sidebar').removeClass('active');
            $('.overlay').removeClass('active');
        });
    });

```



```

        $('#sidebarCollapse').on('click', function() {
            $('#sidebar').addClass('active');
            $('.overlay').addClass('active');
            $('.collapse.in').toggleClass('in');
            $('a[aria-expanded=true]').attr('aria-expanded', 'false');
        });
    });
</script>

<script>
$(document).ready(function() {
    var owl = $('.owl-carousel');
    owl.owlCarousel({
        margin: 10,
        nav: true,
        loop: true,
        responsive: {
            0: {
                items: 1
            },
            600: {
                items: 2
            },
            1000: {
                items: 5
            }
        }
    })
})
</script>

</body>

</html>

```

CHAPTER 7

LIMITATION AND FUTURE SCOPE

7.1 Limitation

1. Without registration tourist cannot make tour plan and select guide.
2. Maps are not provided.

7.2 FUTURE SCOPE

- 1) We can add new features as and when require.
- 2) Reusability of this system is also possible.
- 3) We can give cab and hotel facilities to the users.
- 4) We can give weather conditions of every place so as to make sure that the user will be comfortable to visit the desired place.
- 5) We can charge from user for providing guide.

We can give location of the explore places on map also

REFERENCES:-

1. Svetlin Nakov, Veselin Kolev, Nakov's Team, “*Fundamentals of Computer Programming with C#: Programming Principles, Object-Oriented Programming, Data Structures*” , Faber Publishing (19 March 2019).
2. Fundamentals of Java Programming
“<https://econsortium.aktu.ac.in/?p=47417>”
3. Start Programming Using HTML, CSS, and JavaScript “<https://econsortium.aktu.ac.in/?p=44914>”
4. HTML5 “<https://econsortium.aktu.ac.in/?p=46277>”
5. HTML5 Mobile Websites “<https://econsortium.aktu.ac.in/?p=50847>”
6. Mastering C++ “<https://econsortium.aktu.ac.in/?p=53548>”
7. Learning Java with Games
“<https://econsortium.aktu.ac.in/?p=47927>”
8. Java in Two Semesters “<https://econsortium.aktu.ac.in/?p=48102>”
9. Introduction to Software Design with Java
“<https://econsortium.aktu.ac.in/?p=48665>”
10. A Functional Start to Computing with Python “<https://econsortium.aktu.ac.in/?p=43948>”
11. A Beginners Guide to Python 3 Programming
“<https://econsortium.aktu.ac.in/?p=48751>”
12. Introduction to Python for Science and Engineering
“<https://econsortium.aktu.ac.in/?p=44568>”
13. Sarah Martin , ”Programming using HTML ,CSS and Javascript”
in https://www.researchgate.net/publication/321043238_HTML_CSS_and_JavaScript , November 2017 ,DOI: 10.1007/978-1-4842-2937-8_5

14. Dick Oliver ,Michael Morrison , “HTML5” in ”*Sams Teach Yourself HTML and CSS in 24 Hours*” , Sams; 7th edition (14 December 2005).
15. .Microsoft Visual studio 2015 Unleashed Publication(ThirdEdition)
16. Kanchan Naik , “Introduction to software design in c#” ,
<https://www.c-sharpcorner.com/UploadFile/bd5be5/design-patterns-in-net/> ,Dec 12,2020
17. Kalman Toth , “Database design with SQL” , in SQL Server 2012, Database Design , 31 December2012
18. PANKAJ JALOTE , “Concept of software engineering”, in An Integrated Approach to Software Engineering , DOI:10.1007/978-1-4684-9312-2 , EditionNumber:2

