F1 size (1.2 x 1.2 x 0.15)			C1 size (0.15 x 0.15 x 1.5)			GL/A-D	GL/1-4		F1 size (1.2 x 1.2 x 0.15)		
		m3			m3			m3			m3
		2.16			0.34			22.50			1.08
1.20	1.20	0.15	0.15	0.15	1.50	10.00	15.00	0.15	1.20	1.20	0.15
10.00 / 1.20			10.00 /			1.00 /			5.00 /		
E20.1			E20.1			E20.1			E20.1		
C25 Rfcd Conc in Pad fdn - F1			C25 Rfcd Conc in Pad fdn cols - C1			C25 Rfcd Conc in Oversit e bed			C25 Rfcd Conc in Pad fdn - F1		
ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш
m3_E 3	m3_E 3	m3_E 3	3. S.	m3_E 3	m3_E 3	т3_Е 3	m3_E 3	m3_E 3	т3_Е 3	m3_E 3	m3_E

	1	i	i	1	i			
3								
m3_E 3	E					26.08	m3	SUM
rft_E1 0	E	16mm dia rft to slabs	E20.2	999.0 0 /	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E	16mm dia rft to beams	E20.2	999.0 0 /	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E	16mm dia rft to column s	E20.2	999.0 0 /	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E	16mm dia rft to column s	E20.2	999.0 0 /	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E	16mm dia rft to column s	E20.2	999.0	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E	16mm dia rft to column s	E20.2	999.0 0 /	999.00	998,0 01.00	m	R1601 - Test Limit
rft_E1 0	E					5, 988,0 06.00	m	SUM
rft_E1 0	E				0.888	5, 317.35	t	TONNAGE
rft_E8	E	16mm	E30.2	100.00	100.00	10,000	m	R1615

		M.S Rft to column s - C1		1		.00		
rft_E8	E	16mm M.S Rft to column s - C1	E30.2	100.00	100.00	10,000	m	R1615
rft_E8	E	16mm M.S Rft to column s - C1	E30.2	100.00	100.00	10,000	m	R1615
rft_E8	E					30,00 0.00	m	SUM
rft_E8	Е				0.888	26.64	t	TONNAGE
m_F1	F	Precast Sills (100x7 5mm, splaye d) to window s	F10.15.	50.00 /	91.00	4, 550.0 0	m	W1 x10nr
m_F1	F	Precast Sills (100x7 5mm, splaye d) to window s	F10.15. 3	50.00 /	91.00	4, 550.0 0	m	W1 x10nr
m_F1	F	Precast Sills (100x7 5mm, splaye d) to	F10.15. 3	50.00 /	91.00	4, 550.0 0	m	W1 x10nr

		window s						
m_F1	F	Precast Sills (100x7 5mm, splaye d) to window s	F10.15.	50.00 /	91.00	4, 550.0 0	m	W1 x10nr
m_F1	F	Precast Sills (100x7 5mm, splaye d) to window s	F10.15. 3	50.00 /	91.00	4, 550.0 0	m	W1 x10nr
m_F1	F					22,750	m	SUM
m2_F1	F	150mm solid blockw ork - Bedroo ms	F30.1	5.00 /	12.00			GL/A-B x4
m2_F1	F				3.15	189.00	m2	flr to clg ht = 3.15m
m2_F1	F	150mm solid blockw ork - Bedroo ms ddt w/ ws	F30.1	5.00 /	1.80			DDT Windows
m2_F1	F				1.20	10.80	m2	ddt - W1 x 3nr

m2_F1	F	150mm solid blockw ork - Bedroo ms ddt w/ ws	F30.1	5.00 /	1.80			DDT Windows
m2_F1	F				1.20	10.80	m2	ddt - W1 x 3nr
m2_F1	F	150mm solid blockw ork - Bedroo ms ddt w/ ws	F30.1	5.00 /	1.80			DDT Windows
m2_F1	F				1.20	10.80	m2	ddt - W1 x 3nr
m2_F1	F	150mm solid blockw ork - Bedroo ms ddt w/ ws	F30.1	5.00 /	1.80			DDT Windows
m2_F1	F				1.20	10.80	m2	ddt - W1 x 3nr
m2_F1	F					232.20	m2	SUM
nr_L1	L	Panel Doors (hdwd) - D1	L20.1	10.00 /	10.00	100.00	nr	D1 (900x2100 mm)
nr_L1	L	Flush Doors (hdwd)	L20.1	5.00 /	15.00	75.00	nr	D2 (750x2100 mm)

		- D2						
nr_L1	L	Flush Doors (hdwd) - D2	L20.1	5.00 /	15.00	75.00	nr	D2 (750x2100 mm)
nr_L1	L	Flush Doors (hdwd) - D2	L20.1	5.00 /	15.00	75.00	nr	D2 (750x2100 mm)
nr_L1	L	Flush Doors (hdwd) - D2	L20.1	5.00 /	15.00	75.00	nr	D2 (750x2100 mm)
nr_L1	L					400.0	nr	SUM
nr_L2	L	Panel Door Frames (150x2 5mm; compo site unit)	L20.7.6	10.00 /	5.00	50.00	nr	D1 (900x2100 mm)
nr_L2	L	Flush Door Frames (150x2 5mm; compo site unit)	L20.7.6	5.00 /	5.00	25.00	nr	D1 (900x2100 mm)
nr_L2	L	Flush Door Frames (150x2 5mm; compo site unit)	L20.7.6	5.00 /	5.00	25.00	nr	D1 (900x2100 mm)

nr_L2	L	Flush Door Frames (150x2 5mm; compo site unit)	L20.7.6	1.00 /	5.00	-5.00	nr	D1 (900x2100 mm)
nr_L2	L	Flush Door Frames (150x2 5mm; compo site unit)	L20.7.6	1.00 /	5.00	5.00	nr	D1 (900x2100 mm)
nr_L2	L					100.00	nr	SUM
m_M2	M	Porc Treads (300m m wide, 12mm th.) to stairs	M20.7	17.00 /	1.20	20.40	m	treads x17nr
m_M2	М					20.40	m	SUM
m_M3	M	Porc Riser (150m m high, 12mm th.) to stairs	M20.8	18.00 /	1.20	21.60	m	risers x18nr
m_M3	М					21.60	m	SUM
m_M4	M	Porc Skirting (100m m high, flush)	M20.13	3.00 /	12.00	36.00	m	BR1,2,3

m_M4	М	Porc Skirting (100m m high, flush)	M20.13	3.00 /	0.90	-2.70	m	BR1,2,3 ddt D1 x3
m_M4	М	Porc Skirting (100m m high, flush)	M20.13	1.00 /	19.00	19.00	m	Hall
m_M4	М	Porc Skirting (100m m high, flush)	M20.13	2.00 /	0.90	-1.80	m	Hallddt D1 x2
m_M4	М					50.50	m	SUM