PROBLEMS FOR THE CATEGORY THEORY READING COURSE, 2017

SCOTT MORRISON

1. Assignment 1, due end of Week 4

1.1. Functors.

- (1) Leinster 1.2.21 (functors preserve isomorphisms)
- (2) Leinster 1.2.27, 1.2.28b (full, faithful)

1.2. Natural transformations.

- (1) In fdVec, show that the functors id and ** are naturally isomorphic.
- (2) Show the the horizontal composition of two natural transformations is in fact a natural transformation.
- (3) Prove carefully that the horizontal composition of two natural transformations is again a natural transformation.
- (4) Show that a functor $F: C \to \mathcal{D}$ is part of an equivalence of categories if and only if it is *fully faithful* and *essentially surjective*. Clearly state where you are using the axiom of choice, or add hypotheses so it is unnecessary.

1.3. Universal properties.

- (1) Prove that two initial objects in a category are isomorphic.
- (2) For each of the following categories, decide whether there is an initial, final, and/or zero object, and if so, describe them: FinSet, fdVec, Top, Top_{*} (pointed topological spaces), field extensions of a fixed field *F*, Graphs (your answer may depend on which class of graphs you consider), Semigroups, Groups.
- (3) Describe the product of two objects as the terminal object in some category.
- (4) Describe the tensor product of two vectors spaces as the initial object in some category.
- (5) Describe both the product and coproduct in the following categories: FinSet, Top, Top_{*}, AbGroup, Group, Graphs.

1.4. Adjunctions.

- (1) Consider the forgetful functor from abelian groups to groups. What is its left adjoint?
- (2) In the category of finite dimensional vector spaces, show that $\otimes V$ is biadjoint to $\otimes V^*$.
- (3) Prove that the 'hom-set isomorphism' and 'unit/counit' definitions of an adjunction are equivalent.

Date: Version of February 24, 2017.

2. Possible problems for later...

- (4) Give a condition (as weak as you can manage) on a pair of categories C, \mathcal{D} , which ensures that a functor $F: C \to \mathcal{D}$ has a left adjoint.
- (5) * Consider the forgetful functor from compact Haussdorff spaces into Hausdorff spaces. Show that its left adjoint is Stone-Čech compactification.
- (6) Recall the C Set is the category of functors from C to Set. Given a functor $F: C \to \mathcal{D}$, we have the pull-back functor $F^*: \mathcal{D}$ Set $\to C$ Set given by precomposition by F. If F^* has adjoints, we call them the right push-forward F_* and the left pushforward $F_!$ (pronounced usually 'F-shriek').

(You may like to read https://arxiv.org/abs/1009.1166.)

- (a) [[Calculate some examples.]]
- (b) Show that the polynomial functors, namely those of the form $F_!G^*H_*: \mathcal{E} \mathsf{Set} \to \mathcal{B} \mathsf{Set}$ for some diagram

$$\mathcal{B} \stackrel{F}{\leftarrow} \mathcal{C} \stackrel{G}{\rightarrow} \mathcal{D} \stackrel{H}{\leftarrow} \mathcal{E},$$

are closed under composition. (You may assume that all categories are finitely presented, i.e. the path category of some finite graph modulo finitely many relations. You may like to look at https://ncatlab.org/nlab/show/polynomial+functor, although as is often the case at the *nLab*, the presentation there is more general than we need.)

3. Abelian categories

4. The Yoneda embedding

- (1) Show if $F: C \to \mathcal{D}$ is a fully faithful functor, then $f \in C(X \to Y)$ is a monomorphism if and only if F(f) is. (Similarly for epimorphisms)
- (2) Use this, and the Yoneda embedding, so show that in a rigid abelian category, the functor $-\otimes X$ is exact. (See Proposition 2.1.8 of Bakalov-Kirillov if you need some help; they don't explain how they are using Yoneda, however!)

(Scott Morrison) Mathematical Sciences Institute, Australian National University *E-mail address*: scott.morrison@anu.edu.au