GOOD MORNING! 早上好! 안녕하세요!

DAY I (DONE)

- Welcome
- Project Introduction
- Introduction to Project Development Process
- Business Requirement Development
- System Requirement Development
- System(High Level) Design
- Time Management

DAY 2 (DONE?)

- YOLOv8 기반 데이터 수집/학습/deploy (Detection Alert)
 - 감시용 데이터 수집(bus, truck, tank 등)
 - 감시용 데이터 라벨링
 - YOLOv8 기반 학습
 - YOLOv8 Object Detection
- Porting to ROS
 - Create Detection Alert Node
 - Generate Topics to send image and Obj. Det. results
 - Create Subscriber node and display image and print data from the Topic

- AMR (Autonomous Mobile Robot)기반 카메라 인식 autonomous driving 시스템 with obstacle avoidance 구축 (AMR Controller)
 - Digital Mapping of environment
 - Goal Setting and Obstacle Avoidance using Navigation
 - Object Tracking w/ AMR camera
 - Control logic between navigation/obj. tracking/ obj. following (teleop)
- Porting to ROS
 - Create AMR Controller Node
 - Create and send Obj. Tracking Image and data to Sysmon
- And finally, Integration and Test of Detection Alert & AMR Controller

- Flask 를 이용한 웹 서버 구축 (System Monitor)
 - Flask/HTML Intro
 - Deploy YOLOv8 Obj. Det results to web
 - Log in 기능 구현
 - Sysmon 웹기능 구현
 - 알람 기능 구현

- SQLite3를 이용한 데이터베이스 구축 및 연동 (System Monitor)
 - SQLite3 기본 기능 구현
 - DB 기능 구축
 - 알람이 울리는 경우 DB에 저장하는 기능 구현
 - 저장된 내용 검색하는 기능 구현

- Porting to ROS
 - Update Sysmon Node code
 - Update the database with received Obj. Det. Data from Detection Alert Node
 - Display the content of DB on System Monitor web page
- And finally, Integration and Test of Detection Alert & System Monitor

프로젝트 RULE NUMBER ONE!!!

Have Fun Fun Fun!



The Agile - Scrum Framework



5 Stages of Scrum Sprint



This phase includes the processes related to the commencement of a project, such as a scope and objectives, creating and distributing its charter, and taking other steps to guarantee success.



This phase involves planning and estimating processes, including creating user stories, approving, assessing, committing user stories, creating tasks, evaluating tasks, and creating a Sprint backlog.



This phase is about executing the tasks and activities to create a product. These activities include building the various outputs, conducting daily standup meetings, and grooming the product backlog.



This stage of the project lifecycle is concerned with evaluating what has been accomplished so far, whether the team has worked to plan, and how it can do things better in the future.



This stage highlights delivering the accepted deliverables to the customer and determining, documenting, and absorbing the lessons learned during the project.



SW DEVELOPMENT PROCESS



PROJECT SPRINTS

- Detection Alert
 - Camera Capture
 - Object Detection
 - Send messages to other subsystems

- AMR Controller
 - Receive messages and act accordingly
 - Move using (SLAM) with Obstruction avoidance
 - Target Acquisition (Obj. Det.) and Tracking
 - Follow target using camera and motor control

- System Monitor
 - Receive and Display Detection Camera and info
 - Receive and Display AMR
 Camera and info
 - Store, display, and report Information and Alerts

TEAM EXERCISE 5

Perform coding and testing of Detection Alert Module

RESULTS & CODE REVIEW BY EACH TEAM

Show actual results against the expected results and explain the code written

PROJECT SPRINTS

- Detection Alert
 - Camera Capture
 - Object Detection
 - Send messages to other subsystems

- AMR Controller
 - Receive messages and act accordingly
 - Move using (SLAM) with Obstruction avoidance
 - Target Acquisition (Obj. Det.) and Tracking
 - Follow target using camera and motor control

- System Monitor
 - Receive and Display Detection Camera and info
 - Receive and Display AMR
 Camera and info
 - Store, display, and report Information and Alerts

INTRODUCTION TO AMR

- TurtleBot3
- https://emanual.robotis.com/docs/en/plat form/turtlebot3/quick-start/






AMR DEMO

- TurtleBot3
- https://emanual.robotis.com/docs/en/plat form/turtlebot3/quick-start/

- Navigation with SLAM
- Teleop with keyboard



POWER ON AND OFF AMR (VERY IMPORTANT!!!!)

POWER ON

- Make sure both Jetson and OpenCR is powered off.
- Must turn on OpenCR first!!!!
- Wait for the music from OpenCR
- Finally turn on Jetson

POWER OFF

- Execute proper shutdown
 - \$ sudo shutdown now

Turn off Jetson, Turn off OpenCR

Do NOT INSTALL any packages to AMR WITHOUT speaking with me first!!!

SETUP PC FOR AMR

INSTALL DEPENDENT ROS 2 PACKAGES

\$ Check if installed

\$ apt list | grep nav2-map-server

\$ apt list | grep carto

If not,

- \$ sudo apt install ros-humble-nav2-map-server
- \$ sudo apt install ros-humble-cartographer
- \$ sudo apt install ros-humble-cartographer-ros

TURTLEBOT3

https://emanual.robotis.com/docs/en/platform/turtlebot3/quick-start/

SETUP PC FOR AMR

CHECK IF ALREADY INSTALLED

- \$ apt list | grep dynam
- \$ apt list | grep turtlebot3

INSTALL TURTLEBOT3 PACKAGES

If not already installed,

- \$ source ~/.bashrc
- \$ sudo apt install ros-humble-dynamixel-sdk
- \$ sudo apt install ros-humble-turtlebot3msgs
- \$ sudo apt install ros-humble-turtlebot3

SETUP PC FOR AMR

- If you want to download the source code
- \$ mkdir -p ~/turtlebot3 ws/src
- \$ cd ~/turtlebot3_ws/src/
- \$ git clone -b humble-devel
 https://github.com/ROBOTISGIT/DynamixelSDK.git
- \$ git clone -b humble-devel
 https://github.com/ROBOTISGIT/turtlebot3_msgs.git

- \$ git clone -b humble-devel
 https://github.com/ROBOTIS-GIT/turtlebot3.git
- \$ cd ~/turtlebot3_ws
- \$ colcon build --symlink-install
- \$ echo 'source
 ~/turtlebot3_ws/install/setup.bash' >> ~/.bashrc
- \$ source ~/.bashrc

SETUP PC FOR AMR - ROS ID

PC

\$ cat ~/.bashrc

\$ source ~/.bashrc

\$ env | grep ROS

If ROS_DOMAIN_ID does not exist or is not correctly set,

\$ echo 'export ROS_DOMAIN_ID=I #TURTLEBOT3' >> ~/.bashrc (ID = 1,2,3,4,5 depends on your team number)

PC

\$ sudo ufw status

- \$ sudo ufw disable
- disables firewall for ubuntu systems

YOUR AMR IS A HOTSPOT

- Connect to wifi:
 - Turtlebot3_AP_<n>

PC TERMI

\$ dpkg -l | grep openssh

If not installed...

\$ sudo apt install openssh-server -y

Connect via ssh

PC TERM2

\$ ssh -X rokey<n>@<ip_address>

SSH AMR TERM I

rokey<n> @ rokey....:\$

PCTERMI

\$ ros2 run demo_nodes_cpp listener

SSH AMR TERMI

\$ cat ~/.bashrc

If ROS_DOMAIN_ID is not correctly set,

\$ echo 'export ROS_DOMAIN_ID=I #TURTLEBOT3' >>
~/.bashrc

(ID = 1,2,3,4,5 depends on your team number)

\$ source ~/.bashrc

\$ ros2 run demo_nodes_cpp talker

CREATE YOUR WORKSPACE UNDER AMR \$HOME DIRECTORY

SSH AMR TERMI

```
$ mkdir
~/rokey I _ < grp_letter > < grp_num > _ ws
    (i.e. mkdir ~/rokey I _ A2 _ ws)
```

- Put all your file under this directory and remove at the end of the class
- Delete the directory at the end of the class

SETTING UP TO USE TURTLEBOT3

PC TERM I

\$ cat ~/.bashrc

Check if export command on the right is in the .bashrc, if not execute the command on the right

PC TERM I

- \$ echo 'export
 TURTLEBOT3_MODEL=burger' >>
 ~/.bashrc
- \$ source ~/.bashrc

SETTING UP TO USE TURTLEBOT3

PC TERM2

\$ ssh -X rokey<n>@<ip_address>

SSH AMR TERM I

\$

SETTING UP TO USE TURTLEBOT3

SSH AMR TERM I

\$ cat ~/.bashrc

Check if export command on the right is in the .bashrd, if not execute the command on the right

SSH AMR TERM I

- \$ echo 'export
 TURTLEBOT3_MODEL=burger' >>
 ~/.bashrc
- \$ source ~/.bashrc

USING AMR TELEOP

PC TERMI

\$ ssh -X
rokey<n>@
<ip_address
>

SSH AMR TERM I

\$ ros2 launch turtlebot3_bringup robot.launch.pyrunning

PC TERM2

\$ ros2 run turtlebot3_teleop teleop_keyboardrunning

STEPI: SSH AMR TERM I

- \$ source ~/bashrc
- \$ ros2 launch turtlebot3_bringup robot.launch.py

STEP2: PC TERM 2

- \$ source ~/bashrc
- \$ ros2 launch turtlebot3_cartographer cartographer.launch.py

STEPI: SSH AMR TERM I

\$ ros2 launch turtlebot3_bringup robot.launch.py

..... running

STEP3: PC TERM 3

\$ source ~/bashrc

\$ ros2 run turtlebot3_teleop teleop_keyboard

STEP2: PC TERM 2

\$ ros2 launch turtlebot3_cartographer cartographer.launch.py

..... running

STEPI: SSH AMR TERM I

\$ ros2 launch turtlebot3_bringup robot.launch.py

..... running

STEP3: PC TERM 3

\$ ros2 run turtlebot3_teleop teleop_keyboard

..... running

STEP2: PC TERM 2

\$ ros2 launch turtlebot3_cartographer cartographer.launch.py

..... running

STEP4: PC TERM 4(AT THE END)

\$ source ~/bashrc

\$ ros2 run nav2_map_server
map_saver_cli -f ~/<my_dir>/map

CHECK IF CORRECT

\$ xdg-open <map-path>/map.pgm

Or,

\$ eog <map-path>/map.pgm

NAVIGATION W/ MAP

STEPI: SSH AMR TERM I

- \$ source ~/bashrc
- \$ ros2 launch turtlebot3_bringup robot.launch.py

STEP2: PC TERM 2

- \$ source ~/.bashrc
- \$ ros2 launch turtlebot3_navigation2
 navigation2.launch.py
 map:=<map_file_path> (i.e:
 \$HOME/my_dir/map/map.yaml)

NAVIGATION W/ MAP

STEPI: SSH AMR TERM I

\$ ros2 launch turtlebot3_bringup robot.launch.py

....running


STEP2: PC TERM 2

\$ ros2 launch turtlebot3_navigation2
navigation2.launch.py
map:=<map_file_path> (i.e:
 \$HOME/my_dir/map/map.yaml)
....running

*Perform 2D Pose Estimate and Send Goal

AMR CONTROLLER SPRINT

SPRINT 2 – AMR CONTROLLER




TEAM EXERCISE 6

Perform Detail Design of AMR Controller Module using Process Flow Diagram

DETAIL DESIGN REVIEW BY EACH TEAM

Using the process flow diagram present team's design

SPRINT 2 – AMR CONTROLLER



SETTING UPVSCODE FOR REMOTE EDITING

- Install VSCode Remote SSH Extension:
 - Open VSCode on your local machine.
 - Go to the Extensions view (Ctrl + Shift + X).
 - Search for "Remote SSH" and install it.
- Connect to the Remote Server:
 - Press FI or Ctrl + Shift + P to open the Command Palette.
 - Type Remote-SSH: Connect to Host and select it.
 - Enter the SSH connection string (e.g., user@hostname) and connect.

- Open a Remote Folder:
 - Once connected, VSCode will display a new window with a remote indicator in the bottomleft corner.
 - You can open any folder or file from the remote server and edit it in your local VSCode instance.

CODING HINT

- Initial Pose
 - nav2
 - rviz2 2D estimate pose
 - ros2 topic echo /initialpose
- Sending Goals
 - nav2
 - Rviz2 send goals
 - ActionClient
 - NavigateToPose
 - ros2 topic echo /amcl_pose

- Stopping Navigation
 NavigateToPose.cancel_all_goals_async()
- Sending multiple goals
 - ActionClient
 - /follow_waypoints
- Manual control of AMR Odometry
 - How to move forward, backward, left and righ???

EXPECTED OUTCOME

AMR navigates to avoid obstacles, ignores dummies, track, and follow target


SPRINT 2 – AMR CONTROLLER



TEAM EXERCISE 7

Perform coding and testing of AMR Controller Module

CODING HINT



USING TURTLESIM TO TEST

STEPI: PC TERM I

- \$ source ~/bashrc
- \$ ros2 run turtlesim turtlesim_node

STEP2: PC TERM 2

- \$ source ~/bashrc
- \$ ros2 run turtlesim turtle_teleop_key

USING TURTLESIM TO TEST FOLLOWING LOGIC

STEPI: PC TERM I

- \$ source ~/bashrc
- \$ ros2 run turtlesim turtlesim_node --rosargs -r /turtle1/cmd_vel:=/cmd_vel

STEP2: PC TERM 2


- \$ source ~/bashrc
- \$ ros2 run turtlebot3_teleop teleop_keyboard

Replace with your code

RESULTS & CODE REVIEW BY EACH TEAM

Show actual results against the expected results and explain the code generated

SPRINT 1&2 – DETECTION ALERT/AMR CONTROLLER INTEGRATION & TEST



EXPECTED OUTCOME

• Detection Alert and AMR Controller able to pass topics for necessary actions between

TEAM EXERCISE 8

Perform integrate and test of <u>Detection Alert and AMR Controller</u> Modules

RESULTS & CODE REVIEW BY EACH TEAM

Show actual results against the expected results and explain the code written

Send System Design Doc. Here:



프로젝트 RULE NUMBER ONE!!!

Are we still having FUN!

