# Data Production for the Muon g-2 experiment

Renee Fatemi, Kim Siang Khaw, Liang Li, Adam Lyon November 29, 2016

### 1 Production Workflow

This document outlines the workflow of the data production of the Muon g-2 experiment. There are two different production chain: simulation and DAQ.

#### 1.1 Simulation production workflow

Simulation chain involves generating Geant4-based simulated data files, digitization of the truth information and reconstruction of the digitized information. Interaction between the gm2 instance and jobsub and SAM is summarized in Fig. 1.




Figure 1: Workflow for the simulation production.

The following describes the basic steps in the simulation production:

1. A cronjob is setup to submit jobs to the FNAL grid at a specific time interval.

- 2. Worker nodes then execute the submitted scripts to generate simulated data. Database may or may not be used for the simulation.
- 3. Metadata of the generated data files are communicated to SAM data handling system and the files are transferred to FNAL permanent storage area.
- 4. Another cronjob independent of Cronjob1 is setup to submit jobs to the FNAL to digitize and reconstruct the simulated data.
- 5. Worker nodes then specify SAM dataset to be digitized and reconstructed.
- 6. The reconstructed data are then stored in the permanent storage area.

#### 1.2 DAQ production workflow




Figure 2: Workflow for the DAQ production.

The following describes the basic steps in the DAQ production:

- 1. MIDAS DAQ outputs raw data and stores them into local RAID storage.
- 2. A backend machine running FTS transfers raw files to the permanent storage area while communicates with SAM regarding the metadata of the files.
- 3. At the same time, a nearline machine analyzes specific calibration runs and extracts calibrations from these runs. All the constants are stored in the database.
- 4. A cronjob is setup to submit jobs to unpack and reconstruct the DAQ data.
- 5. Worker nodes then specify SAM dataset to be unpacked and reconstructed.

6. The reconstructed data are then stored in the permanent storage area.

## 2 SAM Metadata: Metadata definition and dataset definition

How to insert metadata using FTS, art, etc. What are the metadata we want to insert, etc.

3 Workflow of the data production: Implementation

mock data handling, type of runs, working schedule, deadlines, etc

- 4 Versioning of the scripts/codes (related to releases)
- 5 POMS: What do we know so far

Reference slides:

https://indico.fnal.gov/getFile.py/access?contribId=8&resId=0&materialId=slides&confId=12120