

Wellpath Geographic Report

Report Date:	30-Jan-04	Grid Convergence Angle:	1.05 deg
Client:	ChevronTexaco	Grid Scale Factor:	0.999664
Field:	Captain	Survey / DLS Computation Method:	Minimum Curvature
Structure / Slot:	Captain WPP / Slot #7	Vertical Section Azimuth:	153.00 deg
Well Name:	13/22a-C18	Vertical Section Origin:	31.62S, 15.08W
Wellbore Name:	13/22a-C18 (AWB)	TVD Reference Datum:	RKB
Wellpath Name:	13/22a-C18 Definitive Survey	TVD Reference Elevation:	Rig (Captain WPP 155.0ft above Mean Sea Level)
Grid Coordinate System:	European Datum 1950 / UTM Zone 30 N	Sea Bed / Ground Level Elevation:	-345.50 ft to Mean Sea Level
Slot Location Lat/Long:	N58 18 26.6213, W1 46 6.9921	North Reference:	Grid
Slot Location Grid N/E Y/X:	6463741.6050 m, 572162.8350 m	Local Coordinates Referenced To:	Installation

							Grid Cod	ordinates	Geographic				
MD	Inc	Azi	TVD	TVD(SS)	N/-S	E/-W	Northing	Easting	Latitude	Longitude	DLS '	VS	Comment
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(m)	(m)			(deg/100ft)	(ft)	
0.00	0.00	0.00	0.00	-155.00	-31.62	-15.08	6463741.610	572162.830	N58 18 26.6213	W1 46 6.9921	0.00	0.00	
500.50	0.00	0.00	500.50	345.50	-31.62	-15.08	6463741.610	572162.830	N58 18 26.6213	W1 46 6.9921	0.00	0.00	
510.00	0.21	181.12	510.00	355.00	-31.64	-15.08	6463741.600	572162.830	N58 18 26.6211	W1 46 6.9921	2.21	0.02	
540.00	0.24	115.74	540.00	385.00	-31.72		6463741.570	572162.850	N58 18 26.6203	W1 46 6.9911	0.81	0.11	
570.00	0.32	188.34	570.00	415.00	-31.83	-14.98	6463741.540	572162.870	N58 18 26.6192	W1 46 6.9903	1.13	0.23	
600.00	0.35	199.91	600.00	445.00	-32.00	-15.02	6463741.490	572162.850	N58 18 26.6175	W1 46 6.9912	0.25	0.36	
630.00	0.38	212.57	630.00	475.00	-32.17	-15.11	6463741.440	572162.830	N58 18 26.6159	W1 46 6.9928	0.29	0.48	
650.00	0.64	180.28	650.00	495.00	-32.34		6463741.390	572162.820	N58 18 26.6142	W1 46 6.9936	1.89	0.61	
700.00	0.87	175.59	699.99	544.99	-33.00		6463741.190	572162.820	N58 18 26.6078	W1 46 6.9933	0.48	1.21	
750.00	1.01	199.64	749.99	594.99	-33.79	-15.24	6463740.940	572162.790	N58 18 26.6000	W1 46 6.9958	0.83	1.86	
800.00	1.95		799.97	644.97	-35.05		6463740.560	572162.760	N58 18 26.5875	W1 46 6.9979	2.20	2.95	
850.00	2.79		849.93	694.93	-37.10		6463739.940	572162.840	N58 18 26.5673	W1 46 6.9937	1.75	4.89	
900.00	3.72	173.06	899.85	744.85	-39.91	-14.66	6463739.080	572162.960	N58 18 26.5396	W1 46 6.9871	1.89	7.58	
950.00	5.40	168.01	949.69	794.69	-43.82	-13.98	6463737.890	572163.170	N58 18 26.5009	W1 46 6.9757	3.45	11.37	
1000.00	6.31	164.83	999.42	844.42	-48.78	-12.77	6463736.380	572163.540	N58 18 26.4519	W1 46 6.9547	1.93	16.33	
1050.00	7.47		1049.06	894.06	-54.56		6463734.620	572164.030	N58 18 26.3947	W1 46 6.9267	2.33	22.21	
1100.00	9.18		1098.53	943.53	-61.57		6463732.480	572164.570	N58 18 26.3253	W1 46 6.8959	3.52	29.27	
1150.00	10.66	162.81	1147.79	992.79	-69.88	-7.13	6463729.950	572165.260	N58 18 26.2431	W1 46 6.8565	3.31	37.69	
1200.00	12.78	159.95	1196.74	1041.74	-79.49	-3.87	6463727.020	572166.250	N58 18 26.1478	W1 46 6.7988	4.40	47.74	
1250.00	15.41	158.42	1245.23	1090.23	-90.87	0.47	6463723.550	572167.570	N58 18 26.0350	W1 46 6.7214	5.31	59.85	
1275.00	16.43	158.24	1269.27	1114.27	-97.24	3.00	6463721.610	572168.340	N58 18 25.9717	W1 46 6.6762	4.08	66.67	
1300.00	17.18	157.92	1293.20	1138.20	-103.94	5.70	6463719.570	572169.170	N58 18 25.9052	W1 46 6.6280	3.02	73.87	
1325.00	17.82	157.65	1317.05	1162.05	-110.90	8.54	6463717.450	572170.030	N58 18 25.8362	W1 46 6.5772	2.58	81.37	
1350.00	18.82	157.34	1340.78	1185.78	-118.16	11.55	6463715.240	572170.950	N58 18 25.7641	W1 46 6.5234	4.02	89.20	
1375.00	19.81	157.20	1364.37	1209.37	-125.79	14.74	6463712.910	572171.920	N58 18 25.6884	W1 46 6.4662	3.96	97.45	
1400.00	20.31	158.28	1387.86	1232.86	-133.73	17.99	6463710.490	572172.910	N58 18 25.6097	W1 46 6.4082	2.49	105.99	
1425.00	20.69	158.18	1411.27	1256.27	-141.86	21.24	6463708.020	572173.900	N58 18 25.5290	W1 46 6.3502	1.53	114.71	
1450.00	21.05	158.17	1434.63	1279.63	-150.12	24.55	6463705.500	572174.910	N58 18 25.4470	W1 46 6.2911	1.44	123.58	
							Page	e 1 of 5					

Page 1 of 5

							Grid Cod	ordinates	Geographic	Coordinates			
MD	Inc	Azi	TVD	TVD(SS)	N/-S	E/-W	Northing	Easting	Latitude	Longitude	DLS \	/S	Comment
(ft)	(deg)	(deg)		(ft)	(ft)	(ft)	(m)	(m)			(deg/100ft) (ft)	
1475.00	21.29	158.11	1457.94	1302.95	-158.50	27.91	6463702.940	572175.930	N58 18 25.3638	W1 46 6.2310	0.96	132.57	
1500.00	21.60	157.87	1481.21	1326.21	-166.98		6463700.360		N58 18 25.2798	W1 46 6.1698	1.29	141.68	
1525.00	21.95	157.76	1504.43	1349.43			6463697.750	572178.050		W1 46 6.1072	1.41	150.92	
1550.00	22.30	157.61	1527.59	1372.59			6463695.090		N58 18 25.1081	W1 46 6.0433	1.42	160.30	
1575.00	22.84	157.72	1550.68	1395.67	-193.15		6463692.390	572180.250		W1 46 5.9781	2.17	169.87	
1600.00	23.15	157.59	1573.69	1418.69			6463689.640	572181.380		W1 46 5.9117	1.26	179.60	
1625.00	23.75	157.73	1596.62	1441.62			6463686.830		N58 18 24.8391	W1 46 5.8441	2.41	189.52	
1650.00	24.11	157.52	1619.47	1464.47			6463683.970		N58 18 24.7460	W1 46 5.7751	1.48	199.62	
1675.00	24.66	157.39	1642.24	1487.24			6463681.070		N58 18 24.6514	W1 46 5.7043	2.21	209.91	
1700.00	25.51	157.50	1664.89	1509.89			6463678.090		N58 18 24.5543	W1 46 5.6316	3.41	220.48	
1725.00	26.52	157.44	1687.35	1532.35			6463675.000		N58 18 24.4538	W1 46 5.5564	4.04	231.41	
1750.00	27.06	157.49	1709.67	1554.67	-260.62		6463671.830		N58 18 24.3505	W1 46 5.4792	2.16	242.65	
1775.00	27.57	158.46	1731.88	1576.88			6463668.590		N58 18 24.2450	W1 46 5.4023	2.71	254.07	
1800.00	28.00	158.62	1754.00	1599.00			6463665.280		N58 18 24.1374	W1 46 5.3263	1.75	265.67	
1825.00	29.02	159.61	1775.97	1620.97	-293.25		6463661.890	572192.650		W1 46 5.2505	4.50	277.54	
1850.00	30.11	160.98	1797.71	1642.71	-304.86		6463658.350	572193.920		W1 46 5.1767	5.13	289.77	
1875.00	31.08	161.88	1819.23	1664.23			6463654.670		N58 18 23.7921	W1 46 5.1051	4.29	302.36	
1900.00	32.01	162.59	1840.54	1685.54			6463650.880	572196.370		W1 46 5.0347	4.01	315.27	
1925.00	32.42	162.73	1861.69	1706.69			6463647.000	572197.580		W1 46 4.9647	1.67	328.41	
1950.00	32.16	161.76	1882.82	1727.82			6463643.130		N58 18 23.4167	W1 46 4.8929	2.32	341.59	
1975.00	31.76	160.73	1904.03	1749.03			6463639.310		N58 18 23.2925	W1 46 4.8175	2.70	354.68	
2000.00	31.88	159.91	1925.28	1770.28			6463635.530		N58 18 23.1695	W1 46 4.7387	1.79	367.76	
2025.00	32.53	159.83	1946.43	1791.43			6463631.720		N58 18 23.0455	W1 46 4.6572	2.61	380.98	
2050.00	33.29	159.80	1967.42	1812.42			6463627.830		N58 18 22.9190	W1 46 4.5739	3.04	394.47	
2075.00	34.06	159.78	1988.22	1833.22			6463623.870	572205.750		W1 46 4.4887	3.08	408.24	
2100.00	34.64	159.88	2008.86	1853.86			6463619.830	572207.230		W1 46 4.4022	2.33	422.24	
2125.00	35.25	159.94	2029.36	1874.35			6463615.740	572208.730		W1 46 4.3148	2.44	436.46	
2150.00	36.00	160.04	2049.68	1894.68			6463611.570	572210.250		W1 46 4.2262	3.01	450.91	
2175.00	36.89	160.05	2069.79	1914.79			6463607.310	572211.800		W1 46 4.1362	3.56	465.65	
2200.00	37.65	160.18	2089.68	1934.68			6463602.980	572213.360		W1 46 4.0447	3.06	480.67	
2225.00	38.50	160.36	2109.36	1954.36			6463598.550	572214.950		W1 46 3.9523	3.43	495.97	
2250.00	39.50	160.37	2128.79	1973.79			6463594.040	572216.560		W1 46 3.8584	4.00	511.57	
2275.00	40.38	160.49	2147.96	1992.96			6463589.430	572218.200		W1 46 3.7630	3.53	527.48	
2300.00	41.02	160.72	2166.91	2011.91	-546.43		6463584.750		N58 18 21.5171	W1 46 3.6670	2.63	543.64	
2325.00	41.86	160.87	2185.65	2030.65			6463579.980		N58 18 21.3622	W1 46 3.5705	3.38	560.04	
2350.00	42.98	160.89	2204.11	2049.11	-577.99		6463575.130		N58 18 21.2043	W1 46 3.4726	4.48	576.74	
2375.00	43.73	160.94	2222.28	2067.28			6463570.190		N58 18 21.0435	W1 46 3.3732	3.00	593.74	
2400.00	44.44	160.94	2240.24	2085.24			6463565.180		N58 18 20.8806	W1 46 3.2725	2.84	610.97	
2425.00	45.45	160.91	2257.94	2102.94			6463560.090		N58 18 20.7151	W1 46 3.1702	4.04	628.46	
2450.00	46.57	160.93	2275.30	2120.30			6463554.910		N58 18 20.5466	W1 46 3.0660	4.48	646.27	
2475.00	47.29	160.99	2292.37	2137.37			6463549.650	572232.000		W1 46 2.9605	2.89	664.36	
2500.00	48.06	161.03	2309.20	2154.20			6463544.330	572233.830		W1 46 2.8539	3.08	682.66	
2525.00	49.16	161.02	2325.73	2170.73			6463538.920	572235.690		W1 46 2.7459	4.40	701.23	
2550.00	50.16	161.02		2186.92			6463533.430			W1 46 2.6361	4.00	720.10	
_555.56	200		~ _		50			e 2 of 5				00	

							Grid Cod	ordinates	Geographic (Coordinates			
MD	Inc	Azi	TVD	TVD(SS)	N/-S	E/-W	Northing	Easting	Latitude	Longitude	DLS	/S	Comment
(ft)	(deg)	(deg)		(ft)	(ft)	(ft)	(m)	(m)	•		(deg/100ft)	ft)	
2575.00	50.59	160.92	2357.86	2202.86	-733.03	236.49	6463527.890	572239.490	N58 18 19.6675	W1 46 2.5248	1.75	739.17	
2600.00	51.37	160.81	2373.60	2218.60	-751.38		6463522.300		N58 18 19.4856	W1 46 2.4120	3.14	758.41	
2625.00	52.44	160.72	2389.02	2234.02	-769.96		6463516.640	572243.400		W1 46 2.2971	4.29	777.91	
2650.00	53.55	160.65	2404.07	2249.07	-788.80		6463510.890	572245.410		W1 46 2.1800	4.45	797.69	
2675.00	54.21	160.45	2418.81	2263.81	-807.84		6463505.090	572247.460		W1 46 2.0607	2.72	817.71	
2700.00	54.82	160.20	2433.32	2278.32	-827.01		6463499.250	572249.550		W1 46 1.9390	2.57	837.90	
2800.00	58.51	159.83	2488.26	2333.26			6463475.330		N58 18 17.9576	W1 46 1.4316	3.70	920.81	
2900.00	59.95	159.68	2539.42	2384.42			6463450.770		N58 18 17.1583	W1 46 0.9029	1.45	1006.13	
3000.00	60.29	159.28	2589.24	2434.24			6463426.030		N58 18 16.3530	W1 46 0.3620	0.49	1092.29	
3100.00	58.60	159.53	2640.08	2485.08		388.49	6463401.470		N58 18 15.5536	W1 45 59.8228	1.70	1177.86	
3200.00	59.77	160.11	2691.30	2536.30			6463376.910		N58 18 14.7543	W1 45 59.2961	1.27	1263.13	
3225.00	60.64	160.21	2703.72		-1248.95		6463370.690		N58 18 14.5520	W1 45 59.1654	3.50	1284.66	
3250.00	61.30	160.31	2715.86	2560.86			6463364.420	572299.320		W1 45 59.0343	2.66	1306.34	
3275.00	62.22	160.38	2727.68	2572.68			6463358.100		N58 18 14.1424	W1 45 58.9028	3.69	1328.19	
3300.00	63.24	160.49	2739.14	2584.14			6463351.720		N58 18 13.9348	W1 45 58.7707	4.10	1350.22	
3325.00	64.31	160.81	2750.19	2595.19			6463345.270	572306.110		W1 45 58.6390	4.43	1372.45	
3350.00	65.25	160.95	2760.84	2605.84			6463338.760	572308.370		W1 45 58.5077	3.79	1394.85	
3375.00	66.12	161.06	2771.13	2616.13			6463332.200	572310.630		W1 45 58.3763	3.50	1417.41	
3400.00	66.89	161.16	2781.10	2626.10			6463325.590	572312.890		W1 45 58.2449	3.10	1440.11	
3425.00	67.66	161.19	2790.76	2635.76			6463318.940		N58 18 12.8684	W1 45 58.1131	3.08	1462.93	
3450.00	68.48	161.29	2800.09	2645.09			6463312.250		N58 18 12.6508	W1 45 57.9811	3.30	1485.88	
3475.00	69.23	161.34	2809.11	2654.11	-1462.84		6463305.520		N58 18 12.4319	W1 45 57.8489	3.01	1508.96	
3500.00	69.95	161.37	2817.83	2662.83			6463298.750		N58 18 12.2119	W1 45 57.7164	2.88	1532.14	
3525.00	70.53	161.11	2826.28	2671.28			6463291.960		N58 18 11.9911	W1 45 57.5824	2.52	1555.42	
3550.00	71.38	160.93	2834.44	2679.44			6463285.160	572326.630		W1 45 57.4463	3.47	1578.82	
3575.00	72.38	160.81	2842.22	2687.21	-1552.11		6463278.320	572329.010		W1 45 57.3083	4.03	1602.36	
3600.00	73.20	160.74	2849.61	2694.61	-1574.66		6463271.440	572331.400		W1 45 57.1689	3.29	1626.02	
3625.00	73.88	160.66	2856.70	2701.70			6463264.550	572333.820	N58 18 11.0993	W1 45 57.0284	2.74	1649.78	
3650.00	74.81	160.57	2863.44	2708.44			6463257.630	572336.250	N58 18 10.8742	W1 45 56.8867	3.74	1673.64	
3675.00	75.74	160.58	2869.80	2714.80			6463250.680	572338.700	N58 18 10.6482	W1 45 56.7441	3.72	1697.61	
3700.00	76.53	160.66	2875.79	2720.79			6463243.710	572341.160		W1 45 56.6012	3.18	1721.66	
3725.00	77.48	160.80	2881.41	2726.41	-1688.69		6463236.700		N58 18 10.1933	W1 45 56.4587	3.84	1745.80	
3750.00	78.45	160.84	2886.62	2731.62			6463229.660	572346.050	N58 18 9.9644	W1 45 56.3163	3.88	1770.02	
3775.00	79.34	160.96	2891.44	2736.44		594.26	6463222.600	572348.500	N58 18 9.7346	W1 45 56.1741	3.59	1794.32	
3800.00	80.09	161.11	2895.90	2740.90			6463215.510	572350.930	N58 18 9.5040	W1 45 56.0325	3.06	1818.68	
3825.00	80.49	161.14	2900.12	2745.12	-1781.54	610.22	6463208.410	572353.360	N58 18 9.2729	W1 45 55.8913	1.60	1843.07	
3850.00	80.77	161.10	2904.19	2749.19			6463201.300	572355.800	N58 18 9.0416	W1 45 55.7500	1.13	1867.49	
3875.00	80.59	161.03	2908.24		-1828.22		6463194.190	572358.240	N58 18 8.8103	W1 45 55.6082	0.77	1891.92	
3900.00	80.62	160.89	2912.32	2757.32			6463187.080	572360.690	N58 18 8.5792	W1 45 55.4657	0.57	1916.35	
3925.00	80.65	160.80	2916.38	2761.38			6463179.980	572363.150	N58 18 8.3483	W1 45 55.3222	0.37	1940.78	
3950.00	80.66	160.66	2920.44	2765.44			6463172.890	572365.630	N58 18 8.1174	W1 45 55.1779	0.55	1965.23	
3975.00	80.82	160.50		2769.47			6463165.800	572368.130	N58 18 7.8868	W1 45 55.0324	0.90	1989.68	
4000.00	80.84	160.38	2928.45	2773.45			6463158.710	572370.650	N58 18 7.6562	W1 45 54.8858	0.48	2014.16	
4025.00	80.68	160.07	2932.47		-1967.87		6463151.640		N58 18 7.4260	W1 45 54.7375	1.38	2038.64	
3_3.30								e 3 of 5					

							Grid Cod	ordinates	Geographic (Coordinates			
MD	Inc	Azi	TVD	TVD(SS)	N/-S	E/-W	Northing	Easting	Latitude	Longitude	DLS	VS	Comment
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(m)	(m)			(deg/100ft)	(ft)	
4050.00	80.24	159.64	2936.61	2781.61	-1991.01	683.80	6463144.580	572375.780	N58 18 7.1965	W1 45 54.5866	2.44	2063.11	
4075.00	79.92	159.32	2940.92	2785.92	-2014.08	692.43	6463137.560	572378.410	N58 18 6.9678	W1 45 54.4330	1.80	2087.58	
4100.00	80.01	159.18	2945.27	2790.27	-2037.10	701.15	6463130.540	572381.070	N58 18 6.7395	W1 45 54.2777	0.66	2112.05	
4125.00	80.03	159.13	2949.60	2794.60	-2060.11	709.91	6463123.530	572383.740	N58 18 6.5112	W1 45 54.1217	0.21	2136.53	
4150.00	79.97	159.02	2953.95	2798.95	-2083.10	718.71	6463116.520	572386.420	N58 18 6.2832	W1 45 53.9651	0.50	2161.02	
4175.00	80.08	158.92	2958.28	2803.28	-2106.09	727.54	6463109.520	572389.110	N58 18 6.0552	W1 45 53.8077	0.59	2185.50	
4200.00	80.05	158.78	2962.59	2807.59	-2129.05	736.43	6463102.520	572391.820	N58 18 5.8274	W1 45 53.6493	0.56	2210.00	
4225.00	80.01	158.78	2966.92	2811.92	-2152.01	745.34	6463095.530	572394.530	N58 18 5.5997	W1 45 53.4904	0.16	2234.50	
4250.00	79.98	158.81	2971.26	2816.26	-2174.96	754.25	6463088.540	572397.250	N58 18 5.3720	W1 45 53.3317	0.17	2258.99	
4275.00	79.60	158.80	2975.69	2820.69	-2197.90	763.14	6463081.550	572399.960	N58 18 5.1445	W1 45 53.1731	1.52	2283.47	
4300.00	79.29	158.83	2980.27	2825.27	-2220.81	772.02	6463074.560	572402.660	N58 18 4.9172	W1 45 53.0148	1.25	2307.92	
4325.00	79.07	158.93	2984.97	2829.96	-2243.72	780.87	6463067.580	572405.360	N58 18 4.6900	W1 45 52.8572	0.96	2332.35	
4350.00	79.65	159.06	2989.58	2834.58	-2266.66	789.68	6463060.600	572408.040	N58 18 4.4624	W1 45 52.7003	2.38	2356.78	
4375.00	80.51	159.20	2993.89	2838.89	-2289.67	798.45	6463053.580	572410.720	N58 18 4.2342	W1 45 52.5440	3.48	2381.27	
4400.00	81.06	159.26	2997.89	2842.89	-2312.74	807.20	6463046.550	572413.380	N58 18 4.0054	W1 45 52.3882	2.21	2405.80	
4425.00	82.26	159.17	3001.52	2846.52	-2335.87	815.98	6463039.510	572416.060	N58 18 3.7760	W1 45 52.2319	4.81	2430.39	
4450.00	83.75	159.03	3004.56	2849.56	-2359.05	824.83	6463032.440	572418.750	N58 18 3.5461	W1 45 52.0743	5.99	2455.06	
4475.00	84.83	158.61	3007.05	2852.05	-2382.24	833.82	6463025.380	572421.490	N58 18 3.3160	W1 45 51.9141	4.63	2479.81	
4500.00	85.50	158.04	3009.16	2854.16	-2405.39	843.02	6463018.320	572424.300	N58 18 3.0864	W1 45 51.7499	3.51	2504.61	
4525.00	86.24	157.71	3010.96	2855.96	-2428.49	852.41	6463011.290	572427.160	N58 18 2.8572	W1 45 51.5821	3.24	2529.46	
4550.00	86.96	157.32	3012.44	2857.44	-2451.55	861.95	6463004.260	572430.070	N58 18 2.6283	W1 45 51.4115	3.27	2554.34	
4615.00	89.17	156.19	3014.63	2859.63	-2511.23	887.59	6462986.070	572437.880	N58 18 2.0358	W1 45 50.9523	3.82	2619.15	
4714.00	89.43	156.10	3015.84	2860.84	-2601.77	927.63	6462958.490	572450.080	N58 18 1.1369	W1 45 50.2344	0.28	2718.00	
4808.00	89.46	154.20	3016.75	2861.75	-2687.06	967.13	6462932.500	572462.110	N58 18 0.2897	W1 45 49.5247	2.02	2811.92	
4906.00	90.51	152.99	3016.78	2861.78	-2774.83	1010.71	6462905.760	572475.390	N58 17 59.4173	W1 45 48.7395	1.63	2909.91	
5001.00	91.34	152.90	3015.25	2860.25	-2859.42	1053.91	6462879.980	572488.550	N58 17 58.5763	W1 45 47.9603	0.88	3004.90	
5096.00	91.17	152.30	3013.17	2858.17	-2943.74	1097.62	6462854.290	572501.870	N58 17 57.7379	W1 45 47.1715	0.66	3099.88	
5192.00	91.97	152.90	3010.53	2855.53	-3028.94	1141.78	6462828.330	572515.330	N58 17 56.8908	W1 45 46.3746	1.04	3195.84	
5279.00	91.89	153.10	3007.61	2852.60	-3106.42	1181.26	6462804.720	572527.360	N58 17 56.1206	W1 45 45.6628	0.25	3282.79	
5382.00	91.77	152.80	3004.32	2849.32	-3198.10	1228.07	6462776.790	572541.620	N58 17 55.2090	W1 45 44.8184	0.31	3385.73	
5478.00	90.83	153.90	3002.14	2847.14	-3283.88	1271.12	6462750.650	572554.740	N58 17 54.3564	W1 45 44.0426	1.51	3481.71	
5572.00	92.29	153.00	2999.58	2844.58	-3367.93	1313.12	6462725.040	572567.530	N58 17 53.5209	W1 45 43.2858	1.82	3575.66	
5667.00	88.60	152.30	2998.84	2843.84	-3452.30	1356.76	6462699.330	572580.830	N58 17 52.6821	W1 45 42.4985	3.95	3670.64	
5762.00	91.63	152.70	2998.65	2843.65	-3536.55	1400.62	6462673.660	572594.190	N58 17 51.8443	W1 45 41.7069	3.22	3765.63	
5858.00	92.17	152.50	2995.47	2840.47	-3621.73	1444.77	6462647.710	572607.650	N58 17 50.9973	W1 45 40.9102	0.60	3861.57	
5955.00	93.18	152.70	2990.94	2835.94	-3707.76	1489.36	6462621.500	572621.230	N58 17 50.1419	W1 45 40.1056	1.06	3958.46	
6050.00	91.09	153.00	2987.40	2832.40	-3792.23	1532.68	6462595.760	572634.430	N58 17 49.3021	W1 45 39.3243	2.22	4053.39	
6146.00	92.89	152.90	2984.07	2829.07	-3877.67	1576.31	6462569.720	572647.730	N58 17 48.4527	W1 45 38.5376	1.88	4149.33	
6242.00	92.74	153.20	2979.35	2824.35	-3963.14	1619.76	6462543.680	572660.970	N58 17 47.6029	W1 45 37.7541	0.35	4245.21	
6337.00	91.20	152.80	2976.09	2821.09		1662.87	6462517.910	572674.100	N58 17 46.7619	W1 45 36.9769	1.67	4340.15	
6431.00	90.57	152.30	2974.64	2819.64		1706.19	6462492.490	572687.300	N58 17 45.9326	W1 45 36.1951	0.86	4434.14	
6526.00	88.63	152.10	2975.30	2820.30	-4215.17	1750.49	6462466.890	572700.800	N58 17 45.0969	W1 45 35.3953	2.05	4529.12	
6621.00	88.88	152.50	2977.36	2822.36	-4299.26	1794.65	6462441.270	572714.250	N58 17 44.2607	W1 45 34.5984	0.50	4624.09	
6717.00	89.14	152.40	2979.02	2824.02	-4384.36	1839.04	6462415.340		N58 17 43.4144	W1 45 33.7972	0.29	4720.07	
							Page	e 4 of 5					

							Grid Coordinates Geographic Coordinates						
MD	Inc	Azi	TVD	TVD(SS)	N/-S	E/-W	Northing	Easting	Latitude	Longitude	DLS	VS	Comment
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(m)	(m)			(deg/100ft)	(ft)	
6813.00	89.00	152.20	2980.58	2825.58	-4469.35	1883.66	6462389.440	572741.380	N58 17 42.5693	W1 45 32.9919	0.25	4816.05	
6907.00	89.00	151.80	2982.22	2827.22	-4552.33	1927.78	6462364.160	572754.820	N58 17 41.7439	W1 45 32.1951	0.43	4910.03	
7058.00	89.00	151.80	2984.86	2829.86	-4685.39	1999.13	6462323.610	572776.560	N58 17 40.4204	W1 45 30.9064	0.00	5060.97	