

M.Sc. in Computer Science Department of Computer Science University of Sri Jayewardenepura

CCS1522 | CSE1522 | CIS1522 Database Management Systems

Presented By:

Surani Tissera(PhD) Department of Computer Science

Chapter Outline

- EER stands for Enhanced ER or Extended ER
- EER Model Concepts
 - Includes all modeling concepts of basic ER
 - Additional concepts:
 - subclasses/superclasses
 - specialization/generalization
 - categories (UNION types)
 - attribute and relationship inheritance
 - These are fundamental to conceptual modeling
- The additional EER concepts are used to model applications more completely and more accurately
- Congo post

EER includes some object-oriented concepts, such as inheritance

This is a property of Department of Computer Science, Faculty of Applied Science, University of Sri Jayewardenepura.

- Subclasses and Superclasses
 An entity type may have additional meaningful subgroupings of its entities
 - Example: EMPLOYEE may be further grouped into:
 - SECRETARY, ENGINEER, TECHNICIAN, ...
 - Based on the EMPLOYEE's Job
 - MANAGER
 - EMPLOYEEs who are managers
 - SALARIED EMPLOYEE, HOURLY EMPLOYEE
 - Based on the EMPLOYEE's method of pay
- EER diagrams extend ER diagrams to represent these additional subgroupings, called subclasses or subtypes

Figure 4.1

EER diagram notation to represent subclasses and specialization. Fname Minit Lname Name Ssn Birth date Address **EMPLOYEE** Typing_speed Eng_type Pay_scale Tgrade **SECRETARY TECHNICIAN ENGINEER** MANAGER Salary HOURLY_EMPLOYEE SALARIED EMPLOYEE Three specializations of EMPLOYEE: MANAGES BELONGS_TO {SECRETARY, TECHNICIAN, ENGINEER} {MANAGER} {HOURLY EMPLOYEE, SALARIED EMPLOYEE} **PROJECT** TRADE_UNION



- Each of these subgroupings is a subset of EMPLOYEE entities
- Each is called a subclass of EMPLOYEE
- EMPLOYEE is the superclass for each of these subclasses
- These are called superclass/subclass relationships:
 - EMPLOYEE/SECRETARY
 - EMPLOYEE/TECHNICIAN
 - EMPLOYEE/MANAGER
 - 0 ...



- These are also called IS-A relationships
 - SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE,
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass:
 - The subclass member is the same entity in a distinct specific role
 - An entity cannot exist in the database merely by being a member of a subclass; it must also be a member of the superclass
 - A member of the superclass can be optionally included as a member of any number of its subclasses




- Examples:
 - A salaried employee who is also an engineer belongs to the two subclasses:
 - ENGINEER, and
 - SALARIED_EMPLOYEE
 - A salaried employee who is also an engineering manager belongs to the three subclasses:
 - MANAGER,
 - ENGINEER, and
 - SALARIED_EMPLOYEE
- It is not necessary that every entity in a superclass be a member of some subclass

Representing Specialization in EER Diagrams

Figure 4.4

EER diagram notation for an attribute-defined specialization on Job_type.





Attribute Inheritance in Superclass / Subclass RelationshipsAn entity that is member of a subclass *inherits*

- - All attributes of the entity as a member of the superclass
 - All relationships of the entity as a member of the superclass
- Example:
 - In the previous slide, SECRETARY (as well as TECHNICIAN and ENGINEER) inherit the attributes Name, SSN, ..., from **EMPLOYEE**
 - Every SECRETARY entity will have values for the inherited attributes

This is a property of Department of Computer Science, Faculty of Applied Science, University of Sri Jayewardenepura.

Specialization

- Specialization is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
 - Example: {SECRETARY, ENGINEER, TECHNICIAN} is a specialization of EMPLOYEE based upon job type.
 - May have several specializations of the same superclass



Specialization


- Example: Another specialization of EMPLOYEE based on method of pairs (SALARIED_EMPLOYEE, HOURLY_EMPLOYEE).
 - Superclass/subclass relationships and specialization can be diagrammatically represented in EER diagrams
 - Attributes of a subclass are called specific or local attributes.
 - For example, the attribute TypingSpeed of SECRETARY
 - The subclass can also participate in specific relationship types.
 - For example, a relationship BELONGS TO of



HOURLY_EMPLOYEE

Specialization

Figure 4.1
EER diagram notation to represent






This is a property of Department of Computer Science, Faculty of Applied Science, University of Sri Jayewardenepura.

Generalization

- Generalization is the reverse of the specialization process
- Several classes with common features are generalized into a superclass;
 - original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE;
 - both CAR, TRUCK become subclasses of the superclass VEHICLE.
 - We can view {CAR, TRUCK} as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK



Generalization





Generalization. (a) Two entity types, CAR and TRUCK. (b) Generalizing CAR and TRUCK into the superclass VEHICLE.



Generalization and Specialization

- Diagrammatic notation are sometimes used to distinguish between generalization and specialization
 - Arrow pointing to the generalized superclass represents a generalization
 - Arrows pointing to the specialized subclasses represent a specialization
 - We do not use this notation because it is often subjective as to which process is more appropriate for a particular situation



We advocate not drawing any arrows

Generalization and Specialization

- Data Modeling with Specialization and Generalization
 - A superclass or subclass represents a collection (or set or grouping) of entities
 - It also represents a particular type of entity
 - Shown in rectangles in EER diagrams (as are entity types)
 - We can call all entity types (and their corresponding collections) classes,
 - whether they are entity types, superclasses, or subclasses



- If we can determine exactly those entities that will become members
 of each subclass by a condition, the subclasses are called
 predicate-defined (or condition-defined) subclasses
 - Condition is a constraint that determines subclass members
 - Display a predicate-defined subclass by writing the predicate condition next to the line attaching the subclass to its superclass



- If all subclasses in a specialization have membership condition on same attribute of the superclass, specialization is called an attribute-defined specialization
 - Attribute is called the defining attribute of the specialization
 - Example: JobType is the defining attribute of the specialization
 - {SECRETARY, TECHNICIAN, ENGINEER} of EMPLOYEE




- If no condition determines membership, the subclass is called user-defined
 - Membership in a subclass is determined by the database users by applying an operation to add an entity to the subclass
 - Membership in the subclass is specified individually for each entity in the superclass by the user



Displaying an attribute-defined specialization in EER diagrams

Figure 4.4

EER diagram notation for an attribute-defined specialization on Job_type.





This is a property of Department of Computer Science, Faculty of Applied Science, University of Sri Jayewardenepura.

- Two basic constraints can apply to a specialization/generalization:
 - Disjointness Constraint:
 - Completeness Constraint:



- Disjointness Constraint:
 - Specifies that the subclasses of the specialization must be disjoint:
 - an entity can be a member of at most one of the subclasses of the specialization
 - Specified by <u>d</u> in EER diagram
 - If not disjoint, specialization is overlapping:
 - that is the same entity may be a member of more than one subclass of the specialization
 - Specified by o in EER diagram



- Completeness Constraint:
 - Total specifies that every entity in the superclass must be a member of some subclass in the specialization/generalization
 - Shown in EER diagrams by a <u>double line</u>
 - Partial allows an entity not to belong to any of the subclasses
 - Shown in EER diagrams by a single line




- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.



Example of disjoint partial Specialization


Figure 4.4

EER diagram notation for an attributedefined specialization on Job_type.





Example of overlapping total Specialization





Specialization/Generalization Hierarchies, Lattices & Shared Subclasses

- A subclass may itself have further subclasses specified on it
 - forms a hierarchy or a lattice
- Hierarchy has a constraint that every subclass has only one superclass (called single inheritance); this is basically a tree structure
- In a *lattice*, a subclass can be subclass of more than one superclass (called *multiple inheritance*)



Shared Subclass "Engineering_Manager"





Figure 4.6 A specialization lattice with shared subclass ENGINEERING_MANAGER.



Specialization/Generalization Hierarchies, Lattices & Shared Subclasses

- In a lattice or hierarchy, a subclass inherits attributes not only of its direct superclass, but also of all its predecessor superclasses
- A subclass with more than one superclass is called a shared subclass (multiple inheritance)
- Can have:
 - specialization hierarchies or lattices, or
 - generalization hierarchies or lattices,
 - depending on how they were derived
- We just use *specialization* (to stand for the end result of either specialization or generalization)



Specialization/Generalization Hierarchies, Lattices & Shared Subclasses

- In specialization, start with an entity type and then define subclasses of the entity type by successive specialization
 - called a top down conceptual refinement process
- In generalization, start with many entity types and generalize those that have common properties
 - Called a bottom up conceptual synthesis process
- In practice, a combination of both processes is usually employed



Specialization / Generalization Lattice Example

(UNIVERSITY)




Figure 4.7
A specialization lattice with multiple inheritance for a UNIVERSITY database.



Categories (UNION TYPES)

- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is a subclass in:
 - more than one distinct superclass/subclass relationships
 - each relationships has a single superclass
 - shared subclass leads to multiple inheritance
- In some cases, we need to model a single superclass/subclass relationship with more than one superclass
- Superclasses can represent different entity types
- Such a subclass is called a category or UNION TYPE



Categories (UNION TYPES)

- Example: In a database for vehicle registration, a vehicle owner can be a PERSON, a BANK (holding a lien on a vehicle) or a COMPANY.
 - A category (UNION type) called OWNER is created to represent a subset
 of the union of the three superclasses COMPANY, BANK, and PERSON
 - A category member must exist in at least one of its superclasses




Categories (UNION TYPES)

- Difference from shared subclass, which is a:
 - subset of the intersection of its superclasses
 - shared subclass member must exist in *all* of its superclasses



Two categories (UNION types): OWNER, REGISTERED_VEHICLE





Summary

- Introduced the EER model concepts
 - Class/subclass relationships
 - Specialization and generalization
 - Inheritance
- These augment the basic ER model concepts introduced in ER modelling



thank

