
QUESTION 1:



```
DROP TABLE IF EXISTS Actors;
DROP TABLE IF EXISTS Movies;
DROP TABLE IF EXISTS Directors;
DROP TABLE IF EXISTS Persons;
--QUESTION 2:
-- Persons --
CREATE TABLE Persons (
 pid
                                  serial,
 aid
                                  int,
 did
                                  int,
                                  text not null,
 name
 address
                         text not null,
 primary key(pid)
-- Movies --
CREATE TABLE Movies (
 mid
                         serial,
                                  text not null,
 name
                                  text not null,
 main actor
 main director
                                  text not null,
 year released
                                  int not null,
 domestic_box_sales
                                  int,
 foreign box sales
                                  int,
 dvdblueray sales
                                  int,
 primary key (mid)
);
-- Directors --
CREATE TABLE Directors (
 did
                                  serial references Persons(pid),
 film school
                                  text,
 directors_guild_year
                                  int not null,
 primary key (did)
);
-- Actors --
CREATE TABLE Actors (
                         serial references Persons(pid),
 aid
 birthdate
                                  date not null,
 hair_color
                                  text not null,
 eye color
                                  text not null,
 height_inches
                         int not null,
 weight_lbs
                                  int not null,
 screen actors guild year
                                  int not null,
 primary key (aid)
);
--QUESTION 3
-- Insert Persons
INSERT INTO Persons (name, address)
VALUES ('James Cameron', '15 Hollywood Ln'),
('David Fincher','7 Alien Rd'),
('Sean Connery', '007 Bestbond Ln'),
('Brad Pitt', '50 Troy St');
```

- -- Insert Directors
- -- James Cameron, David Fincher

INSERT INTO Directors(film school, directors guild year)

VALUES ('Fullerton College', '1976'), (null, '1985');

- -- Actors --
- --Sean Connery, Brad Pitt

INSERT INTO Actors(birthdate, hair_color, eye_color, height_inches, weight_lbs, screen_actors_guild_year)

VALUES('1930-08-25', 'brown', 'brown', 74, 180, 1954), ('1963-12-18', 'blonde', 'blue', 71, 155, 1987);

-- Movies --

INSERT INTO Movies(name, main_actor, main_director, year_released, domestic_box_sales, foreign_box_sales, dvdblueray sales)

VALUES('Fight Club', 'Brad Pitt', 'David Fincher', 1999, 37030102, 63823651, 5000000), ('Diamonds Are Forever', 'Sean Connery', 'Guy Hamilton', 1971, 43800000, 72200000, 5000000);

--QUESTION 4:

--Every column, that is not a primary key, is purely dependent on the primary key within its table.

--QUESTION 5:

SELECT Movies.main_director FROM Movies

WHERE Movies.main_actor = 'Sean Connery';