

kkour_3

Kiran Kour

2022-10-11

A transportation problem, its duality and economics interpretation:

Heart Start produces automated external defibrillators (AEDs) in each of two different plants (A and B). The unit production costs and monthly production capacity of the two plants are indicated in the table below. The AEDs are sold through three wholesalers. The shipping cost from each plant to the warehouse of each wholesaler along with the monthly demand from each wholesaler are also indicated in the table. How many AEDs should be produced in each plant, and how should they be distributed to each of the three wholesaler warehouses so as to minimize the combined cost of production and shipping?

```
tab <- matrix(c(22,14,30,600,100 ,
16,20,24,625,120,
80,60,70,"-", "-"), ncol=5, byrow=TRUE)
colnames(tab) <- c("Warehouse 1", "Warehouse 2", "Warehouse 3","Production cost","Production Capacity")
rownames(tab) <- c("Plant A", "Plant B","Monthly Demand")
tab <- as.table(tab)
tab
```

	Warehouse 1	Warehouse 2	Warehouse 3	Production cost
Plant A	22	14	30	600
Plant B	16	20	24	625
Monthly Demand	80	60	70	-
	Production Capacity			
Plant A	100			
Plant B	120			
Monthly Demand	-			

The above transportation problem can be formulated in the LP format as below:

$$\begin{aligned} \text{Min } TC = & 22x_{11} + 14x_{12} + 30x_{13} \\ & + 16x_{21} + 20x_{22} + 24x_{23} \\ & + 80x_{31} + 60x_{32} + 70x_{33} \end{aligned}$$

Subject to,

Supply constraints

$$x_{11} + x_{12} + x_{13} \leq 100$$

$$x_{21} + x_{22} + x_{23} \leq 120$$

Demand Constraints

$$x_{11} + x_{21} \geq 80$$

$$x_{12} + x_{22} \geq 60$$

$$x_{13} + x_{23} \geq 70$$

Non-Negativity of the variables

$$x_{ij} \geq 0$$

where

$$i = 1, 2, 3$$

and

$$j = 1, 2, 3$$

```
library(lpSolve)

# Set up cost matrix

costs <- matrix(c(622,614,630,0,
641,645,649,0), ncol = 4,byrow = TRUE)

# Set Plant names

colnames(costs) <- c("Warehouse 1", "Warehouse 2","Warehouse 3","Dummy")
rownames(costs) <- c("Plant A", "Plant B")
costs
```

```
##           Warehouse 1 Warehouse 2 Warehouse 3 Dummy
## Plant A           622           614           630     0
## Plant B           641           645           649     0
```

#Set up constraint signs and right-hand sides (supply side)

```
row.signs <- rep("<=", 2)
row.rhs <- c(100,120)
```

#Demand (sinks) side constraints

```
col.signs <- rep(">=", 4)
col.rhs <- c(80,60,70,10)
```

#Run

```
lptrans <- lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)
```

#Values of all 8 variables

```
lptrans$solution
```

```
##           [,1] [,2] [,3] [,4]
## [1,]      0   60   40    0
## [2,]     80    0   30   10
```

#Value of the objective function

```
lptrans$objval
```

```
## [1] 132790
```

#Getting the constraints value

```
lptrans$solution
```

```
##      [,1] [,2] [,3] [,4]  
## [1,]    0  60  40    0  
## [2,]   80    0  30   10
```

80 AEDs in Plant 2 - Warehouse1, 60 AEDs in Plant 1 - Warehouse2, 40 AEDs in Plant 1 - Warehouse3, 30 AEDs in Plant 2 - Warehouse3 should be produced in each plant and then distributed to each of the three wholesaler warehouses in order to minimize the overall cost of production as well as shipping.

#Formulate the dual of the above transportation problem

Since the primal was to minimize the transportation cost the dual of it would be to maximize the value added (VA).

$$\text{Maximize VA} = 100P_1 + 120P_2 - 80W_1 - 60W_2 - 70W_3$$

Subject to the following constraints

Total Profit Constraints

$$MR_1 - MC_1 \geq 622$$

$$MR_2 - MC_1 \geq 614$$

$$MR_3 - MC_1 \geq 630$$

$$MR_1 - MC_2 \geq 641$$

$$MR_2 - MC_2 \geq 645$$

$$MR_3 - MC_2 \geq 649$$

Where MR_1 = Marginal Revenue from Warehouse1

MR_2 = Marginal Revenue from Warehouse2

MR_3 = Marginal Revenue from Warehouse3

MC_1 = Marginal Cost from Plant1

MC_2 = Marginal Cost from Plant2

Economic Interpretation of the dual

$$MR_1 \leq MC_1 + 622$$

$$MR_2 \leq MC_1 + 614$$

$$MR_3 \leq MC_1 + 630$$

$$MR_1 \leq MC_2 + 641$$

$$MR_2 \leq MC_2 + 645$$

$$MR_3 \leq MC_2 + 649$$

The above constraints framed under the economic interpretation of the dual follows the universal rule of profit maximization i.e. $MR \geq MC$ where “MR” is the Marginal Revenue and “MC” is the Marginal Cost.

$$MR_1 \leq MC_1 + 621 \quad i.e. \quad MR_1 \geq MC_1$$

Marginal Revenue i.e. The revenue generated for each additional unit sold relative to Marginal Cost (MC) i.e. The change in cost at Plant 1 by inducing an increase in the supply function should be greater than or equal to the revenue generated for each additional unit distributed to Warehouse 1.

This is useful for businesses to balance their production output with their costs to maximize profit.