circle Assignment

kanekal kousar

I. QUESTION

Q(6), C, Section-A, Chapter-8:If a circle passes through the point (a,b)and cuts the circle $x^2+y^2=k^2$ orthogonally, then the equation of the locus of its center is.

II. SOLUTION




Figure 1: a circle passes through the point L and cuts the circle $x^2 + y^2 = k^2$ orthogonally

With the given circle equation $x^2 + y^2 = k^2$, we can find out centre U_1 and radius r_1 of Circle-1 **STEP-1**

Centre of Circle-1,

$$U_1 = \begin{pmatrix} 0 \\ 0 \end{pmatrix} \tag{1}$$

Radius of Circle-1,

$$r_1 = k \tag{2}$$

STEP-2

let,the center of the circle which passes through the point L and cuts the circle $x^2 + y^2 = k^2$ orthogonally is:

$$U_2 = \begin{pmatrix} x \\ y \end{pmatrix} \tag{3}$$

$$L = \begin{pmatrix} a \\ b \end{pmatrix} \tag{4}$$

Radius of Circle be r_2

As both the circles are orthogonal, we get:

$$||U_2 - U_1||^2 = r_1^2 + r_2^2 \tag{5}$$

where

$$\implies ||U_2 - U_1||^2 = ||U_2||^2 + ||U_1||^2 - 2U_1^{\mathsf{T}}U_2 \tag{6}$$

$$\implies r_1^2 = k^2 \tag{7}$$

$$\implies r_2^2 = ||U_2 - L||^2$$

$$= ||U_2||^2 + ||L||^2 - 2L^{\mathsf{T}}U_2 \tag{8}$$

substitute equation (6),(7),(8) in equation (5)

$$\implies ||U_2 - U_1||^2 = r_1^2 + r_2^2$$

$$\implies ||U_2||^2 + ||U_1||^2 - 2U_1^{\mathsf{T}}U_2 = \\ k^2 + ||U_2||^2 + ||L||^2 - 2L^{\mathsf{T}}U_2$$

by solving the above equation we get,

$$\implies 2L^{\mathsf{T}}U_2 = k^2 + ||\dot{L}||^2$$

$$\implies 2L^{\mathsf{T}}U_2 = k^2 + L^{\mathsf{T}}L \tag{9}$$

equation (9) is the required equation, which is a line equation $n^T X = c$

CONSTRUCTION

Symbol	Value	Description
U_1	$\begin{pmatrix} 0 \\ 0 \end{pmatrix}$	center of given circle
r_1	k	radius of given circle
U_2	$\begin{pmatrix} x \\ y \end{pmatrix}$	center of circle 2
L	$\begin{pmatrix} a \\ b \end{pmatrix}$	a point on circle 2
r_2	$ \vec{U}_2 - \vec{L} ^2$	radius of circle 2

Get the python code of the figures from

https://github.com/kkousar/KOUSAR_FWC/blob/main/circle_Assignment/code/circle.py