

Voya Activity SaaS User Guide

What each screen does, how screens are linked, and what the fields mean

This guide explains the vendor portal in plain language. It follows the real application screens and shows how a vendor moves from onboarding to activities, rate plans, availability, bookings, payouts, and performance.

Quick start

Item	Value
Frontend	http://localhost:3007
Backend API	http://localhost:4007/api
Swagger	http://localhost:4007/api/docs
Demo email	vendor@voya.demo
Demo password	Demo@123

The browser application is the front door. It calls the NestJS API, and the API reads and writes PostgreSQL through Prisma. You normally work in the browser; pgAdmin is useful when you want to inspect the stored rows.

Technical architecture

The demo has three runtime layers. The React and Vite frontend runs on port 3007 and owns screen state, form controls, validation messages, and navigation. The NestJS backend runs on port 4007 under the /api prefix and owns authentication, role checks, validation, business rules, and database access. PostgreSQL stores the tenant, vendor, catalogue, pricing, inventory, booking, payout, and audit data in the activity_saas database.

Layer	Technology	Responsibility	Demo evidence
Browser	React + Vite	Renders screens, collects input, stores the JWT, calls API endpoints	Menu changes screens without a page reload
API	NestJS + class-validator	Authenticates requests, validates DTOs, applies workflow rules	HTTP status and error messages in the UI
Data access	Prisma ORM	Maps typed service calls to PostgreSQL rows and relations	Saved values remain after refresh
Database	PostgreSQL 16	Persists vendor-owned business data	Rows visible in pgAdmin under activity_saas

End to end technical flow

Use this sequence when demonstrating the system. Each step produces a visible result and a corresponding API or database change.

Step	User action	Frontend request	Backend and database result
1. Authenticate	Enter demo email and password and select Sign in	POST /api/auth/login	NestJS verifies the password and returns a JWT. The browser stores it as voya_token.
2. Restore session	Refresh the browser	GET /api/auth/me	The JWT guard identifies the user. The app then loads GET

			/api/vendor/profile.
3. Complete vendor setup	Edit business fields and select Save Business Details	PATCH /api/vendor/profile	VendorProfile is updated for the logged-in tenant only.
4. Verify documents	Choose a PDF, JPG, JPEG, or PNG in a document control	POST /api/vendor/documents/{key}	The document filename, status, and upload time are stored in VendorProfile.documentStatus.
5. Create catalogue content	Select Listings, New Listing, enter fields, and save	POST /api/activities or PATCH /api/activities/{id}	An Activity row is created or updated. Highlights, terms, location, rating, and information arrays are normalized.
6. Add commercial rules	Open an activity and add a rate plan	POST /api/activities/{id}/rate-plans	RatePlan is created with TravellerRule and CancellationRule child rows.
7. Publish	Select Publish Listing on a draft activity	POST /api/activities/{id}/publish	The activity status changes to LIVE in the demo workflow.
8. Manage inventory	Choose a rate plan, edit available/capacity/price/closed, and save	POST /api/availability/bulk	AvailabilitySlot rows are updated with version checks to prevent stale overwrites.
9. Manage demand	Schedule a promotion or toggle one off	POST /api/promotions or PATCH /api/promotions/{id}	Promotion stores its time window, percentage, cap, and active flag.
10. Fulfil bookings	Confirm, cancel, or request a voucher	POST /api/bookings/{id}/confirm, /cancel, or GET /voucher	Booking status transitions are validated. Confirmed bookings can return a voucher code.

Logical business flow

The business logic moves from identity to supply, then from supply to demand and settlement. The dependency is intentional: a booking is meaningful only when it points to an activity and, where applicable, a rate plan; an availability slot is meaningful only when it belongs to a rate plan.

Business object	Owns or belongs to	Why it matters
Tenant	Users, VendorProfile, Activities, Bookings, Payouts	Defines the vendor boundary used for isolation
VendorProfile	Business details and documentStatus JSON	Controls readiness, verification, and payout identity
Activity	Media, RatePlans, Promotions, Bookings	Represents the sellable product or experience
RatePlan	TravellerRules, CancellationRules, AvailabilitySlots	Represents a specific price and operating contract
AvailabilitySlot	One rate plan, date, and start time	Controls capacity, remaining inventory, closure, and optional price
Booking	One tenant, activity, optional rate plan	Represents a reservation and its state transition
Payout	One tenant and settlement status	Represents money moving through scheduled, transit, or paid states

State transitions to demonstrate

Object	Starting state	Action	Result
Activity	DRAFT	Submit for Review	UNDER_REVIEW
Activity	DRAFT, INACTIVE, or	Publish Listing in the vendor	LIVE

	UNDER_REVIEW	demo	
Activity	LIVE	Edit and save	UNDER_REVIEW, so changes are reviewed
Booking	PENDING	Confirm	CONFIRMED
Booking	PENDING or CONFIRMED	Cancel	CANCELLED
Promotion	active = true	Toggle switch	active = false
AvailabilitySlot	open	Set Closed and save	closed = true; inventory remains auditable

Tenant isolation and security flow

Every protected request carries Authorization: Bearer <JWT>. The JWT identifies the user role and tenantId. NestJS guards reject missing or invalid tokens, the roles guard limits vendor routes to vendor users, and service queries add the current tenantId to their filters. This is why one vendor cannot list or modify another vendor's activities, bookings, availability, or payouts. ValidationPipe rejects unknown fields and invalid types before the service writes data.

Request lifecycle in detail

A normal save follows the same lifecycle on every screen. First, a React control changes local form state. When the user selects a save or action button, the API client serializes the state as JSON and adds the bearer token. NestJS receives the request under /api, authenticates it, validates the DTO, and calls the feature service. The service adds tenant ownership rules, performs business validation, writes through Prisma, and returns the updated row. React then replaces its local state with the response, which is why the screen immediately reflects the server result.

Stage	Component	What happens	Failure visible to the user
1. Input	React field or toggle	Value is held in component state and displayed immediately	The control remains editable
2. Submit	api.request	JSON body and Authorization header are sent	Network or authentication error
3. Authenticate	JwtAuthGuard	Token is decoded and the user is loaded	401 Unauthorized
4. Authorize	RolesGuard	Role metadata is checked against the route	403 Forbidden
5. Validate	ValidationPipe and DTO	Unknown fields, wrong types, invalid dates, and invalid ranges are rejected	400 Bad Request with a readable message
6. Apply rules	Feature service	Tenant ownership, status transition, and optimistic version rules run	409 Conflict or 404 Not Found
7. Persist	Prisma and PostgreSQL	Rows and related child records are inserted or updated	500 only for an unexpected server failure
8. Refresh state	React page	Returned data replaces stale local state	Success message or refreshed table

Detailed screen responsibilities

Screen	Reads from the API	Writes to the API	Logical purpose
Login	None before authentication	POST /auth/login	Creates the authenticated vendor session

Dashboard	GET /dashboard/summary	None	Shows a read-only operational overview
Onboarding	GET /vendor/profile	PATCH /vendor/profile; POST /vendor/documents/{key}	Maintains the vendor identity, readiness, payout display, and document status
Listings	GET /activities	POST /activities; PATCH /activities/{id}	Finds activities and opens the editor
Activity Editor	GET /activities/{id}; GET /activities/{id}/rate-plans	PATCH activity; media endpoints; rate-plan create; submit; publish	Maintains the product master and its commercial offers
Availability	GET /availability; GET /promotions	POST /availability/bulk; promotion create/toggle	Maintains saleable inventory and time-boxed discounts
Bookings	GET /bookings	Confirm, cancel, voucher	Runs the operational reservation queue
Payouts	GET /payouts	None	Displays settlement history
Performance	GET /dashboard/summary	None	Turns operational metrics into quality indicators

Example API messages

The following examples show the logical shape of the messages. The browser sends the request body; the server adds generated IDs, timestamps, tenant ownership, and version fields.

Create an activity

POST /api/activities with a body such as: { productName: "Sunrise Trek", type: "ACTIVITY", subType: "TICKET_ONLY", description: "Guided sunrise trek", shortDescription: "A guided morning experience", starRating: 4.8, cityName: "Munnar", stateName: "Kerala", countryName: "INDIA", address: "Meeting point", lat: 10.0889, lon: 77.0595, highlights: ["Guide included", "Sunrise viewpoint"], terms: ["Carry valid ID"], thingsToCarry: ["Walking shoes"], importantInfo: ["Weather dependent"] }. The response contains the new Activity id and status DRAFT.

Create a rate plan

POST /api/activities/{activityId}/rate-plans creates the commercial contract. The body contains ratePlanCode, name, currency, basePrice, unitType, minPax, maxPax, validFrom, validTo, validDays, blackoutDates, durationMinutes, timeOfDay, pickup and drop-off details, inclusions, exclusions, travellerRules, and cancellationRules. Prisma creates the RatePlan and its nested TravellerRule and CancellationRule rows in one logical operation.

Save inventory

POST /api/availability/bulk sends a list of slots. Each slot contains ratePlanId, slotDate, startTime, capacity, available, closed, priceOverride, and expectedVersion. The expectedVersion prevents an older browser tab from overwriting a newer edit. A successful response is followed by a reload so the displayed values come from PostgreSQL.

Field behavior and validation rules

Area	Field	Expected value	Validation or business rule
Onboarding	Legal Business Name	Registered vendor name	Stored against the current VendorProfile
Onboarding	GSTIN	Tax registration number	Optional text in this demo; document verification is separate
Onboarding	Payout Account	Masked account display	Never used as a raw bank

			credential
Documents	File	PDF, JPG, JPEG, or PNG	The demo records filename, status, and upload time in documentStatus
Activity	Star Rating	0 through 5, decimals allowed	Backend limits the value to the supported range
Activity	Latitude / Longitude	Decimal coordinates	Converted to numeric values before persistence
Rate Plan	Base Price and traveller prices	Zero or positive numbers	Stored as PostgreSQL Decimal values
Rate Plan	Min Pax / Max Pax	Positive integers	Max Pax cannot be lower than Min Pax
Rate Plan	Valid From / Valid To	Dates	Valid To must be on or after Valid From
Rate Plan	Blackout Dates	Comma-separated ISO dates	Excluded dates remain visible as rate-plan configuration
Rate Plan	Cancellation slabs	Percentage values	Each charge is stored as a structured rule, not free text
Availability	Available / Capacity	Non-negative integers	Capacity and available are bounded by business inventory logic
Availability	Price Override	Optional non-negative number	If blank, rate-plan base price is used
Availability	Closed	On or off	Closed slots remain stored but are not saleable
Promotion	Discount %	0.01 through 100	Start and end define the active time window

What changes in the database during the demo

Demo action	Primary table	Related tables or fields	How to prove it
Save onboarding	VendorProfile	legalBusinessName, GSTIN, category, payoutAccountMasked	Refresh Onboarding and open VendorProfile in pgAdmin
Upload a document	VendorProfile.documentStatus JSON	key, fileName, status, uploadedAt	Open the JSON column and find the document key
Save an activity	Activity	terms, highlights, thingsToCarry, importantInfo, lat, lon, starRating	Refresh the editor and inspect Activity
Add media	ActivityMedia	activityId, kind, url, rank	Open the ActivityMedia rows for the activity
Add rate plan	RatePlan	TravellerRule and CancellationRule	Match ratePlanCode to its child rows
Save inventory	AvailabilitySlot	capacity, available, closed, priceOverride, version	Match ratePlanId, date, and startTime
Schedule promotion	Promotion	activityId, discountPercent, startsAt, endsAt, active	Open Promotion and compare the displayed card
Confirm booking	Booking	status and version	Refresh Bookings and inspect status CONFIRMED

Error and recovery scenarios

Scenario	Expected result	How to recover
Wrong login password	Login remains on screen with an error	Use vendor@voya.demo and Demo@123
Backend unavailable	Screen shows a request error or cannot load	Start the backend on port 4007 and reload
Invalid rate-plan dates	Create action is rejected	Choose a Valid To date on or after Valid From
Max Pax below Min Pax	Client-side error appears before submission	Increase Max Pax or reduce Min Pax
Expired or missing JWT	API returns 401	Sign in again
Editing stale availability	API returns a conflict	Reload Availability and apply the change again
Voucher requested for pending booking	API refuses the request	Confirm the booking first
Publishing an already live activity	Status transition is rejected or unnecessary	Edit, submit, and publish only when a new review is required

Narrated demonstration explanation

Begin by saying: “This is a tenant-aware vendor console. I will create a business-to-booking flow. I will first authenticate, then update vendor readiness, maintain a sellable activity, attach a commercial rate plan, add inventory, accept a booking, and finally verify the rows in PostgreSQL.”

At Onboarding, explain that the vendor profile is the identity anchor. At Listings, explain that an Activity is the product master and does not itself define every price. At the Activity Editor, explain that one activity can have several rate plans, for example shared, private, child, premium, or vehicle-specific offers. At Availability, explain that the selected rate plan determines which inventory grid is being edited. At Bookings, explain that the booking points back to the activity and selected rate plan and moves through controlled states. Finish in pgAdmin to prove that the UI is connected to real stored data.

Role and ownership matrix

Capability	Vendor	Admin / Sub-admin	Reason
Read own profile and catalogue	Yes	Yes	Vendor operates its own data; platform roles can supervise
Create or edit own activity	Yes	Yes	Changes are tenant-scoped
Submit for review	Yes	No requirement in demo	Vendor requests operational approval
Publish in this demo	Yes	Yes	Enabled for demonstrating the complete lifecycle
Manage own inventory and promotions	Yes	Yes	Inventory belongs to the vendor’s rate plans
Confirm or cancel own bookings	Yes	No requirement in demo	Vendor fulfils reservations
Access another tenant’s rows	No	Platform policy dependent	Service filters enforce tenant ownership

How the screens are linked

The left menu is available after login. Each menu item changes the main screen without changing the vendor account. Several screens are linked by IDs: an Activity owns Rate Plans; a Rate Plan owns Traveller Rules, Cancellation Rules, and Availability Slots; Bookings can refer to an Activity and Rate Plan.

Screen	Main purpose	What it links to
Dashboard	Summary of vendor activity	Bookings, Listings, Onboarding
Onboarding	Business verification and payout readiness	VendorProfile and documents
Listings	Search and open activities	Activity Editor and Rate Plans
Activity Editor	Create/edit product information	Media, Rate Plans, Availability
Availability	Set dates, slots, capacity and promotions	RatePlan and AvailabilitySlot
Bookings	Confirm or cancel reservations	Activity, RatePlan and Booking
Payouts	View settlement history	Payout
Performance	Review service quality	Dashboard and booking metrics

Login and dashboard




Figure 1. Exact login screen captured from the running Chrome application.

Enter the seeded demo email and password, then select Sign in. Authentication is performed by the NestJS API and the returned JWT is stored by the browser for authenticated requests; the React app does not fake a successful login.




Figure 2. Exact dashboard screen captured from the running Chrome application. The dashboard is the starting point after a successful login.

The dashboard gives a quick operational summary. Bookings Today counts recent booking activity, Revenue MTD shows confirmed and completed revenue for the month, Pending Bookings needs vendor action, and Vendor Readiness shows how complete the account is.

Onboarding

Voya Vendor Console

Complete verification to unlock full catalogue access

Verified Vendor BM Sign out

Onboarding

1 Business Details Complete

2 Documents Complete

3 Bank & Payout In progress

4 Catalogue Setup Pending

5 Go Live Review Pending

Business Details

Legal Business Name: Blue Mountain Adventures Pvt. Ltd.

Operating City: Munnar

Operating Region: Kerala

GSTIN: 32AACCB1234F1Z5

Category: Trekking, Nature & Wildlife

Payout Account: HDFC **** 4821

Save Business Details

Documents

GSTIN Certificate: Uploaded - Verified (Replace)

PAN Card: Uploaded - Verified (Replace)

Canceled Cheque / Bank Proof: Required / pending (Upload)

Trade License / Activity Permit: Required / pending (Upload)

Vendor account VEN-14PQ38

Figure 3. Exact onboarding screen captured from the running Chrome application.

Field	Meaning	Where it is stored
Legal Business Name	Registered business name	VendorProfile.legalBusinessName
Operating City / Region	Location used for vendor identity and operations	VendorProfile.operatingCity / operatingRegion
GSTIN	Tax registration identifier	VendorProfile.gstin
Category	Business category shown to the vendor	VendorProfile.category
Payout Account	Masked settlement account display	VendorProfile.payoutAccountMasked

Listings




Figure 4. Exact listings screen captured from the running Chrome application.

Listings is the activity catalogue. Use the search box to find an activity, use status filters to narrow the list, and click a listing card to open the Activity Editor. “Live”, “Under Review”, and “Draft” are workflow states. A listing price is taken from its first rate plan when one exists.

Activity editor




Figure 5. Exact Activity Editor screen captured from the running Chrome application.

Section	Important fields	What to enter
Basic Info	Product Name, Activity Type, Activity Sub-Type, Star Rating, Description	Customer-facing product identity and explanation
Category and Location	Sub-Category, City, State, Country, Address, Latitude, Longitude	Where the activity happens and how it is categorized
Media	Media Type, Media URL	Image or video URL for the product catalogue
Logistics	Things to Carry, Important Information	Operational instructions shown with the

		product
Rate Plan and Travellers	Rate plan code, currency, price, pax limits, traveller prices	Commercial offer that can be booked
Policies and Cancellation	Terms and cancellation slabs	Customer terms and charges based on days before service

Save Draft writes the activity to the database. Submit for Review changes a draft to Under Review. Publish Listing is available in the working demo and changes the listing to Live. Editing a live activity moves it back to review so production changes are checked.

Rate plans and traveller pricing

A rate plan is a bookable commercial version of an activity. One activity can have many rate plans, such as Standard, Private, Premium, Adult, Child, or different vehicle options. The activity is the product; the rate plan is the price and operating rules for that product.

Field	Meaning
Rateplan ID / Code	Unique code for the plan within its activity
Rateplan Name	Human-readable commercial name
Base Price	Default price stored as a database Decimal
Unit Type	Whether price is per person or per unit
Min Pax / Max Pax	Allowed booking group size
Valid From / Valid To	Date range when the plan can be used
Currency	Three-letter currency code used for the plan
Valid Days / Blackout Dates	Days the plan operates and dates that are excluded
Duration	Expected activity duration in minutes
Time of Day / Pickup Details	Operating time and meeting-point information
Pickup / Drop-off	Operational transport details
Inclusions / Exclusions	What is and is not included in the price
Traveller Rules	Adult, child, senior, and other age/price rules
Auto-Redeem Voucher	Whether the voucher is marked redeemed automatically
Cancellation Rules	Ordered slabs for cancellation charges

Availability and promotions

Voya
TRAVEL CONSOLE

Availability & Pricing
Manage slots, capacity and promotions

Verified Vendor BM Sign out

Sunrise Trek to Top Station — Standard Rate Plan

Schedule Promotion

Low Occupancy Booster — Sunrise Trek to Top Station
Time-based discount for low-occupancy inventory. The API persists and validates the promotion window.

Use now

DISCOUNT: 15% OFF
STARTS: 05 Sept 2026
ENDS: 07 Sept 2026
BOOKING CAP: 10

Active — click to stop early

Sunrise Trek to Top Station — Standard Rate Plan Slot Inventory

Save Inventory

SLOT	09 SEPT 2026	10 SEPT 2026	11 SEPT 2026	12 SEPT 2026	13 SEPT 2026	14 SEPT 2026	15 SEPT 2026	16 SEPT 2026
06:00	8 / 12 £1,499	8 / 12 £1,499	8 / 12 £1,499	8 / 12 £1,499	8 / 12 £1,499	0 / 12 £1,499	8 / 12 £1,499	8 / 12 £1,499
09:30	10 / 12 £1,499	10 / 12 £1,499	10 / 12 £1,499	10 / 12 £1,499	10 / 12 £1,499	2 / 12 £1,499	10 / 12 £1,499	10 / 12 £1,499

Standing Pricing Rules

Rule	Condition	Discount	Status
Weekend Surcharge	Sat-Sun, all slots	+15%	Active
Early Bird (> 7 days)	All listings	-10%	Active

These illustrative standing rules are UI-only in this demo. Promotions and slot inventory are fully persisted; rule-engine configuration is intentionally left for the next approved scope.

Vendor account
VEN-140238
Sunrise

Figure 6. Exact Availability screen captured from the running Chrome application. The live demo contains at least 10 selectable rate plans with inventory.

Field	Meaning	Rule
Rate Plan Selector	Chooses which plan's slots are being viewed	Only rate plans with seeded inventory appear
Slot Date	Service date	Stored as a date without a time of day
Start Time	Daily operating slot time	Combined with date and plan to identify a slot
Available	Remaining places for that slot	Must not be greater than capacity
Capacity	Maximum places for that slot	Used to protect inventory limits
Price Override	Optional slot-specific price	Otherwise the rate plan base price is used
Closed	Temporarily closes a slot	Closed slots cannot be sold
Promotion	Time-boxed discount for an activity	Has start, end, discount, and booking cap

Save Inventory sends the visible slots to the API. The backend uses optimistic version checks so a stale browser cannot silently overwrite another update.

Bookings

V

Voya

Vendor Console

Dashboard

Onboarding

Listings

Availability

Bookings

Payouts

Performance

Vendor account

VIEW INFO

Logout

Bookings

Confirm, track and fulfil incoming reservations

All

Needs Action

Confirmed

Cancelled

BOOKING ID	ACTIVITY	SOURCE	DATE	PAX	AMOUNT	STATUS	ACTION
BC-77275	Athirappilly Excursion from Kizhi to Munnar	Viator	06 Sept 2026	3	₹2,697	CANCELLED	Details
BC-77295	Sunrise Trek to Top Station	MakeMyTrip	06 Sept 2026	4	₹5,996	CONFIRMED	Cancel
BC-77288	Sunrise Trek to Top Station	Klook	07 Sept 2026	2	₹2,998	PENDING	Confirm Cancel
BC-77286	Photoshoot at Tata Tea Museum	GetYourGuide	08 Sept 2026	6	₹18,600	PENDING	Confirm Cancel
BC-77288	Traditional Meal of Kerala	Direct — Voya	09 Sept 2026	3	₹4,500	CONFIRMED	Cancel

Figure 7. Exact Bookings screen captured from the running Chrome application.

Use All, Needs Action, Confirmed, and Cancelled filters to manage incoming reservations. A pending booking can be confirmed or cancelled. Confirmed and completed bookings expose Voucher. The API protects valid state transitions and keeps booking records isolated to the vendor tenant.

Payouts and performance

V

Voya

Vendor Console

Dashboard

Onboarding

Listings

Availability

Bookings

Payouts

Performance

Vendor account

VIEW INFO

Logout

Payouts

Track earnings and settlement cycles

AVAILABLE / SCHEDULED

₹1,84,220

Next settlement cycle

IN TRANSIT

₹42,900

Bank processing

RECENTLY PAID

₹1,26,500

Settled

REFERENCE	DUE DATE	AMOUNT	STATUS
PD-2026-001	09 Sept 2026	₹1,84,220	SCHEDULED
PD-2026-000	07 Sept 2026	₹42,900	IN TRANSIT
PD-2026-009	28 Aug 2026	₹1,26,500	PAID

Figure 8. Exact Payouts screen captured from the running Chrome application.




Figure 9. Exact Performance screen captured from the running Chrome application.

Payouts is read-only settlement history in this demo. Performance summarizes response time, cancellation rate, customer rating, readiness, and listing quality so the vendor knows what needs attention.

Recommended live demo script

This is a short logical demonstration for a stakeholder or tester. Keep the browser and pgAdmin open side by side when you want to prove that the UI change reached PostgreSQL.

Order	What to do	What to point out
1	Open http://localhost:3007 and sign in with <code>vendor@voya.demo</code> / <code>Demo@123</code>	The login is real and creates an authenticated session.
2	Open Onboarding and change the category, then save	The success message confirms the PATCH request; refresh to prove persistence.
3	Choose a pending document and select a file	The card changes to Uploaded and Verified with the filename.
4	Open Listings, select an activity, and review the editor sections	Basic information, location, media, logistics, rate plans, policies, and availability are linked by the activity ID.
5	Add or edit a rate plan	Explain currency, traveller prices, pax limits, valid dates, operating days, blackout dates, cancellation rules, and auto-redeem.
6	Select Publish Listing	The activity becomes LIVE in the demo and returns to the listing list.
7	Open Availability and choose one of the 10 seeded plans	Edit available seats, capacity, price override, and Closed, then select Save Inventory.
8	Schedule a promotion and toggle it	The time-boxed promotion is persisted and can be stopped or resumed.
9	Open Bookings and confirm a pending booking	The status changes to CONFIRMED; select Voucher to show the generated voucher code.
10	Return to Dashboard, Payouts, and Performance	These screens read summary and settlement data from the API and show the operational result.

How to verify the flow in pgAdmin

Connect to PostgreSQL 16, expand Databases, select activity_saas, then expand Schemas, public, and Tables. Right-click a table and choose View/Edit Data followed by All Rows. Useful tables for the demonstration are VendorProfile for onboarding and documents, Activity for listing fields and status, RatePlan for commercial rules, TravellerRule and CancellationRule for nested pricing rules, AvailabilitySlot for inventory, Promotion for discounts, Booking for confirmations and vouchers, and Payout for settlement history.

The strongest verification is to edit one value in the browser, save it, refresh the screen, and then open the corresponding table row in pgAdmin. The value should be identical because the browser does not use a mock-only form state for these persisted actions.

Database relationship in simple terms

The important chain is: Tenant → Vendor User and Vendor Profile. Tenant → Activities. Activity → Media, Rate Plans, Promotions, and Bookings. Rate Plan → Traveller Rules, Cancellation Rules, and Availability Slots. Booking can point back to the Activity and the selected Rate Plan.

When you use this screen	The main database row being changed
Save Business Details	VendorProfile
Save Draft / Edit Activity	Activity
Add Media	ActivityMedia
Create Rate Plan	RatePlan plus TravellerRule and CancellationRule
Save Inventory	AvailabilitySlot
Schedule Promotion	Promotion
Confirm or Cancel Booking	Booking

Troubleshooting

If the browser is blank, confirm the backend is running on port 4007 and the frontend on port 3007. If lists are empty, confirm the browser is logged in as vendor@voya.demo and that PostgreSQL database activity_saas is running. In pgAdmin, browse rows by expanding activity_saas → Schemas → public → Tables, then right-click a table and choose View/Edit Data → All Rows.

Admin Console Workflow

This section documents the administrator path now implemented in the running Voya application at <http://localhost:3007/>. It explains how a platform administrator supervises every vendor tenant, reviews onboarding evidence, and controls catalogue publication. The screenshots below were captured from the live Chrome session after signing in with the seeded admin account.

Admin Login

Use `admin@voya.demo` with password `Demo@123`. The API authenticates the account as ADMIN with no `tenantId`. That role distinction is important: the administrator is platform-scoped, while a VENDOR user is tenant-scoped. After authentication, the application selects the Admin Console shell and does not call vendor-only profile endpoints.

Admin Navigation

The admin menu contains three operational areas. Dashboard provides cross-tenant metrics and workflow entry points. Vendors lists every vendor tenant and opens a vendor detail review. Activity Review exposes draft and under-review activities that are waiting for a publish decision.




Figure A1. Admin Dashboard captured from the running Chrome application.

The dashboard currently reports 4 vendor tenants, 3 vendors pending onboarding review, 6 activities, 1 activity already under review, 5 bookings, and 2 pending bookings. These values are loaded from the admin API rather than hardcoded in the page. The workflow buttons link directly to the Vendors and Activity Review screens.

Vendor List and Onboarding Review




Figure A2. Vendor list and selected vendor detail captured from the running Chrome application.

The Vendors screen loads all tenants whose kind is VENDOR. Search filters the list by business name, tenant name, or account email. Selecting a vendor loads its complete review context: business profile, operating location, account owner, verification status, uploaded document metadata, listings, and rate-plan counts.

The administrator can approve a vendor, suspend a vendor, verify or reject each document, and inspect the vendor catalogue. Document decisions update `VendorProfile.documentStatus` with the decision and `reviewedAt` timestamp. Vendor verification updates `VendorProfile.verificationStatus`. These actions are protected by `JwtAuthGuard` and `RolesGuard` and accept only ADMIN or SUB_ADMIN roles.

Activity Review and Publishing




Figure A3. Activity Review queue captured from the running Chrome application.

The review queue returns vendor activities in DRAFT or UNDER_REVIEW status. Each row identifies the activity, owning vendor, city, current status, and number of configured rate plans. Publish changes the activity to LIVE, making it eligible for the customer catalogue. Reject changes it to INACTIVE, which keeps it out of the live catalogue until the vendor corrects and resubmits it.

End to End Logical Flow

Stage	What happens
1. Vendor registration	A new vendor creates an account. The backend creates a new VENDOR tenant, user, and pending VendorProfile with empty document status.
2. Vendor onboarding	The vendor completes business details, uploads document metadata, configures payout information, creates activities, and adds rate plans.
3. Administrative verification	The administrator opens Vendors, checks the profile and documents, then verifies or rejects evidence and approves or suspends the vendor.
4. Catalogue review	The administrator opens Activity Review and checks the activity content, vendor ownership, status, and rate-plan readiness.
5. Publication	Publishing changes the activity status to LIVE. The vendor can then manage availability and bookings for the published catalogue item.
6. Ongoing operations	The admin dashboard remains platform-wide, while vendor pages continue to enforce tenant isolation for listings, availability, bookings, payouts, and performance.

Admin API Mapping

The UI is backed by these protected endpoints: GET /api/admin/dashboard, GET /api/admin/vendors, GET /api/admin/vendors/:tenantId, PATCH /api/admin/vendors/:tenantId/verification, PATCH

/api/admin/vendors/:tenantId/documents/:key, GET /api/admin/activities/review, POST /api/admin/activities/:id/publish, and POST /api/admin/activities/:id/reject. All endpoints require a JWT and an ADMIN or SUB_ADMIN role.

Demo Verification Result

Chrome verification completed successfully using admin@voya.demo. The tested path was Admin Dashboard, Vendors, selected vendor detail, and Activity Review. Backend and frontend production builds also completed successfully.

Implementation Update September 2026

This appendix records the completed implementation and the verification performed against the running Chrome application at <http://localhost:3007/> and the PostgreSQL database activity_saas. It supplements the existing vendor and administrator flow documentation.

Completed Vendor Features

- Listings now support the prototype-style My Listings and Add / Edit Activity flow with seven linked sections: Basic Info, Category and Location, Media, Logistics and Inclusions, Rate Plan and Travellers, Policies and Cancellation, and Availability and Promo.
- Activity fields are saved through the create and update APIs. Rate plan fields, traveller rules, cancellation rules, capacity, availability, and promotions are persisted through their respective APIs.
- Cover images and multi-image galleries upload as files into activity-saas-backend/public/uploads. Each file is referenced by an ActivityMedia row containing kind, URL, description, and rank. The editor displays image previews and video controls.
- Onboarding Bank and Payout now captures masked payout account, account holder, bank, branch, IFSC, SWIFT or BIC, account type, and payout currency. These values are stored on VendorProfile. Raw account credentials are not collected.
- Confirmed booking Voucher buttons generate a real PDF from the booking record, save it under public/uploads, return the API URL, and display the PDF in the application preview modal.
- The application main panel owns vertical scrolling while the vendor sidebar remains fixed. This keeps all long screens reachable, including availability inventory and pricing rules.

Administrator Flow

An administrator signs in with the administrator account, views all vendor tenants, selects a vendor, reviews uploaded documents, opens image or PDF previews, verifies or rejects individual documents, approves or suspends the vendor, and reviews vendor activities. Activity review supports publishing or rejecting activities after vendor submission. These actions call the admin API and update PostgreSQL records; they are not static screen-only controls.

Chrome Verification Evidence

Screen	Verified behavior
Bank and Payout	Chrome displayed the eight payout fields. Save and Continue moved onboarding to Catalogue Setup, and a subsequent API read returned the saved account holder, bank, branch, IFSC, SWIFT, CURRENT account type, and INR currency.
Media	Chrome displayed Cover Image, Gallery, and Video Link cards. An uploaded image was returned by the API, stored in public/uploads, referenced in ActivityMedia, and rendered as an image preview.
Availability	Chrome displayed the promotion card, live-deal summary, weekday date headers, slot inventory grid, Bulk Edit, Save Inventory, and Standing Pricing Rules. The slot and promotion screens loaded persisted records.
Bookings	Chrome displayed confirmed bookings. Clicking Voucher opened voucher-BK-77291.pdf inside the application PDF viewer; the server returned HTTP 200 with content type application/pdf.

Database ERD

The following ERD represents the current PostgreSQL structure. Foreign keys are shown by the relationship lines. Tenant is the ownership boundary for vendor data; activities own media, rate plans, promotions, and bookings; rate plans own traveller rules, cancellation rules, and availability slots.




Figure 1. Current Voya Activity SaaS database relationship diagram.

Verified Database Snapshot

Table / model	Rows	Purpose
Tenant	12	Tenant ownership and platform or vendor boundary
User	13	Login identities and roles
VendorProfile	12	Vendor onboarding, verification and payout metadata
Activity	22	Vendor product master
ActivityMedia	4	Uploaded or linked media
RatePlan	28	Bookable commercial offer
TravellerRule	8	Age, count and price rules
CancellationRule	9	Cancellation charge rules
AvailabilitySlot	41	Date and slot inventory
Promotion	1	Time-boxed discounts
Booking	5	Reservations and voucher source data
Payout	3	Settlement records
AuditLog	0	Audit event store

Important Persistence Rules

- Vendor records are isolated by tenantId for vendor users. Platform administrators can review across vendor tenants.

- Uploaded documents and activity media store file references in PostgreSQL while binary files are served from public/uploads through the API static route.
- A vendor edit to a LIVE activity moves the activity back to UNDER_REVIEW so production changes are reviewed before publication.
- Availability updates use optimistic version fields and bulk persistence. Promotions store their activity, discount, time window, booking cap, and active state.