

Expressions, Equations, and Formulae

R (Chandra) Chandrasekhar

2025-02-14 | 2025-02-14

An unforeseen challenge

My dear friend, Solus “Sol” Simkin, casually asked me one summer day if I would write a blog demystifying the meanings and uses of four mathematical terms: expression, equation, formula, and differential equation. I thought he spoke in jest, and let his request lie in a dusty corner of my mind, as a memento to his humour.

Imagine my surprise when he accosted me again after two months and asked if I had put pen to paper to explain the four mathematical terms.

“Surely, you cannot be serious, Sol”, I said. “Who would want to know something as fundamental as this? With the exception of differential equations, it should have been mostly taught by the fourth year of elementary school mathematics.”

“You would be astounded to know how many so-called **STEM graduates** and *postgraduates*—who have passed through the degree mill—are ignorant of these *definitions*, let alone their *purpose*,” replied Sol. “As an added bonus, write your blog so that it is also perfectly clear to elementary school students, going on to middle school. It will serve as a valuable review for them.”

“Differential equations are in an entirely different class of mathematical sophistication from the other three topics. They should be excluded from the elementary treatment you are proposing,” I said to Sol.

Never one to be pig-headed, Sol agreed.

Somewhat diffidently, I took up his challenge, complete with its stipulations. This blog was born after much cogitation, and is really my first attempt at presenting and exemplifying fundamental definitions, usually taught in elementary school.¹ Any reader who still finds it conceptually muddy or murky is cordially invited to **write to me**.

I have borrowed liberally from material contained in my book-manuscript *Secrets of Academic Success*, henceforth referred to as SAS. Perhaps the earnest student will be inspired to look for clarification there as well. 😊

¹I usually find it easier to explain concepts to students in middle school and beyond, rather than to elementary school students.

Starting at the beginning

My decades of muddling in matters scholastic have convinced me that there are *four* stages in all learning, as shown in Figure 1. These have been explained *in extenso* in my SAS book, and the interested reader is directed to the first chapter of that book [1] for a more substantial discussion.



Figure 1: Learning any subject involves four stages as shown above [1].

All knowledge begins with *naming*. You cannot analyze or understand what you cannot name. In specialized subject areas, names are called *definitions*. In this blog, we have the following *four* mathematical names to define, understand, analyze, and apply:

1. expression;
2. equation; and
3. formula.

After naming, we move to *knowing*. At this stage, we systematically study the subject that has been defined to the extent that we are familiar with it *ourselves*, without recourse to a teacher, a textbook, or other reference material.

The third stage, *doing*, involves *application* of the newfound concept that has already been defined and studied. If you were learning to fly an aircraft, you could not claim to be a pilot, based on mere theoretical knowledge. You must practise flying—first under supervision, and later solo—so that you accumulate enough experience to claim competence in that art.

Once the doing stage has been mastered, it becomes effortless: this is the *being* stage of knowledge. You are now a master at what you started out to learn. You can start teaching others.

Every subject of study—whether academic like mathematics, or practical like surgery—involves these four steps and their mastery. By steadily moving from one stage to another, and finally by graduating to the being stage, you achieve mastery of your subject.

This blog is mainly concerned with the naming stage, but our discussion will not be complete without a modicum of knowing and doing as well. Let us set to.

Expressions

The word **expression** literally means “(something) that is pressed out”. In the context of mathematics, an expression is a collection of numbers or symbols that are written out or expressed.

Sometimes, the expression might seem complicated, but it might also be amenable to simplification.

Let us start with something basic:

$$2 + 4 \tag{1}$$

It is a mathematical expression for adding four to two. But is that not 6? So, is the expression $2 + 4$ or is it 6? The *expression* itself is *two plus four*. Its *value* is six.

But if we know that $2 + 4 = 6$, why can't we say that the expression is 6? We *may* if we were asked to *simplify* the expression. But the expression itself remains as it was originally written.

Let us move up a notch. Look at:

$$\sqrt{25} \tag{2}$$

What does it mean? Now you need to know the language of mathematics. What does $\sqrt{}$ stand for? It is a stylized letter “r” for the word **radix** which stands for the positive square root of the number inside the symbol. What number multiplied by itself will give us 25? Well, 5×5 equals 25.

But is that all? What about $(-5) \times (-5) = 25$? That too is correct. So, what does $\sqrt{25}$ really stand for? It is *defined* to be the *positive* square root of 25 which is 5.

The case of -5 is catered for by the expression $-\sqrt{25}$. We may write $-\sqrt{25} = -5$; thus, we do not have notational ambiguity.

Simplifying an expression

In school, you might have been asked to *simplify an expression*. In that case, you are being asked to produce a result that is the same as the original expression but is simpler in form and appearance. For example, we could write:

$$2 + 4 = 6 \tag{3}$$

Look! What have we done? We have produced an *equation*. The sum of the two numbers on the left hand side (LHS) equals the single number on the right hand side (RHS).

We will consider *equations* a little later, but for now, bear in mind, that to simplify an expression, we need to find a *mathematical alias* for it that *equals* the original expression, but is simpler in form.

Enter algebra

After we mature a little more mathematically, we start dealing with numbers whose values are not known. We use *letters* to denote these unknown quantities, much like we use *pronouns* instead of *proper nouns* for the names of people we do not know. Let us take a look at a potentially confusing expression:

$$\frac{\left(\frac{a}{b}\right)}{c} \tag{4}$$

What does it mean? Can it be simplified? If so, what is its simplified form? Does it convey any meaning? What is the purpose of the parentheses on top?

Mathematics is a language in which ambiguity is prohibited by strictly enforced conventions. We already saw that with the $\sqrt{}$ sign.

Does Equation (4)² mean more than one thing? Not if we know our conventions. The expression consists of a value on top—supposed divided by a value at the bottom. But the value at the top is itself a fraction, that must be evaluated first because its numerator and denominator are bracketed or enclosed in parentheses:

$$\frac{a}{b} \tag{5}$$

This is now divided by the value c . **We know** that *dividing* by c amounts to *multiplying* by $\frac{1}{c}$. The expression may therefore be simplified so:³

$$\begin{aligned} \frac{\frac{a}{b}}{c} &= \frac{a}{b} \times \frac{1}{c} \\ &= \frac{a \times 1}{b \times c} \\ &= \frac{a}{bc} \end{aligned} \tag{6}$$

Note that the horizontal line separating the numerator and the denominator is called the *vinculum* and it is long enough to cover *both* b and c in the denominator.

If we did not have access to mathematical typesetting, this fraction would be written unambiguously as $a/(bc)$ where the two terms in the denominator must be grouped together by parentheses. If instead, this was written as a/bc the expression could also be correctly read as $(a/b) \times c = (ac)/b$ which is different from $a/(bc)$. This is reason enough to justify the use of brackets in mathematical expressions, which we take a look at next.

BIDMAS

When a mathematical expression is evaluated, we work from right to left, respecting **operator precedence**. This is a convention that lays down a hierarchy or protocol about which operation is performed before which. It is often reduced to the **mnemonic BIDMAS**.

The initial B stands for brackets, or parentheses. Bracketed expressions are evaluated first. Then we evaluate I or indices: powers and square roots. The $DMAS$ stands for division, multiplication, addition, and subtraction in that order.

This *convention* ensures that everyone is **on the same page** when evaluating mathematical expressions. All will get the same result. Ambiguity is hence exiled from the mathematical landscape.

If you love mathematical symbols, you might wish to remember this unpronounceable visual mnemonic instead:

$$()x^y \div \times + -$$

Choose whichever mnemonic appeals more to you.

²It is not an equation but an expression; my software did not allow that degree of customization. Please excuse this inaccuracy.

³Refer to the chapter “Arithmetic Revisited” in the SAS book [1] if you are still unclear about what follows.

A visual metaphor for mathematical expressions

My preferred visual image for a mathematical expression is a tied-up bundle of clothes:



Figure 2: Bundle of clothes as a visual metaphor for a mathematical expression.

Equations

We now look at *equations*. All equations embody the = symbol, which is called an *equals sign*. It is a mathematical shorthand to denote that what is on the LHS of this symbol is equal to what is on the RHS, however different they may appear to be. We have previously encountered this symbol in the very simple equation

$$2 + 4 = 6.$$

Operations and relations

Before venturing further, we need to distinguish between *operations* and *relations*.⁴

Addition, multiplication, exponentiation, etc., are familiar **binary operations**, which take two inputs or *operands*, from the same set, and produce a single output or result, again from the same set, as in

$$2 + 4 = 6.$$

⁴I have avoided a set theoretic framework and notation to keep this blog within the grasp of young students.

A **binary relation**, on the other hand, associates elements in one set to elements in another set via a relation R . Formally, if $x \in X$ and $y \in Y$ and R is a relation between the two, we denote the relation by the *ordered pair* (x, y) , written so:

$$xRy = (x, y)$$

whenever the relation R holds.

Equality is a binary relation in which R is replaced by the better known $=$ symbol. It is an **equivalence relation** with three properties: **reflexive**, **symmetric**, and **transitive**.

1. Reflexivity means that every number is equal to itself: $2 + 4 = 2 + 4$ and $6 = 6$.
2. Symmetry means that if $2 + 4 = 6$, then $6 = 2 + 4$. Note that this is *not commutativity*, which applies to operands, not to relations.
3. Transitivity means that if $2 + 4 = 6$ and if $6 = 3 + 3$, then $2 + 4 = 3 + 3$.

What is the need for stating these blindingly obvious properties? Were they singled out by a bunch of people who were **out to lunch**? You may be totally excused if you thought so.

But the power of these properties lies in their ability to be generalized beyond the immediate context in which they arose: something you would appreciate as you plumb the deeper depths and higher heights of mathematics, with the passage of time.

In sum, a binary operation works on two inputs to produce a third output. A binary relation, like equality, on the other hand, establishes a relationship—sameness in this case—between two mathematical elements.

A visual metaphor for equality

A two-pan balance is an excellent visual metaphor for equality. Even though the material in each pan might be different, when the pans balance, we have equality. This means each pan contains the same weight or mass. It is the principle behind how we buy foodstuffs. And it is identical to the principle of equality as a mathematical relation.

An example simple equation

Equations demonstrate their power when used to determine unknowns. A *simple* equation has a single unknown and some statements that can be used to *solve for* the unknown. For example,

There are twice as many girls as boys in my class of thirty students. How many are boys?

Those of you who can think in numbers might have mentally solved the problem by juggling numbers in your head: 10 boys and 20 girls.

What if you cannot do that? The power of mathematics lies in its discovery of *systematic methods* to solve all manner of problems, regardless of the abilities of the person solving the question.

The primary skill in dealing with such *word questions* is the ability to translate the written words into mathematical expressions and equations.



Figure 3: A two-pan balance in equilibrium, indicating that the mass on the left hand side equals that on the right hand side, even though the contents differ.

The first step is to define the variables or unknowns. What is it that we are asked to determine?
The number of boys. Let b be the number of boys.

There are twice as many girls as boys. If g is the number of girls, $g = 2b$ as they are double the number of boys.

The total number of students is 30.

Here is the logical thread we follow:

$$\begin{aligned} g + b &= 30; \text{ but } g = 2b, \text{ and substituting, we get} \\ 2b + b &= 30; \text{ adding} \\ 3b &= 30; \text{ dividing by 3 on both sides to get } b \\ b &= 10; \text{ and we are done.} \end{aligned}$$

The “nomials”

Let us detour a little to review expressions again. Expressions that satisfy certain conditions appear again and again, enough to warrant being given special names. We consider here, **monomial**, **binomial**, **trinomial**, and **polynomial**.

A monomial is defined as a constant, a variable, or a product of variables, each raised to a non-negative integer exponent. It is an expression consisting of just *a single term*.

A binomial is the sum of two monomials. A trinomial is the sum of three monomials. And, finally, a polynomial the sum of three or more monomials. Note that by **sum_ we also include subtraction**.

A single number by itself like 42 or -17 is a (constant) monomial. When the number appears as part of a variable, like $42x^2$, the 42 is called the *coefficient* of the variable x^2 . Note that **a standalone constant may also be viewed as the coefficient of a variable raised to the zeroth power**, e.g, $42 = 42x^0$.

Table 1: Monomials, binomials, trinomials, and polynomials

Name	Prefix	Meaning	Examples
Monomial	mono	one term	$12, a, cx^2, \frac{b}{3}, -97, xyz$
Binomial	bi	two terms	$a - b, 3r^4 - pq, \frac{1}{5}x + uvw$
Trinomial	tri	three terms	$x^2 - 2x + 1, u + v + w$
Polynomial	poly	many terms	$25x^3 + 4y^2 + z^4 + 37$

What sort of terms do *not* qualify to be one of the “nomials”? What about $c^{\frac{1}{5}}$? A fractional power like $\frac{1}{5}$ is not a non-negative integer. So, it does not qualify. Consider also x^{-5} . No again, as -5 is a negative integer.

Quadratics

Thus far we have encountered *linear* equations, in which the highest power of the variable is 1, and the other terms are constants. But just as numbers can be multiplied, so too can expressions

containing variables. Consider

$$\begin{aligned}(x - 5)^2 &= (x - 5)(x - 5); \text{ multiplying the two terms} \\ &= x^2 + x(-5) + (-5)x + (-5)(-5) \\ &= x^2 - 10x + 25\end{aligned}\tag{7}$$

The expression on the left is a binomial multiplied by another binomial and the product is a trinomial. But this product is also called a **quadratic polynomial**, because it is a square. Indeed any expression in one variable in which the highest power of the variable is 2 qualifies as a quadratic.⁵ Be aware that the same expression could be called by different names depending upon the context in which it is viewed.

When a quadratic polynomial is equated to zero, we have a **quadratic equation**. Let us convert the quadratic in Equation (7) into the quadratic equation

$$\begin{aligned}x^2 - 10x + 25 &= 0 \\ (x - 5)^2 &= 0 \\ (x - 5)(x - 5) &= 0 \\ x &= 5.\end{aligned}$$

`{#eqn:repeated-root}` This is a case of a quadratic that is a perfect square and the root $x = 5$ is *repeated*; see Figure 4.

But what happens when the root is not repeated? Let us look at $x^2 - 25 = 0$:

$$\begin{aligned}x^2 - 25 &= 0; \text{ difference of two squares} \\ (x + 5)(x - 5) &= 0 \\ x &= -5 \text{ or } +5.\end{aligned}\tag{8}$$

In this case we have two *distinct* roots: $x = \pm 5$; see Figure 4.

Completing the square and the quadratic formula

Around Year 9 or 10 of the middle school, you would have been exposed to the **quadratic formula** for computing the roots of a quadratic equation without recourse to factorization or graphing as we have done above.

GIVE BOTH ALGEBRAIC AND GEOMETRIC EXPLANATIONS. <http://mathonline.wikidot.com/geometric-proof-of-the-quadratic-formula> https://www.youtube.com/results?search_query=geometric%20explanation%20of%20the%20quadratic%20formula <https://www.youtube.com/watch?v=T0HyWIFb-sHQ>

<https://www.youtube.com/watch?v=7Q4h1YTYgnE> use this with a citation as well.

⁵You don't need this here, but just for completeness, if there are more than one variable and all terms are of degree 2, e.g., $x^2 + xy + y^2$, the expression is called a **quadratic form**.




Figure 4: Graphs of the two quadratic functions discussed in the text. The solutions to the respective quadratic equations are the values of x at which the curves intersect the x -axis.

Identities

A mathematical **identity** is an equation or equality which is true regardless of the values assumed by the variables in it. The two sides of an identity are usually quite different in appearance, and it is this difference that confers on them their importance and usefulness.

Simply by expanding and multiplying out, we know that

$$(a + b)^2 = a^2 + 2ab + b^2.$$

To stress that this is no ordinary equation but an identity, this may also be written as

$$(a + b)^2 \equiv a^2 + 2ab + b^2.$$

The three-line symbol is called a **triple bar**, although the the more youthful among us might recognize it as the **hamburger button**.

Identities arise in different contexts and the Pythagorean theorem, applied to the unit circle, gives rise to the well known identity

$$\cos^2 \theta + \sin^2 \theta \equiv 1.$$

Formulae

Formulae arise in different contexts and appear different. Water when expressed chemically is H_2O . But the **formulae** we refer to here are succinct mathematical statements whose truth has been established, and whose use saves time and effort. In this sense, all **theorems** are formulae. They save us having to re-invent the wheel each time we are faced with an already-solved task.

Early encounters with mathematical formulae arise with simple expressions for the area of a triangle ($\frac{1}{2}bh$), the circumference of a circle ($2\pi r$), or the volume of a sphere ($\frac{4}{3}\pi r^3$).

The importance of formulae as conveniences is summarized by this quotation from the famous computer scientist **Edsger Dijkstra**:

“A picture may be worth a thousand words, a formula is worth a thousand pictures.”

Acknowledgements

Feedback

Please **email me** your comments and corrections.

A PDF version of this article is **available for download here**:

<https://swanlotus.netlify.app/blogs/expressions-equations-formulae.pdf>

References

- [1] R (Chandra) Chandrasekhar. 2025. Secrets of Academic Success: Timeless Principles for Lifelong Learning. Retrieved 11 February 2025 from <https://swanlotus.netlify.app/sas-manuscript/SAS-partial.pdf>