Question 1

Proof. Let n be an integer. We want to show that if $n^2 - 3n + 5$ is even, then n is odd. We will prove this by proving the contrapositive. That is, we will show that if n is even, then $n^2 - 3n + 5$ is odd. By definition, if n is even, then

$$n = 2k$$

for some integer k. We can substitute this into the expression for $n^2 - 3n + 5$ to get

$$n^{2} - 3n + 5 = (2k)^{2} - 3(2k) + 5$$
$$= 4k^{2} - 6k + 5$$
$$= 2(2k^{2} - 3k + 2) + 1.$$

Since $2k^2 - 3k + 2$ is an integer, we have shown that $n^2 - 3n + 5$ is odd. Thus, the contrapositive is true, and this also shows that the original statement is true.

Question 2

Proof. Let n be an integer. We want to show that n is odd if and only if n+2 is odd. To prove this, we will need to show that if n is odd, then n+2 is odd, and if n+2 is odd, then n is odd. By definition, if n is odd, then

$$n = 2k + 1$$

for some integer k. We can substitute this into the expression for n+2 to get

$$n+2 = (2k+1) + 2$$

= $2k+3$
= $2(k+1) + 1$.

Since k+1 is an integer, we have shown that n+2 is odd when n is odd. Now, we will show that if n+2 is odd, then n is odd using the contrapositive. That is, we will show that if n is even, then n+2 is even. By definition, if n is even, then

$$n = 2k$$

for some integer k. We can substitute this into the expression for n+2 to get

$$n+2 = 2k+2$$

= $2(k+1)$.

Since k+1 is an integer, we have shown that n+2 is even when n is even. Thus, the contrapositive is true, and this also shows that n+2 is odd when n is odd. Now we have proven both directions of the biconditional, so we have shown that n is odd if and only if n+2 is odd.

Question 3

Proof. Let m and n be integers. We want to show that mn is even if and only if m is even or n is even. We will need to prove both ways of the biconditional, so we will first show that if mn is even, then m is even or n is even. To do this, we will prove the contrapositive, which is that if m is odd and n is odd, then mn is odd. By definition, if m and n are odd, then we can write m = 2k + 1 and n = 2l + 1 for some integers k and k. We can substitute these into the expression for mn to get

$$mn = (2k + 1)(2l + 1)$$

= $4kl + 2k + 2l + 1$
= $2(2kl + k + l) + 1$.

Since 2kl + k + l is an integer, we have shown that mn is odd when m and n are odd, and thus the contrapositive is true. Since the contrapositive is true, this also shows that if mn is even, then m is even or n is even. Now, proving the other direction of the biconditional, we will show that if m is even or n is even, then mn is even. By definition, if m and n are even, then we can write m = 2k and n = 2l for some integers k and l. We can substitute these into the expression for mn to get

$$mn = (2k)(2l)$$
$$= 4kl$$
$$= 2(2kl).$$

Since 2kl is an integer, we have shown that mn is even when m and n are even. Thus, we have proven both directions of the biconditional, and we have shown that mn is even if and only if m is even or n is even.

Question 4

Proof. Let a and b be odd integers. We want to show that $4 \nmid (a^2 + b^2)$.

Question 5

Proof. We want to show that there do not exist integers m and n such that 8m + 26n = 1. Seeking a contradiction, suppose that there exist integers m and n such that 8m + 26n = 1. Then, we can write the following:

$$8m + 26n = 1$$
$$2(4m + 13n) = 1$$
$$4m + 13n = \frac{1}{2}.$$

We know that 4m+13n is an integer by the closure axioms, but $\frac{1}{2}$ is not reducible an integer. Thus, we have reached a contradiction, and we have shown that there do not exist integers m and n such that 8m+26n=1.

Question 6

Lemma 1. An integer n is not divisible by 3 if and only if there exists an integer k such that n = 3k + 1 or n = 3k + 2.

Proof. Let n be an integer. We want to show that for all integers n, if $3 \mid n^2$, then $3 \mid n$.

Question 7

Proof. We want to show that there do not exist integers m and n such that $m^2 = 4n + 3$. Seeking a contradiction, suppose that there does exist integers m and n such that $m^2 = 4n + 3$. Consider this equality when m and n are both even. By definition of the even integers, we can write m = 2k and n = 2l for some integers k and l. Substituting these into the equation, we get

$$(2k)^{2} = 4(2l) + 3$$
$$4k^{2} = 8l + 3$$
$$4k^{2} - 8l = 3$$
$$4(k^{2} - 2l) = 3$$
$$k^{2} - 2l = \frac{3}{4}.$$

By the closure axioms, we know that $k^2 - 2l$ is an integer, but $\frac{3}{4}$ is not reducible to an integer. Thus, we have reached a contradiction, and we have shown that there do not exist integers m and n such that $m^2 = 4n + 3$.