MGT802 Quiz: Neural Networks

October 28, 2024

Instructions

- Do not flip over this page or read the questions on the other side of this page until the start of class.
- Your quiz will be collected after ten minutes.
- Write your netid *clearly* at the top right.
- *Unless otherwise stated*, each question has one correct answer.
- Fill in the appropriate bubble below. I will grade nothing but these bubbles. If you need to change an answer please indicate your final answer clearly.
- If a question stinks, Kyle will fix it later. I will not answer questions during the quiz.
- This quiz is closed book, closed device. You can only use your own meat computer.
- When you're done, raise your hand and an instructor will collect it.

Answers

- 1. (A)(B)(C)(D)(E)
- 2. (A)(B)(C)(D)(E)
- 3. (A)(B)(C)(D)(E)
- $A \cap B \cap D \cap F$
- 5. (A) (B) (C) (D) (E)
- 6. (A)(B)(C)(D)(E
- 7. (A)(B)(C)(D)(E
- 8. (A) (B) (C) (D) (E)
- 9. (A)(B)(C)(D)(E)
- 10 \triangle \triangle \triangle \triangle \triangle \triangle
- 11. (A) (B) (C) (D) (E
- 12 (A) (B) (C) (D) (E)
- 13 (A) (B) (C) (D) (E)

- 1. Activations in one layer of a neural network are
 - 1 0 x Based on a weighted sum of the activations in the previous layer
 - 1 1 Randomly determined
 - 1 2 Set by the developer who is creating the neural network
 - 1 3 Independent of all the other layers in the neural network

1

- 1. In the 2Blue1Brown videos, the author's network for recongizing hand-written digits has about 13,000 parameters. These are *roughly...*
 - 2 0 The number of neurons
 - 2 1 x The number of connections between neurons
 - 2 2 The number of inputs
 - 2 3 The number of outputs

2

- 1. What is the significance of the "weights" and "biases" in a neural network as discussed in the video?
 - 3 0 x Weights determine the pixel pattern a neuron is picking up on, and biases indicate how high the weighted sum needs to be before the neuron becomes meaningfully active.
 - 3 1 Weights and biases are the types of neurons present in a neural network.
 - 3 2 Biases are responsible for recognizing edges while weights recognize patterns.
 - 3 3 Weights and biases are external inputs required to initiate the neural network.

3

- 1. What is the primary purpose of the sigmoid function in the neural network described in the video?
 - 4 0 To detect edges in the image input.
 - 4 1 To multiply the weighted sum of pixel values.
 - 4 2 x To squish the real number line into the range between 0 & 1 for neuron activation.
 - 4 3 To increase the complexity of the network for better digit recognition.

4

- 1. Which of the following best describes gradient descent in the context of neural networks as discussed in the video?
 - 5 0 A function with 784 inputs and 10 outputs defined in terms of all of the weighted sums.
 - 5 1 A method to initialize all weights and biases randomly in the network
 - 5 2 x A process of repeatedly nudging an input of a function by some multiple of the negative gradient to minimize a cost function.
 - 5 3 A method to visualize the weights of the connections between neurons in different layers.

5

- 1. What is the primary purpose of a cost or "loss" function in a neural network as described in the video?
 - 6 0 To initialize the weights and biases of the network.
 - 6 1 To visualize the transitions from one layer of neurons to the next.

- 6 2 x To provide a measure of how well the network is performing based on training examples.
- 6 3 To categorize the output into one of the 10 digits.

6

- 1. According to the video, why is the concept of gradient descent crucial in the training of neural networks?
 - 7 0 It allows the network to memorize the training data perfectly.
 - 7 1 x It facilitates the minimization of a cost function to improve the network's performance.
 - 7 2 It randomly initializes the weights and biases to start the training process.
 - 7 3 It helps in visualizing the weights between different layers of neurons.

7

- 1. If $f(x) = (2x + 3)^5$, find f'(x) using the chain rule.
 - 80 $(2x+3)^5$
 - $8 \cdot 1 \cdot 2(2x+3)^4$
 - 8 2 x $10(2x+3)^4$
 - $835(2x+3)^4$

8

- 1. Imagine A is a 2x3 matrix and B is a 3x5 matrix. What are the dimensions of AB?
 - 9 0 3x3
 - 9 1 x 2x5
 - 9 2 3x5
 - 9 3 5x2
 - 9 4 5x3

9

- 1. How does backpropagation use individual training examples to adjust the weights and biases in a neural network?
 - 10 0 x By computing how each training example would like to nudge the weights and biases, then averaging these desired changes across all examples.
 - 10 1 By randomly shuffling the training examples and selecting one to adjust the weights and biases.
 - 10 2 By directly modifying the activations of neurons based on each training example.
 - 10 3 By creating new layers in the network based on the complexity of each training example.

10

- 1. What is the purpose of using mini-batches in the context of stochastic gradient descent as explained in the video?
 - 11 0 To ensure that the network converges to a global minimum of the cost function.
 - 11 1 To increase the accuracy of the gradient calculation by considering all training examples.
 - 11 2 x To take steps according to a subset of training data, providing a good approximation of the gradient while speeding up computation.
 - 11 3 To create a new cost function based on subdivided data.

11

1. The videos suggests that when adding more neurons to each layer of the network, what primarily changes in the backpropagation calculus?

- 12 0 The fundamental equations of backpropagation change.
- 12 1 x More indices are introduced to keep track of various neurons within a layer.
- 12 2 The chain rule no longer applies in the same way.

12

- 1. What is the meaning of life?
 - 13 0 x 42
 - 13 1 x programming
 - 13 2 x machine learning

Answer Key