6/13/2015 Coursera

Feedback — Week 2 Quiz

Help Center

Thank you. Your submission for this quiz was received.

You submitted this quiz on **Sat 13 Jun 2015 5:08 PM SGT**. You got a score of **5.00** out of **5.00**.

no created Markdown?			
our Answer		Score	Explanation
Hadley Wickham			
Yihui Xie			
Robert Gentleman			
John Gruber	~	1.00	
otal		1.00 / 1.00	

			4 =			-
(J	Ш	es	TI	O	n	2

When writing a document in R Markdown, how do you denote the beginning of an R code chunk?

Your Answer	Score	Explanation
···		
<code></code>		
<rcode></rcode>		
●	1.00	

6/13/2015 Coursera

Total 1.00 / 1.00

Question 3

When using knitr, how do you indicate the height and width of a plot created in a code chunk?

Your Answer	Score	Explanation
Set the 'dpi' option for the code chunk		
Set the 'height' and 'width' options for the code chunk		
Set the 'size' and 'scale' options for the code chunk		
Set the 'fig.height' and 'fig.width' options for the code chunk	✓ 1.00	
Total	1.00 /	
	1.00	

Question 4

With some code chunks, we may not want the output generated by the chunk to be rendered into HTML but would prefer to print the output verbatim. How can we specify this preference for a given code chunk?

Your Answer		Score	Explanation
Set the option highlight = TRUE			
Set the option results = "asis"	~	1.00	
Set the option tidy = FALSE			
Set the option message = FALSE			
Total		1.00 / 1.00	

Question 5

6/13/2015 Coursera

When using knitr and R Markdown and producing output in HTML, why should you never edit the resulting HTML file?

Your Answer		Score	Explanation
The HTML file is not a text file.			
The Markdown file generated by knitr is the appropriate file to edit.			
 Editing the HTML file requires knowledge of a separate markup language. 			
Every time you knit() the R Markdown file, the HTML file will be overwritten	~	1.00	
Total		1.00 /	
		1.00	