

---

# EXPLORING EMBEDDING BIAS IN MOVIE SCENARIO DATASETS USING *WEAT*

---

A PREPRINT

Seongjin Kim\*  
Research  
Aiffel Online 5

September 21, 2023

## ABSTRACT

The evolving landscape of Natural Language Processing (NLP) in the domain of Artificial Intelligence (AI) has ushered in transformative advancements, accompanied by profound ethical considerations. This study has a exploration of embedding bias within cinematic narratives and genres, unveiling the intricate interplay between language and culture in the domain of cinema. The research has two primary phases: the measurement of bias between the "Artistic" and "General" categories and the revelation of bias within 21 distinct movie genres. Leveraging the Word Embedding Association Test (WEAT), it is quantified the strength and direction of bias, providing a nuanced understanding of the linguistic fabric that shapes cinematic narratives. Key findings illuminate the presence of subtle yet discernible biases, implicit in language usage, affecting how cinematic narratives are classified and perceived. Genre-specific insights reveal nuanced associations between words and movie genres, shedding light on the complex interplay of bias.

## 1 Introduction

The field of Natural Language Processing (NLP) in Artificial Intelligence (AI) has witnessed remarkable advancements in recent years, marked by the continual emergence of new, high-performance Large Language Models (LLMs). However, as the capabilities of these models expand, so too does the need to address a critical concern: the presence of biases within the datasets used for model training. A significant proportion of these datasets originates from internet sources, including blogs and social networking platforms, where user-generated content reflects a broad spectrum of biases encompassing gender, nationality, political affiliation, social status, and more. Consequently, AI models trained on such data inherit these biases, necessitating a meticulous examination of the types and extents of bias within these models for ethical and responsible AI deployment.

In the realm of NLP, the crux of model training involves the transformation of textual data into high-dimensional word embeddings, wherein each word assumes a position within a semantic space, replete with intricate relationships to other words. Some word pairs exhibit proximity or distance in this space, akin to "apple" and "banana" in comparison to "desk." Amid this intricate web of relationships, a subtle yet pervasive issue emerges: "embedding bias." This bias manifests itself as a distortion in the relationships between words, exemplified by associations such as men with engineering and women with art.

The crux of our research endeavors to elucidate the intricate dynamics of word relationships within two distinct categories. Specifically, it is aim to shed light on the means by which biases manifest in these relationships and, subsequently, how to discern and quantify these biases. Our investigation delves into the essence of embedding bias within NLP models, offering insights into methods for systematically analyzing relationships between words across different categories. Through this exploration, I aspire to contribute to the evolving discourse surrounding bias mitigation in AI models and to enhance the transparency, fairness, and ethical utilization of AI technologies.

---

\*Use footnote for providing further information about author (webpage, alternative address)—*not* for acknowledging funding agencies.



Figure 1: Average and Standard deviation Heatmap.

## 2 Data Collection

The dataset utilized in this research consists of movie scenarios sourced from the Korean Box Office Information System (KOBIS), a comprehensive repository of cinematic data. This dataset forms the cornerstone of our investigation, offering a wealth of textual material that spans a wide spectrum of cinematic narratives and dialogues. The dataset underwent a two-fold preprocessing procedure, each serving distinct analytical objectives. The initial processing phase involved the classification of movie scenarios into two primary categories: "Artistic" and "General." This categorization serves as a fundamental distinction within our analysis, allowing to assess the presence of embedding bias in the context of these broad attributes. The criteria for categorization were established based on the artistic and thematic qualities inherent in the movie scenarios. Subsequently, a more granular categorization was performed, wherein the movie scenarios were classified into 21 distinct movie genres. These genres encompass a diverse array of cinematic themes and styles, including Science Fiction (SF), Family, Show, Horror, Documentary, Drama, Romance, Musical, Mystery, Crime, Historical, Western, Adult, Thriller, Animation, Action, Adventure, War, Comedy, and Fantasy. These genres are referred to as "attributes" within this study, and the assignment of scenarios to specific attributes was meticulously curated to ensure accuracy and relevance. This dual categorization approach forms the foundation of this analysis, allowing here to explore embedding bias within the nuanced context of both broad artistic distinctions and specific cinematic genres.

## 3 Preprocessing and Representative Word Selection

In the initial stage of data processing, our focus was on measuring embedding bias between the categories of "Artistic" and "General" movie scenarios. To achieve this, I meticulously curated the words within these categories through the following steps. For precise categorization, it is selected only nouns from the movie synopses. To achieve this, it is employed a Korean language tokenizer, specifically Okt, known for its effectiveness in segmenting Korean text. This tokenization process yielded a structured representation of nouns within the synopses. To further refine this dataset, it is transformed the tokenized words into TF-IDF (Term Frequency-Inverse Document Frequency) vectors. This vectorization method enhances the discriminative power of words by weighing them based on their importance within the context of individual synopses and across the entire dataset. From these TF-IDF vectors, it is carefully selected representative words for both "Artistic" and "General" movie scenarios. Representative words were chosen if they were distinct to their respective category and not present in the other. Each category was assigned a set of 2,000 such representative words. This rigorous selection process ensured the uniqueness and relevance of these words within their respective categories. In the subsequent processing phase, the aim was to create representative word sets for each of the 21 movie genres present in our dataset. This process involved the following steps. Similar to the initial preprocessing step, it is tokenized the synopses associated with each genre. This tokenization enabled the extraction of meaningful linguistic elements specific to each genre. To extract representative words, it is leveraged pre-trained FastText word embedding vectors, which were made publicly available on GitHub (GitHub - Kyubyong/wordvectors: Pre-trained word vectors of 30+ languages). These embeddings allowed to capture semantic relationships among words while avoiding the inclusion of proper nouns, such as specific character names. The selection of representative words for each genre entailed additional steps to optimize the TF-IDF vectorization process.




Figure 2: Sample figure caption.

Specifically, the study explored suitable parameters, min-df (minimum document frequency) and max-df (maximum document frequency), both ranging from 0.0 to 1.0 across 100 increments. For each parameter combination, it is computed average and standard deviation values across the genre datasets. For instance, setting min-df to 0.0 and max-df to 1.0 resulted in an average value of 0.082 and a standard deviation value of 0.22. These values indicated the presence of almost uniquely distinct words when compared to settings of min-df at 0.3 and max-df at 1.0, which yielded average and standard deviation values of 0.22 and 0.39, respectively. These meticulous parameter adjustments facilitated the extraction of representative words, ensuring their relevance and distinctiveness within each genre. The resulting representative word sets, meticulously prepared through tokenization, embedding analysis, and parameter tuning, serve as the foundation for this investigation into embedding bias across categories and genres, as elaborated upon in the subsequent sections of this study.

## 4 Methodology

The process consists of two primary phases: measuring bias between categories (Artistic and General) and bias within movie genres. The Word Embedding Association Test (WEAT) serves as our principal tool for quantifying bias in both scenarios. To facilitate the measurement of bias between the "Artistic" and "General" categories, it is represented to have the curated representative words from both categories using word embeddings. These embeddings capture the semantic relationships between words in a high-dimensional vector space. Word Embedding Association Test (WEAT) is performed to quantify the strength and direction of bias between the "Artistic" and "General" categories. WEAT, a widely adopted method for assessing embedding bias, measures the relative association between target and attribute word sets. Target Word Sets (The representative words for "Artistic" and "General" categories.), Attribute Word Sets (Word sets representing attributes related to bias, such as gender, occupation, or sentiment.)

## 5 Experimental Results

The results of our analysis are presented graphically, with the WEAT scores plotted on the Y-axis against the artistic and general classes on the X-axis, as illustrated in Figure 2. In Figure 2, the color coding provides insights into the classification tendencies of various movie genres. Specifically, green hues signify that a genre on the Y-axis is more strongly associated with the "Artistic" class in comparison to genres on the X-axis. For instance, let us consider the

first line on the Y-axis labeled 'SF' (Science Fiction). It is predominantly shaded in green when compared to most other genres on the X-axis. This green shading indicates that, within the context of our dataset, 'SF' movies tend to be more inclined towards the "Artistic" category rather than the "General" category. Upon careful examination of the results, several notable observations come to light. 'Family', 'Show', and 'Western' Genres. These genres prominently exhibit green shading, indicating a stronger association with the "Artistic" class. This suggests that 'Family,' 'Show,' and 'Western' genres within our dataset tend to be categorized as more artistic in nature. The visualization of WEAT scores in Figure 2 provides a clear and interpretable representation of the embedding bias present within the various movie genres. These findings deepen our understanding of how bias manifests within specific cinematic contexts, opening avenues for further exploration and mitigation strategies. The subsequent section delves into the discussion and implications of these results within the broader context of AI model development and cinematic storytelling.

## 6 Conclusion

In this study, it is investigated into embedding bias within movie scenarios and genres, leveraging advanced techniques to shed light on the intricacies of linguistic representation in cinematic narratives. This research journey has provided valuable insights into the presence, nature, and implications of bias within the creative domain of cinema. This exploration, characterized by meticulous data collection, preprocessing, and analysis, has yielded several key findings. In this analysis of bias between "Artistic" and "General" categories, it is uncovered subtle yet discernible associations between words and categories. The Word Embedding Association Test (WEAT) scores highlighted the presence of embedding bias, revealing how societal constructs are implicitly encoded in language. Certain words and phrases, embedded in movie scenarios, exhibit strong associations with either the "Artistic" or "General" category, influencing how cinematic narratives are categorized. The genre-level analysis delved deeper into the bias landscape, revealing nuanced associations between words and movie genres. These genre-specific biases provide valuable insights into how linguistic representation intersects with cinematic storytelling. Notably, genres such as 'Family,' 'Show,' and 'Western' exhibit a proclivity toward the "Artistic" category, shedding light on the intricate dynamics of word usage within specific cinematic themes. The implications of this research extend beyond the realm of NLP and into the ethical dimensions of AI model development in creative domains. Bias in movie scenarios can perpetuate stereotypes, influence creative decisions, and impact audience perceptions. Our findings underscore the ethical imperative of addressing bias in AI-driven cinematic narratives. As this research navigates the evolving landscape of AI and creative storytelling, our research serves as a clarion call for responsible AI development. We advocate for transparency, fairness, and inclusivity in the cinematic arts. The insights gleaned from this investigation can inform the development of mitigation strategies, fostering the creation of AI models that align with ethical and societal values. While this study represents a significant step in understanding embedding bias in cinematic narratives, it also paves the way for future research endeavors. Future investigations could explore the impact of embedding bias on creative decision-making, audience engagement, and the broader cinematic landscape. Standardized fairness metrics and guidelines for AI model development in creative domains are essential avenues for further exploration. In conclusion, this research contributes to the ongoing discourse on embedding bias in AI and NLP. By scrutinizing and quantifying bias within movie scenarios and genres, I aspire to foster a future where AI-driven cinematic storytelling aligns with principles of fairness, diversity, and ethical creativity. As I navigate the intersection of AI and cinema, I remain committed to advancing the cause of responsible and inclusive storytelling, enriching the cinematic narrative tapestry for all. This journey towards fair and responsible AI in cinema is ongoing, guided by the principles of transparency, inclusivity, and the enduring power of creative storytelling to reflect the diversity of human experience.

## References

- [1] Aylin Caliskan, Joanna J Bryson, Arvind Narayanan. Semantics derived automatically from language corpora contain human-like biases *arXiv preprint arXiv:1608.07187*, 2016.