

# Lærerveiledning - 7-Segment Display

*Skrevet av: Martin Ertsås & Morten Minde Neergaard*

*Kurs: Arduino*

*Tema: Elektronikk, Tekstbasert*

*Fag: Programmering, Teknologi*

*Klassetrinn: 5.-7. klasse, 8.-10. klasse, Videregående skole*

## Informasjon til veiledere

### Læringsmål

Oppgaven «7-Segment Display» introduserer flere konsepter:

- En teknikk for å utforske ukjente komponenter
- 7-Segment Display
- Funksjoner og funksjonskall
- Switch statements

### Merk

Denne oppgaven krever at elevene holder styr på en god del ledninger, og sluttresultatet vil se noe kaotisk ut.



# Løsningsforslag

Display som teller opp og ned med to knapper

Kobling:



Kode:

```
void blank() {  
    for (int led = 6; led <= 13; led++) {  
        digitalWrite(led, LOW);  
    }  
}
```

```
void tegn_0() {  
    blank();  
    digitalWrite(7, HIGH);  
    digitalWrite(8, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(12, HIGH);  
    digitalWrite(11, HIGH);  
    digitalWrite(10, HIGH);  
}
```

```
void tegn_1() {  
    blank();  
    digitalWrite(9, HIGH);  
    digitalWrite(12, HIGH);  
}
```

```
void tegn_2() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(10, HIGH);  
    digitalWrite(11, HIGH);  
}
```

```
void tegn_3() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(12, HIGH);  
    digitalWrite(11, HIGH);  
}
```

```
void tegn_4() {  
    blank();  
    digitalWrite(7, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(12, HIGH);  
}
```

```
void tegn_5() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(7, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(12, HIGH);  
    digitalWrite(11, HIGH);  
}
```

```
void tegn_6() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(7, HIGH);  
    digitalWrite(10, HIGH);  
    digitalWrite(11, HIGH);  
    digitalWrite(12, HIGH);  
    digitalWrite(6, HIGH);  
}
```

```
void tegn_7() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(12, HIGH);  
}
```

```
void tegn_8() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(7, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(12, HIGH);  
    digitalWrite(10, HIGH);  
    digitalWrite(11, HIGH);  
    digitalWrite(9, HIGH);  
}
```

```
void tegn_9() {  
    blank();  
    digitalWrite(8, HIGH);  
    digitalWrite(7, HIGH);  
    digitalWrite(6, HIGH);  
    digitalWrite(9, HIGH);  
    digitalWrite(12, HIGH);  
}
```

```
int minus = 5;  
int pluss = 4;
```

```
int tall = 0;

void setup() {
  for (int led = 6; led <= 13; led++) {
    pinMode(led, OUTPUT);
  }
  pinMode(pluss, INPUT_PULLUP);
  pinMode(minus, INPUT_PULLUP);
  tegn_0();
}

void oppdater() {
  switch (tall) {
    case 1:
      tegn_1();
      break;
    case 2:
      tegn_2();
      break;
    case 3:
      tegn_3();
      break;
    case 4:
      tegn_4();
      break;
    case 5:
      tegn_5();
      break;
    case 6:
      tegn_6();
      break;
    case 7:
      tegn_7();
      break;
    case 8:
      tegn_8();
      break;
    case 9:
      tegn_9();
      break;
    case 10:
      tall = 9;
      break;
    default:
      tegn_0();
      tall = 0;
      break;
  }
}
```

```
digitalWrite(13, HIGH);  
delay(150);  
digitalWrite(13, LOW);  
delay(150);  
}  
  
void loop() {  
  if (digitalRead(pluss) == LOW) {  
    tall += 1;  
    oppdater();  
  }  
  if (digitalRead(minus) == LOW) {  
    tall -= 1;  
    oppdater();  
  }  
}
```

Lisens: CC BY-SA 4.0 (<http://creativecommons.org/licenses/by-sa/4.0/deed>)