

Table 1: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 100) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 10 Percent

					Actual Numbe	er of Deviations Fou	ınd				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	25	5.47	1.96	0.85	0.4	0.19	0.09	0.04	0.02	0.01	0
25	54.52	11.04	3.83	1.68	0.83	0.43	0.22	0.12	0.06	0.03	0.01
30	124.57	23.17	7.61	3.28	1.63	0.88	0.49	0.28	0.16	0.09	0.05
35	302.45	51.52	15.84	6.54	3.2	1.74	1.01	0.6	0.36	0.22	0.13
40	791.41	123.65	35.33	13.79	6.52	3.48	2.02	1.23	0.77	0.49	0.32
45	2268.39	326.26	86.42	31.64	14.21	7.33	4.16	2.53	1.61	1.05	0.7
50	7268.25	966.81	237.65	81.22	34.36	16.88	9.24	5.47	3.44	2.26	1.53
55	26749.28	3306.89	756.39	241.25	95.7	44.36	23.1	13.15	8.02	5.16	3.46
60	117453.15	13558.09	2896.31	863.55	320.87	139.79	68.73	37.16	21.66	13.42	8.74
65	650798.76	70448.1	14109.27	3944.18	1374.74	562.45	260.22	132.74	73.3	43.22	26.91
70	4970599.57	506514.61	95458.73	25102.57	8229.25	3166.85	1378.65	662.29	344.91	192.16	113.37
75	6.091679e+07	5863717.25	1043403.19	258952.38	80084.99	29064.03	11929.07	5402.21	2652.34	1393.57	775.78
80	1.616639e+09	1.474469e+08	2.484828e+07	5837673.44	1708209.64	586289.92	227473.46	97335.88	45136.96	22391.29	11765.47
85	1.989180e+11	1.723841e+10	2.758865e+09	6.152405e+08	1.708057e+08	5.559234e+07	2.044354e+07	8287060.49	3638641.03	1708209.64	848989.11
90	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf
95	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf
100											
125											
150											
200											
300											
400											
500											



Table 2: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 500) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 10 Percent

					Actual N	lumber of Deviation	ns Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	16.84	3.5	1.16	0.44	0.17	0.06	0.02	0.01	0	0	0
25	30.34	5.93	1.94	0.77	0.33	0.14	0.05	0.02	0.01	0	0
30	54.43	9.89	3.14	1.27	0.56	0.25	0.11	0.05	0.02	0.01	0
35	97.69	16.47	5.01	2	0.91	0.43	0.21	0.09	0.04	0.02	0.01
40	175.87	27.48	7.95	3.09	1.4	0.69	0.34	0.17	0.08	0.04	0.02
45	318.15	46.13	12.61	4.74	2.13	1.06	0.55	0.28	0.14	0.07	0.03
50	578.9	78.09	20.13	7.27	3.2	1.58	0.83	0.45	0.24	0.13	0.06
55	1060.17	133.45	32.41	11.19	4.78	2.34	1.23	0.68	0.38	0.21	0.11
60	1955.02	230.41	52.74	17.35	7.17	3.43	1.8	1	0.57	0.33	0.18
65	3631.37	402.03	86.84	27.17	10.8	5.04	2.61	1.45	0.83	0.49	0.29
70	6795.97	709.06	144.78	43.07	16.42	7.43	3.78	2.08	1.2	0.72	0.43
75	12817.3	1264.1	244.48	69.19	25.26	11.04	5.48	2.98	1.72	1.03	0.63
80	24367.04	2278.08	418.2	112.67	39.36	16.58	8	4.26	2.43	1.46	0.9
85	46705.28	4150.01	724.68	186.09	62.19	25.2	11.79	6.14	3.45	2.05	1.27
90	90277.95	7642.28	1272.07	311.79	99.73	38.84	17.57	8.9	4.92	2.89	1.77
95	176014.2	14226.73	2261.81	529.98	162.36	60.76	26.53	13.05	7.04	4.08	2.48
100	346230.21	26774.26	4073.36	913.89	268.42	96.53	40.64	19.38	10.19	5.79	3.48
125	1.174959e+07	746969.6	93443.32	17253.49	4179.71	1245.23	437.77	176.38	79.65	39.6	21.34
150	5.183002e+08	2.797347e+07	2970151.77	465430.99	95703.16	24213.03	7236.99	2484.52	959.66	410.41	191.83
200	2.643183e+12	1.099437e+11	8.961022e+09	1.077204e+09	1.698372e+08	3.293590e+07	7544104.84	1984879.57	587772.03	192886.15	69297.44
300	6.805179e+14	4.212730e+14	5.529208e+14	1.701295e+14	2.527638e+14	Inf	4.656175e+14	2.764604e+14	1.164044e+14	6.965931e+13	1.701295e+1
400	Inf	3.050597e+14	4.656175e+14	Inf	4.212730e+14	1.734653e+14	4.656175e+14	Inf	5.897822e+14	Inf	5.203960e+1
500											



Table 3: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 1000) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 10 Percent

					Actual N	lumber of Deviation	ns Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	16.12	3.33	1.09	0.41	0.15	0.05	0.02	0	0	0	0
25	28.52	5.53	1.79	0.7	0.29	0.12	0.04	0.01	0	0	0
30	50.05	9.06	2.86	1.13	0.49	0.22	0.09	0.04	0.01	0	0
35	87.57	14.72	4.46	1.76	0.78	0.36	0.17	0.07	0.03	0.01	0
40	153.12	23.89	6.89	2.66	1.19	0.57	0.28	0.13	0.06	0.02	0.01
45	268.01	38.85	10.63	3.99	1.77	0.86	0.43	0.22	0.1	0.05	0.02
50	470.02	63.44	16.4	5.93	2.59	1.26	0.65	0.34	0.17	0.08	0.04
55	826.29	104.15	25.42	8.81	3.76	1.82	0.94	0.5	0.27	0.14	0.07
60	1456.65	172.01	39.63	13.13	5.44	2.6	1.35	0.73	0.4	0.22	0.12
65	2575.56	285.83	62.24	19.67	7.87	3.68	1.89	1.03	0.58	0.32	0.18
70	4568.1	477.9	98.48	29.66	11.44	5.21	2.65	1.44	0.82	0.47	0.27
75	8128.12	803.99	157.06	45.09	16.71	7.38	3.68	1.99	1.13	0.66	0.39
80	14509.87	1360.74	252.49	69.12	24.58	10.52	5.13	2.74	1.55	0.91	0.54
85	25988.46	2316.63	409.1	106.89	36.46	15.07	7.16	3.76	2.11	1.24	0.75
90	46704.89	3966.71	667.99	166.77	54.56	21.76	10.05	5.17	2.87	1.68	1.01
95	84222.61	6830.25	1098.93	262.5	82.41	31.67	14.18	7.12	3.89	2.26	1.37
100	152404.79	11825.49	1821.1	416.78	125.62	46.51	20.17	9.87	5.3	3.04	1.83
125	3119284.12	198995.19	25212.82	4756.54	1186.9	366.82	134.52	56.73	26.83	13.94	7.81
150	7.007415e+07	3795305.12	408253.11	65406.17	13870.39	3649.15	1142.87	413.93	169.61	77.25	38.52
200	4.791690e+10	1.993201e+09	1.646130e+08	2.024409e+07	3295384.94	665671.43	160186.41	44643.21	14114.6	4982.88	1939.62
300	5.950799e+14	1.785240e+15	1.684189e+14	1.194940e+13	1.381765e+12	1.909633e+11	3.127040e+10	5.934168e+09	1.277075e+09	3.068627e+08	8.131636e+07
400	1.487700e+15	6.375857e+14	Inf	Inf	Inf	1.487700e+15	Inf	Inf	3.187928e+14	Inf	8.582884e+13
500	1.487700e+15	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf



Table 4: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 100) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 5 Percent

					Actual Number o	Deviations Four	nd				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	6.48	1.71	0.66	0.29	0.13	0.06	0.02	0.01	0	0	0
25	10.09	2.63	1.04	0.48	0.23	0.12	0.06	0.03	0.01	0.01	0
30	15.95	4.05	1.62	0.77	0.4	0.21	0.11	0.06	0.03	0.01	0.01
35	25.82	6.35	2.51	1.22	0.65	0.37	0.21	0.12	0.07	0.04	0.02
40	43.15	10.19	3.97	1.93	1.05	0.61	0.37	0.22	0.14	0.08	0.05
45	75.14	16.97	6.43	3.1	1.7	1.01	0.63	0.4	0.26	0.17	0.11
50	137.78	29.66	10.87	5.14	2.81	1.68	1.06	0.7	0.47	0.31	0.21
55	269.61	55.22	19.48	8.96	4.82	2.87	1.82	1.21	0.83	0.58	0.41
60	573.06	111.63	37.73	16.79	8.82	5.17	3.27	2.18	1.5	1.07	0.77
65	1356.3	251.34	81.2	34.75	17.69	10.12	6.29	4.15	2.87	2.05	1.5
70	3709.09	654.55	201.91	82.84	40.63	22.52	13.64	8.83	6.01	4.25	3.11
75	12437.71	2093.3	616.62	242.08	113.92	60.81	35.61	22.38	14.87	10.32	7.42
80	56832.71	9138.29	2572.74	966.11	435.41	222.97	125.54	76.06	48.85	32.89	23.03
85	440132.79	67735.6	18251.41	6560.14	2830.7	1388.52	749.44	435.71	268.86	174.2	117.56
90	1.048985e+07	1547911.88	399823.02	137732.23	56949.85	26765.48	13840.69	7709.59	4558.45	2830.7	1831.46
95	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf	Inf
100											
125											
150											
200											
300											
400											
500											



Table 5: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 500) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 5 Percent

					Actual Nu	ımber of Deviation	ons Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	4.88	1.13	0.36	0.12	0.04	0.01	0	0	0	0	0
25	6.76	1.56	0.52	0.19	0.07	0.02	0.01	0	0	0	0
30	9.29	2.12	0.73	0.28	0.11	0.04	0.01	0	0	0	0
35	12.68	2.84	0.98	0.39	0.16	0.06	0.02	0.01	0	0	0
40	17.25	3.76	1.31	0.54	0.23	0.1	0.04	0.01	0	0	0
45	23.43	4.95	1.72	0.72	0.32	0.14	0.06	0.02	0.01	0	0
50	31.82	6.51	2.23	0.94	0.43	0.2	0.09	0.04	0.02	0.01	0
55	43.24	8.53	2.88	1.22	0.57	0.27	0.13	0.06	0.03	0.01	0
60	58.85	11.19	3.7	1.56	0.74	0.36	0.18	0.09	0.04	0.02	0.01
65	80.26	14.69	4.76	1.99	0.95	0.48	0.24	0.12	0.06	0.03	0.01
70	109.73	19.33	6.11	2.53	1.21	0.62	0.32	0.17	0.09	0.04	0.02
75	150.47	25.51	7.85	3.21	1.53	0.79	0.42	0.23	0.12	0.06	0.03
80	207	33.77	10.1	4.07	1.93	1	0.54	0.3	0.16	0.09	0.04
85	285.74	44.88	13.04	5.16	2.43	1.26	0.69	0.39	0.22	0.12	0.06
90	395.89	59.9	16.89	6.54	3.05	1.58	0.87	0.5	0.28	0.16	0.09
95	550.63	80.3	21.97	8.32	3.82	1.98	1.09	0.63	0.37	0.21	0.12
100	768.94	108.18	28.7	10.62	4.8	2.46	1.37	0.79	0.47	0.28	0.16
125	4362.14	519.25	118.33	38.5	15.78	7.57	4.06	2.34	1.42	0.89	0.57
150	27992.56	2878.89	569.8	162.6	59.31	25.83	12.82	7.02	4.14	2.57	1.66
200	1814039.47	146445.34	22806.91	5144.29	1495.01	525.05	213.94	98.29	49.83	27.4	16.12
300	1.231446e+11	6.949121e+09	7.567879e+08	1.194376e+08	2.431022e+07	5989138.42	1716259.78	556706.43	200414.31	78888.98	33561.12
400	1.738556e+15	Inf	Inf	Inf	Inf	Inf	3.951264e+14	5.913456e+13	1.168384e+13	3.133663e+12	1.033501e+12
500											



Table 6: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 1000) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 5 Percent

					Actual N	lumber of Deviation	ns Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	4.72	1.07	0.33	0.11	0.03	0.01	0	0	0	0	0
25	6.48	1.47	0.48	0.16	0.05	0.02	0	0	0	0	0
30	8.78	1.97	0.66	0.24	0.09	0.03	0.01	0	0	0	0
35	11.81	2.6	0.88	0.34	0.13	0.05	0.02	0	0	0	0
40	15.81	3.4	1.15	0.46	0.19	0.07	0.03	0.01	0	0	0
45	21.1	4.4	1.49	0.6	0.25	0.11	0.04	0.01	0	0	0
50	28.09	5.68	1.91	0.78	0.34	0.15	0.06	0.02	0.01	0	0
55	37.35	7.3	2.42	1	0.45	0.2	0.09	0.04	0.01	0	0
60	49.63	9.36	3.06	1.26	0.57	0.27	0.12	0.05	0.02	0.01	0
65	65.95	11.99	3.84	1.58	0.73	0.35	0.17	0.08	0.03	0.01	0.01
70	87.68	15.36	4.81	1.96	0.91	0.44	0.22	0.1	0.05	0.02	0.01
75	116.63	19.69	6.02	2.43	1.13	0.56	0.28	0.14	0.07	0.03	0.01
80	155.29	25.26	7.53	3	1.39	0.7	0.36	0.18	0.09	0.04	0.02
85	206.99	32.45	9.42	3.7	1.71	0.86	0.45	0.23	0.12	0.06	0.03
90	276.23	41.77	11.8	4.55	2.09	1.06	0.56	0.3	0.16	0.08	0.04
95	369.14	53.85	14.79	5.6	2.55	1.29	0.69	0.37	0.2	0.11	0.05
100	494	69.58	18.57	6.89	3.1	1.56	0.84	0.46	0.25	0.14	0.07
125	2170.81	259.45	59.97	19.87	8.27	3.99	2.12	1.2	0.7	0.41	0.24
150	9958.5	1029.6	207.65	60.94	22.94	10.29	5.22	2.89	1.69	1.03	0.64
200	241807.33	19637.03	3126.18	731.23	223.05	82.96	35.98	17.61	9.47	5.48	3.35
300	2.783800e+08	1.580635e+07	1761984.43	289278.49	62188.98	16414.95	5107.57	1821.41	729.13	322.42	155.45
400	9.948293e+11	4.345571e+10	3.724310e+09	4.702226e+08	7.776707e+07	1.579868e+07	3785911.45	1040699.78	321543.93	109945.71	41099.82
500	Inf	8.847017e+15	4.423508e+13	4.330405e+12	5.816197e+11	9.588079e+10	1.865405e+10	4.164043e+09	1.044844e+09	2.901797e+08	8.812093e+0

This table presents Bayes factors based on equal prior probabilities and zero expected errors. $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2} \right$



Table 7: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 100) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 2 Percent

					Actual Nu	mber of Deviatio	ns Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	2.64	0.79	0.33	0.15	0.07	0.03	0.02	0.01	0	0	0
25	3.36	1.03	0.44	0.22	0.11	0.06	0.03	0.01	0.01	0	0
30	4.31	1.33	0.59	0.3	0.16	0.09	0.05	0.03	0.01	0.01	0
35	5.58	1.73	0.78	0.41	0.23	0.13	0.08	0.04	0.03	0.01	0.01
40	7.31	2.27	1.04	0.56	0.32	0.19	0.12	0.07	0.04	0.03	0.02
45	9.74	3.02	1.4	0.76	0.45	0.28	0.18	0.12	0.07	0.05	0.03
50	13.28	4.08	1.9	1.05	0.64	0.41	0.27	0.18	0.12	0.08	0.06
55	18.61	5.65	2.63	1.47	0.91	0.59	0.4	0.28	0.19	0.14	0.1
60	27.02	8.09	3.75	2.1	1.31	0.87	0.6	0.43	0.31	0.23	0.17
65	41.15	12.11	5.56	3.12	1.95	1.31	0.92	0.67	0.49	0.37	0.28
70	66.76	19.24	8.72	4.86	3.04	2.05	1.46	1.07	0.81	0.62	0.48
75	118.37	33.35	14.87	8.2	5.11	3.44	2.45	1.81	1.38	1.07	0.85
80	239.53	65.82	28.77	15.62	9.62	6.44	4.57	3.38	2.58	2.02	1.61
85	601.19	160.85	68.68	36.55	22.16	14.65	10.29	7.56	5.75	4.5	3.6
90	2281.44	593.6	246.96	128.32	76.13	49.35	34.08	24.68	18.55	14.35	11.38
95	27384.95	6924.83	2801.7	1416.87	818.86	517.57	348.92	246.96	181.58	137.66	107.03
100											
125											
150											
200											
300											
400											
500											



Table 8: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 500) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 2 Percent

				A	ctual Number of [Deviations Found	d				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	2.1	0.49	0.15	0.04	0.01	0	0	0	0	0	0
25	2.47	0.59	0.18	0.06	0.02	0	0	0	0	0	0
30	2.9	0.7	0.23	0.07	0.02	0.01	0	0	0	0	0
35	3.38	0.83	0.28	0.1	0.03	0.01	0	0	0	0	0
40	3.93	0.97	0.33	0.12	0.04	0.01	0	0	0	0	0
45	4.55	1.13	0.4	0.15	0.06	0.02	0.01	0	0	0	0
50	5.27	1.31	0.47	0.18	0.07	0.03	0.01	0	0	0	0
55	6.09	1.52	0.55	0.22	0.09	0.03	0.01	0	0	0	0
60	7.03	1.75	0.64	0.26	0.11	0.04	0.02	0.01	0	0	0
65	8.1	2	0.74	0.31	0.13	0.06	0.02	0.01	0	0	0
70	9.34	2.3	0.85	0.36	0.16	0.07	0.03	0.01	0	0	0
75	10.77	2.63	0.98	0.42	0.19	0.09	0.04	0.02	0.01	0	0
80	12.41	3	1.12	0.49	0.23	0.11	0.05	0.02	0.01	0	0
85	14.32	3.43	1.29	0.57	0.27	0.13	0.06	0.03	0.01	0	0
90	16.52	3.91	1.47	0.66	0.31	0.15	0.07	0.03	0.02	0.01	0
95	19.07	4.46	1.67	0.75	0.37	0.18	0.09	0.04	0.02	0.01	0
100	22.04	5.09	1.9	0.86	0.42	0.22	0.11	0.05	0.03	0.01	0.01
125	46.2	9.92	3.6	1.64	0.84	0.46	0.25	0.14	0.08	0.04	0.02
150	100.81	19.95	6.89	3.09	1.6	0.89	0.52	0.31	0.19	0.11	0.07
200	568.59	95.2	28.86	11.85	5.84	3.24	1.94	1.22	0.8	0.53	0.36
300	54138.31	6743.55	1548.86	494.61	196.03	90.69	47.14	26.82	16.38	10.59	7.17
400	1.482361e+08	1.463451e+07	2667509.91	677287.05	214014.72	79253.79	33148.78	15277.42	7623.36	4065.47	2294.15
500											



Table 9: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 1000) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 2 Percent

				Act	ual Number of De	viations Found					
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	2.05	0.46	0.12	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
25	2.39	0.55	0.16	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00
30	2.78	0.64	0.19	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00
35	3.21	0.75	0.23	0.07	0.02	0.01	0.00	0.00	0.00	0.00	0.00
40	3.70	0.87	0.28	0.09	0.03	0.01	0.00	0.00	0.00	0.00	0.00
45	4.24	1.01	0.33	0.11	0.04	0.01	0.00	0.00	0.00	0.00	0.00
50	4.85	1.16	0.39	0.14	0.05	0.01	0.00	0.00	0.00	0.00	0.00
55	5.54	1.32	0.45	0.16	0.06	0.02	0.01	0.00	0.00	0.00	0.00
60	6.32	1.51	0.52	0.19	0.07	0.02	0.01	0.00	0.00	0.00	0.00
65	7.19	1.71	0.59	0.23	0.09	0.03	0.01	0.00	0.00	0.00	0.00
70	8.17	1.93	0.68	0.27	0.10	0.04	0.01	0.00	0.00	0.00	0.00
75	9.28	2.18	0.77	0.31	0.12	0.05	0.02	0.01	0.00	0.00	0.00
80	10.53	2.45	0.87	0.35	0.15	0.06	0.02	0.01	0.00	0.00	0.00
85	11.93	2.76	0.98	0.40	0.17	0.07	0.03	0.01	0.00	0.00	0.00
90	13.53	3.09	1.10	0.46	0.20	0.08	0.03	0.01	0.00	0.00	0.00
95	15.32	3.47	1.24	0.52	0.23	0.10	0.04	0.02	0.01	0.00	0.00
100	17.36	3.88	1.39	0.59	0.26	0.12	0.05	0.02	0.01	0.00	0.00
125	32.35	6.79	2.38	1.03	0.49	0.24	0.11	0.05	0.02	0.01	0.00
150	60.71	11.84	4.01	1.73	0.84	0.43	0.23	0.12	0.06	0.03	0.01
200	222.82	37.26	11.36	4.66	2.26	1.20	0.68	0.39	0.22	0.13	0.07
300	3,838.17	483.27	115.31	38.94	16.45	8.09	4.43	2.62	1.63	1.05	0.69
400	102,871.72	10,285.58	1,963.01	536.88	187.10	77.85	37.08	19.62	11.28	6.91	4.46
500	5,084,996.21	421,182.30	66,693.96	15,169.42	4,412.09	1,540.52	620.56	280.61	139.61	75.24	43.38



Table 10: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 100) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 1 Percent

					Actual Nu	mber of Deviation	ons Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	2.64	0.79	0.33	0.15	0.07	0.03	0.02	0.01	0	0	0
25	3.36	1.03	0.44	0.22	0.11	0.06	0.03	0.01	0.01	0	0
30	4.31	1.33	0.59	0.3	0.16	0.09	0.05	0.03	0.01	0.01	0
35	5.58	1.73	0.78	0.41	0.23	0.13	0.08	0.04	0.03	0.01	0.01
40	7.31	2.27	1.04	0.56	0.32	0.19	0.12	0.07	0.04	0.03	0.02
45	9.74	3.02	1.4	0.76	0.45	0.28	0.18	0.12	0.07	0.05	0.03
50	13.28	4.08	1.9	1.05	0.64	0.41	0.27	0.18	0.12	0.08	0.06
55	18.61	5.65	2.63	1.47	0.91	0.59	0.4	0.28	0.19	0.14	0.1
60	27.02	8.09	3.75	2.1	1.31	0.87	0.6	0.43	0.31	0.23	0.17
65	41.15	12.11	5.56	3.12	1.95	1.31	0.92	0.67	0.49	0.37	0.28
70	66.76	19.24	8.72	4.86	3.04	2.05	1.46	1.07	0.81	0.62	0.48
75	118.37	33.35	14.87	8.2	5.11	3.44	2.45	1.81	1.38	1.07	0.85
80	239.53	65.82	28.77	15.62	9.62	6.44	4.57	3.38	2.58	2.02	1.61
85	601.19	160.85	68.68	36.55	22.16	14.65	10.29	7.56	5.75	4.5	3.6
90	2281.44	593.6	246.96	128.32	76.13	49.35	34.08	24.68	18.55	14.35	11.38
95	27384.95	6924.83	2801.7	1416.87	818.86	517.57	348.92	246.96	181.58	137.66	107.03
100											
125											
150											
200											
300											
400											
500											



Table 11: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 500) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 1 Percent

					Actual Number	er of Deviations F	ound				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	1.52	0.37	0.11	0.03	0.01	0	0	0	0	0	0
25	1.67	0.41	0.13	0.04	0.01	0	0	0	0	0	0
30	1.84	0.46	0.15	0.05	0.02	0	0	0	0	0	0
35	2.01	0.51	0.17	0.06	0.02	0.01	0	0	0	0	0
40	2.21	0.57	0.19	0.07	0.02	0.01	0	0	0	0	0
45	2.42	0.63	0.22	0.08	0.03	0.01	0	0	0	0	0
50	2.64	0.69	0.24	0.09	0.03	0.01	0	0	0	0	0
55	2.88	0.76	0.27	0.1	0.04	0.01	0.01	0	0	0	0
60	3.15	0.83	0.3	0.12	0.05	0.02	0.01	0	0	0	0
65	3.43	0.92	0.34	0.14	0.05	0.02	0.01	0	0	0	0
70	3.74	1	0.37	0.15	0.06	0.03	0.01	0	0	0	0
75	4.08	1.1	0.41	0.17	0.07	0.03	0.01	0	0	0	0
80	4.44	1.2	0.46	0.19	0.08	0.04	0.02	0.01	0	0	0
85	4.84	1.31	0.5	0.22	0.1	0.04	0.02	0.01	0	0	0
90	5.27	1.42	0.56	0.24	0.11	0.05	0.02	0.01	0	0	0
95	5.74	1.55	0.61	0.27	0.13	0.06	0.03	0.01	0	0	0
100	6.26	1.69	0.67	0.3	0.14	0.07	0.03	0.01	0.01	0	0
125	9.64	2.57	1.04	0.49	0.25	0.13	0.07	0.03	0.02	0.01	0
150	15.07	3.93	1.6	0.78	0.41	0.23	0.13	0.07	0.04	0.02	0.01
200	39.57	9.61	3.82	1.9	1.06	0.63	0.39	0.24	0.15	0.1	0.06
300	471.38	94.89	33.02	15.07	8.1	4.84	3.12	2.11	1.49	1.08	0.8
400	32644.89	5441.77	1586.55	616.24	286.91	151.58	87.93	54.81	36.17	24.98	17.92
500											



Table 12: Statistical Sampling Results based on the Beta-Binomial Distribution (N = 1000) — Bayes Factors in favor of Tolerable Misstatement for a Performance Materiality of 1 Percent

					Actual Number	of Deviations Fo	ound				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	1.48	0.33	0.09	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
25	1.62	0.37	0.10	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
30	1.77	0.41	0.11	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
35	1.93	0.45	0.13	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00
40	2.09	0.49	0.15	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00
45	2.27	0.54	0.17	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00
50	2.46	0.59	0.19	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00
55	2.67	0.65	0.21	0.07	0.02	0.01	0.00	0.00	0.00	0.00	0.00
60	2.88	0.71	0.23	0.08	0.02	0.01	0.00	0.00	0.00	0.00	0.00
65	3.11	0.77	0.25	0.09	0.03	0.01	0.00	0.00	0.00	0.00	0.00
70	3.36	0.83	0.28	0.10	0.03	0.01	0.00	0.00	0.00	0.00	0.00
75	3.62	0.90	0.31	0.11	0.04	0.01	0.00	0.00	0.00	0.00	0.00
80	3.90	0.97	0.33	0.12	0.04	0.01	0.00	0.00	0.00	0.00	0.00
85	4.20	1.05	0.37	0.14	0.05	0.02	0.01	0.00	0.00	0.00	0.00
90	4.52	1.13	0.40	0.15	0.06	0.02	0.01	0.00	0.00	0.00	0.00
95	4.86	1.22	0.43	0.17	0.06	0.02	0.01	0.00	0.00	0.00	0.00
100	5.23	1.31	0.47	0.18	0.07	0.03	0.01	0.00	0.00	0.00	0.00
125	7.48	1.87	0.69	0.29	0.12	0.05	0.02	0.01	0.00	0.00	0.00
150	10.65	2.61	0.98	0.43	0.20	0.09	0.04	0.02	0.01	0.00	0.00
200	21.72	5.04	1.89	0.86	0.43	0.22	0.11	0.06	0.03	0.01	0.01
300	98.38	19.62	6.81	3.07	1.59	0.90	0.53	0.32	0.19	0.11	0.07
400	547.51	92.42	28.21	11.65	5.77	3.21	1.93	1.22	0.80	0.53	0.36
500	4,150.30	599.34	158.81	58.08	26.09	13.51	7.75	4.79	3.12	2.12	1.49