

Table 1: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 10 Percent Risk of Overreliance

					Actua	al Number of I	Deviations Fou	nd			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	9	16	23	28	34	39	45	50	55	60	64
25	7	13	18	23	27	32	36	40	45	49	53
30	6	10	15	19	23	26	30	34	37	41	44
35	5	9	12	16	19	23	26	29	32	35	38
40	4	7	11	14	17	19	22	25	28	30	33
45	3	6	9	12	15	17	20	22	25	27	29
50	3	6	8	10	13	15	17	20	22	24	26
55	2	5	7	9	11	14	16	18	20	22	24
60	2	4	6	8	10	12	14	16	18	20	21
65	2	4	6	7	9	11	13	14	16	18	19
70	1	3	5	7	8	10	12	13	15	16	18
75	1	3	4	6	8	9	11	12	13	15	16
80	1	3	4	5	7	8	10	11	12	14	15
85	1	2	4	5	6	7	9	10	11	13	14
90	1	2	3	4	6	7	8	9	10	11	13
95	0	1	3	4	5	6	7	8	9	10	12
100											
125											
150											
200											
300											
400											
500											



Table 2: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 10 Percent Risk of Overreliance

		Actual Number of Deviations Found											
Sample Size	0	1	2	3	4	5	6	7	8	9	10		
20	10.6	17.8	24.2	30	35.6	41	46.4	51.4	56.4	61.2	65.8		
25	8.4	14.4	19.6	24.4	29	33.6	38	42.2	46.4	50.4	54.4		
30	7	12	16.4	20.6	24.4	28.2	32	35.6	39.2	42.8	46.2		
35	6	10.2	14.2	17.6	21.2	24.4	27.6	30.8	34	37	40		
40	5.2	9	12.4	15.6	18.6	21.4	24.4	27.2	30	32.6	35.4		
45	4.6	8	11	13.8	16.6	19.2	21.8	24.2	26.8	29.2	31.6		
50	4.2	7.2	9.8	12.4	14.8	17.2	19.6	22	24.2	26.4	28.6		
55	3.8	6.6	9	11.4	13.6	15.8	17.8	20	22	24	26		
60	3.4	6	8.2	10.4	12.4	14.4	16.4	18.4	20.2	22	24		
65	3.2	5.4	7.6	9.6	11.4	13.4	15.2	17	18.6	20.4	22.2		
70	3	5	7	8.8	10.6	12.4	14	15.8	17.4	19	20.6		
75	2.6	4.8	6.6	8.2	9.8	11.6	13	14.6	16.2	17.8	19.2		
80	2.6	4.4	6	7.8	9.2	10.8	12.2	13.8	15.2	16.6	18		
85	2.4	4.2	5.8	7.2	8.6	10.2	11.6	13	14.2	15.6	17		
90	2.2	3.8	5.4	6.8	8.2	9.6	10.8	12.2	13.4	14.8	16		
95	2	3.6	5	6.4	7.8	9	10.2	11.6	12.8	14	15.2		
100	2	3.4	4.8	6	7.4	8.6	9.8	11	12	13.2	14.4		
125	1.4	2.6	3.8	4.8	5.8	6.8	7.8	8.6	9.6	10.6	11.4		
150	1.2	2.2	3	4	4.8	5.6	6.4	7.2	8	8.6	9.4		
200	0.8	1.6	2.2	2.8	3.4	4	4.6	5.2	5.8	6.4	7		
300	0.4	0.8	1.2	1.6	2	2.4	2.8	3.2	3.6	4	4.4		
400	0.2	0.6	0.8	1	1.4	1.6	2	2.2	2.4	2.8	3		
500													



Table 3: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 10 Percent Risk of Overreliance

	Actual Number of Deviations Found											
Sample Size	0	1	2	3	4	5	6	7	8	9	10	
20	10.7	17.9	24.3	30.2	35.9	41.3	46.5	51.6	56.5	61.3	66.0	
25	8.6	14.5	19.7	24.6	29.3	33.8	38.1	42.4	46.5	50.6	54.6	
30	7.2	12.2	16.6	20.7	24.7	28.5	32.2	35.9	39.5	43.0	46.4	
35	6.2	10.5	14.3	17.9	21.3	24.7	27.9	31.1	34.2	37.3	40.3	
40	5.4	9.2	12.6	15.7	18.8	21.7	24.6	27.4	30.2	32.9	35.6	
45	4.8	8.2	11.2	14.0	16.8	19.4	22.0	24.5	27.0	29.5	31.9	
50	4.3	7.4	10.1	12.7	15.1	17.5	19.9	22.2	24.4	26.7	28.9	
55	3.9	6.7	9.2	11.5	13.8	16.0	18.1	20.2	22.3	24.3	26.4	
60	3.6	6.1	8.4	10.6	12.7	14.7	16.6	18.6	20.5	22.4	24.2	
65	3.3	5.7	7.8	9.8	11.7	13.6	15.4	17.2	19.0	20.7	22.4	
70	3.1	5.3	7.2	9.1	10.9	12.6	14.3	16.0	17.6	19.3	20.9	
75	2.9	4.9	6.7	8.5	10.1	11.8	13.4	14.9	16.5	18.0	19.5	
80	2.7	4.6	6.3	7.9	9.5	11.0	12.5	14.0	15.5	16.9	18.3	
85	2.5	4.3	5.9	7.5	8.9	10.4	11.8	13.2	14.6	15.9	17.3	
90	2.4	4.1	5.6	7.0	8.4	9.8	11.1	12.5	13.8	15.0	16.3	
95	2.2	3.8	5.3	6.7	8.0	9.3	10.6	11.8	13.0	14.3	15.5	
100	2.1	3.6	5.0	6.3	7.6	8.8	10.0	11.2	12.4	13.5	14.7	
125	1.7	2.9	4.0	5.0	6.0	7.0	8.0	9.0	9.9	10.8	11.8	
150	1.4	2.4	3.3	4.2	5.0	5.8	6.6	7.4	8.2	9.0	9.8	
200	1.0	1.7	2.4	3.1	3.7	4.3	4.9	5.5	6.1	6.7	7.3	
300	0.6	1.1	1.5	2.0	2.4	2.8	3.2	3.6	4.0	4.4	4.8	
400	0.4	0.8	1.1	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	
500	0.3	0.6	0.8	1.1	1.3	1.6	1.8	2.0	2.3	2.5	2.7	

This table presents upper limits (body of table) as percentages



Table 4: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 5 Percent Risk of Overreliance

					Actual	Number of De	eviations Four	nd			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	12	19	26	32	38	43	48	53	58	63	68
25	9	15	21	26	30	35	39	44	48	52	56
30	8	13	17	21	25	29	33	36	40	44	47
35	6	11	14	18	21	25	28	31	34	37	40
40	5	9	12	15	19	21	24	27	30	33	35
45	4	8	11	13	16	19	21	24	26	29	31
50	4	7	9	12	14	17	19	21	24	26	28
55	3	6	8	11	13	15	17	19	21	23	25
60	3	5	7	9	11	13	15	17	19	21	23
65	2	4	6	8	10	12	14	16	17	19	21
70	2	4	6	8	9	11	12	14	16	17	19
75	2	3	5	7	8	10	11	13	14	16	17
80	1	3	5	6	7	9	10	12	13	14	16
85	1	3	4	5	7	8	9	11	12	13	14
90	1	2	3	5	6	7	8	10	11	12	13
95	0	2	3	4	5	6	7	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 5: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 5 Percent Risk of Overreliance

		Actual Number of Deviations Found											
Sample Size	0	1	2	3	4	5	6	7	8	9	10		
20	13.6	21.2	27.8	34	39.6	45	50.4	55.4	60.2	64.8	69.4		
25	11	17.2	22.6	27.6	32.4	37	41.4	45.8	49.8	53.8	57.8		
30	9.2	14.4	19	23.4	27.4	31.4	35.2	38.8	42.4	46	49.4		
35	7.8	12.4	16.4	20.2	23.8	27.2	30.4	33.8	36.8	40	43		
40	6.8	10.8	14.4	17.8	20.8	24	26.8	29.8	32.6	35.4	38		
45	6	9.6	12.8	15.8	18.6	21.4	24	26.6	29.2	31.6	34.2		
50	5.4	8.6	11.6	14.2	16.8	19.2	21.8	24	26.4	28.6	30.8		
55	5	7.8	10.6	13	15.4	17.6	19.8	22	24	26.2	28.2		
60	4.4	7.2	9.6	11.8	14	16.2	18.2	20.2	22.2	24	26		
65	4.2	6.6	8.8	11	13	14.8	16.8	18.6	20.4	22.2	24		
70	3.8	6.2	8.2	10.2	12	13.8	15.6	17.4	19	20.6	22.4		
75	3.6	5.8	7.6	9.4	11.2	12.8	14.6	16.2	17.8	19.4	20.8		
80	3.2	5.4	7.2	8.8	10.4	12	13.6	15.2	16.6	18.2	19.6		
85	3	5	6.8	8.4	9.8	11.4	12.8	14.2	15.6	17	18.4		
90	2.8	4.6	6.4	7.8	9.2	10.6	12	13.4	14.8	16	17.4		
95	2.8	4.4	6	7.4	8.8	10.2	11.4	12.8	14	15.2	16.4		
100	2.6	4.2	5.6	7	8.4	9.6	10.8	12	13.2	14.4	15.6		
125	2	3.2	4.4	5.6	6.6	7.6	8.6	9.6	10.6	11.4	12.4		
150	1.6	2.6	3.6	4.4	5.4	6.2	7	7.8	8.6	9.4	10.2		
200	1	1.8	2.6	3.2	3.8	4.4	5.2	5.8	6.4	7	7.6		
300	0.6	1	1.4	2	2.4	2.8	3.2	3.6	4	4.4	4.6		
400	0.2	0.6	1	1.2	1.6	1.8	2	2.4	2.6	3	3.2		
500													



Table 6: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 5 Percent Risk of Overreliance

					Actual	Number of De	viations Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.7	21.4	28.0	34.1	39.9	45.3	50.5	55.6	60.4	65.1	69.6
25	11.1	17.4	22.9	27.9	32.7	37.3	41.7	46.0	50.1	54.1	58.1
30	9.3	14.6	19.3	23.6	27.7	31.6	35.4	39.1	42.7	46.2	49.7
35	8.0	12.6	16.7	20.4	24.0	27.4	30.8	34.0	37.2	40.3	43.3
40	7.0	11.1	14.7	18.0	21.2	24.2	27.2	30.1	32.9	35.7	38.4
45	6.2	9.9	13.1	16.1	18.9	21.7	24.3	26.9	29.5	32.0	34.5
50	5.6	8.9	11.8	14.5	17.1	19.6	22.0	24.4	26.7	29.0	31.2
55	5.1	8.1	10.8	13.2	15.6	17.9	20.1	22.3	24.4	26.5	28.6
60	4.7	7.4	9.9	12.1	14.3	16.4	18.5	20.5	22.4	24.4	26.3
65	4.3	6.9	9.1	11.2	13.2	15.2	17.1	19.0	20.8	22.6	24.4
70	4.0	6.4	8.5	10.4	12.3	14.1	15.9	17.6	19.3	21.0	22.7
75	3.7	5.9	7.9	9.7	11.5	13.2	14.9	16.5	18.1	19.7	21.2
80	3.5	5.6	7.4	9.1	10.8	12.4	13.9	15.5	17.0	18.5	19.9
85	3.3	5.2	7.0	8.6	10.2	11.7	13.1	14.6	16.0	17.4	18.8
90	3.1	4.9	6.6	8.1	9.6	11.0	12.4	13.8	15.1	16.4	17.8
95	2.9	4.7	6.2	7.7	9.1	10.4	11.8	13.1	14.3	15.6	16.8
100	2.8	4.4	5.9	7.3	8.6	9.9	11.2	12.4	13.6	14.8	16.0
125	2.2	3.5	4.7	5.8	6.9	7.9	8.9	9.9	10.9	11.9	12.8
150	1.8	2.9	3.9	4.8	5.7	6.6	7.4	8.2	9.1	9.9	10.7
200	1.3	2.1	2.8	3.5	4.2	4.9	5.5	6.1	6.7	7.3	7.9
300	0.8	1.3	1.8	2.3	2.7	3.1	3.6	4.0	4.4	4.8	5.2
400	0.5	0.9	1.3	1.6	1.9	2.3	2.6	2.9	3.2	3.5	3.8
500	0.4	0.7	1.0	1.2	1.5	1.7	2.0	2.2	2.5	2.7	2.9



Table 7: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 2.5 Percent Risk of Overreliance

					Actual	Number of De	eviations Four	nd			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	15	22	29	35	41	46	51	56	61	66	70
25	11	18	23	28	33	38	42	46	50	54	58
30	9	15	19	24	28	31	35	39	42	46	49
35	8	12	16	20	23	27	30	33	37	40	43
40	6	10	14	17	20	23	26	29	32	35	37
45	5	9	12	15	18	20	23	26	28	31	33
50	5	8	11	13	16	18	20	23	25	27	29
55	4	7	9	12	14	16	18	20	22	24	26
60	3	6	8	10	12	14	16	18	20	22	24
65	3	5	7	9	11	13	15	17	18	20	22
70	3	5	6	8	10	12	13	15	17	18	20
75	2	4	6	7	9	11	12	14	15	17	18
80	2	3	5	7	8	10	11	12	14	15	16
85	1	3	4	6	7	9	10	11	12	14	15
90	1	3	4	5	6	8	9	10	11	12	14
95	1	2	3	4	6	7	8	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 8: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 2.5 Percent Risk of Overreliance

					Actual	Number of De	viations Found	I			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	16.4	24.4	31.2	37.4	43.2	48.6	53.8	58.6	63.4	68	72.4
25	13.2	19.8	25.6	30.6	35.6	40.2	44.6	48.8	53	56.8	60.8
30	11.2	16.8	21.6	26	30.2	34.2	38	41.6	45.2	48.8	52.2
35	9.6	14.4	18.6	22.4	26.2	29.6	33	36.2	39.4	42.6	45.6
40	8.4	12.6	16.4	19.8	23	26.2	29.2	32	35	37.8	40.4
45	7.4	11.2	14.6	17.6	20.6	23.4	26.2	28.8	31.4	33.8	36.4
50	6.6	10.2	13.2	16	18.6	21.2	23.6	26	28.4	30.6	33
55	6	9.2	12	14.4	17	19.2	21.6	23.8	26	28	30.2
60	5.6	8.4	11	13.2	15.6	17.6	19.8	21.8	23.8	25.8	27.8
65	5	7.8	10	12.2	14.4	16.4	18.2	20.2	22	23.8	25.6
70	4.6	7.2	9.4	11.4	13.4	15.2	17	18.8	20.4	22.2	23.8
75	4.4	6.6	8.6	10.6	12.4	14.2	15.8	17.6	19.2	20.8	22.4
80	4	6.2	8.2	10	11.6	13.2	14.8	16.4	18	19.4	21
85	3.8	5.8	7.6	9.4	11	12.4	14	15.4	16.8	18.4	19.8
90	3.6	5.4	7.2	8.8	10.2	11.8	13.2	14.6	16	17.2	18.6
95	3.4	5.2	6.8	8.2	9.8	11.2	12.4	13.8	15	16.4	17.6
100	3.2	4.8	6.4	7.8	9.2	10.6	11.8	13	14.4	15.6	16.8
125	2.4	3.8	5	6.2	7.2	8.4	9.4	10.4	11.4	12.4	13.4
150	2	3	4	5	6	6.8	7.6	8.6	9.4	10.2	11
200	1.4	2.2	3	3.6	4.2	5	5.6	6.2	6.8	7.4	8
300	0.8	1.2	1.6	2.2	2.6	3	3.4	3.8	4.2	4.6	5
400	0.4	0.8	1	1.4	1.6	2	2.2	2.6	2.8	3	3.4
500											



Table 9: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 2.5 Percent Risk of Overreliance

	Actual Number of Deviations Found											
Sample Size	0	1	2	3	4	5	6	7	8	9	10	
20	16.6	24.6	31.4	37.6	43.4	48.8	54.0	59.0	63.7	68.2	72.6	
25	13.5	20.1	25.8	30.9	35.8	40.4	44.8	49.1	53.2	57.2	61.0	
30	11.4	17.0	21.8	26.2	30.4	34.4	38.3	42.0	45.6	49.1	52.5	
35	9.8	14.7	18.9	22.8	26.4	29.9	33.3	36.6	39.8	42.9	46.0	
40	8.6	12.9	16.6	20.1	23.4	26.5	29.5	32.4	35.3	38.1	40.8	
45	7.6	11.5	14.9	18.0	20.9	23.7	26.5	29.1	31.7	34.2	36.7	
50	6.9	10.4	13.4	16.2	18.9	21.5	24.0	26.4	28.7	31.1	33.3	
55	6.3	9.5	12.2	14.8	17.3	19.6	21.9	24.1	26.3	28.4	30.5	
60	5.7	8.7	11.2	13.6	15.9	18.0	20.1	22.2	24.2	26.2	28.1	
65	5.3	8.0	10.4	12.6	14.7	16.7	18.7	20.6	22.4	24.3	26.1	
70	4.9	7.4	9.6	11.7	13.7	15.5	17.4	19.1	20.9	22.6	24.3	
75	4.6	6.9	9.0	10.9	12.8	14.5	16.2	17.9	19.5	21.2	22.7	
80	4.3	6.5	8.4	10.2	12.0	13.6	15.2	16.8	18.4	19.9	21.4	
85	4.0	6.1	7.9	9.6	11.3	12.8	14.4	15.8	17.3	18.7	20.2	
90	3.8	5.8	7.5	9.1	10.6	12.1	13.6	15.0	16.4	17.7	19.1	
95	3.6	5.5	7.1	8.6	10.1	11.5	12.9	14.2	15.5	16.8	18.1	
100	3.4	5.2	6.7	8.2	9.6	10.9	12.2	13.5	14.7	16.0	17.2	
125	2.7	4.1	5.4	6.5	7.6	8.7	9.8	10.8	11.8	12.8	13.8	
150	2.2	3.4	4.4	5.4	6.3	7.2	8.1	9.0	9.8	10.6	11.5	
200	1.6	2.5	3.3	4.0	4.7	5.4	6.0	6.7	7.3	7.9	8.5	
300	1.0	1.6	2.1	2.5	3.0	3.4	3.9	4.3	4.7	5.2	5.6	
400	0.7	1.1	1.5	1.8	2.2	2.5	2.8	3.1	3.4	3.7	4.0	
500	0.5	0.8	1.1	1.4	1.6	1.9	2.1	2.4	2.6	2.9	3.1	



Table 10: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 1 Percent Risk of Overreliance

					Actual	Number of De	eviations Four	ıd			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	18	26	33	39	45	50	55	60	65	69	73
25	14	21	26	32	36	41	45	49	54	57	61
30	12	17	22	26	30	34	38	42	45	49	52
35	10	14	18	22	26	29	33	36	39	42	45
40	8	12	16	19	22	25	28	31	34	37	40
45	7	11	14	17	20	22	25	28	30	33	35
50	6	9	12	15	17	20	22	24	27	29	31
55	5	8	11	13	15	18	20	22	24	26	28
60	4	7	9	12	14	16	18	20	22	23	25
65	4	6	8	10	12	14	16	18	20	21	23
70	3	5	7	9	11	13	14	16	18	19	21
75	3	5	7	8	10	11	13	15	16	18	19
80	2	4	6	7	9	10	12	13	15	16	17
85	2	4	5	6	8	9	11	12	13	14	16
90	1	3	4	6	7	8	9	11	12	13	14
95	1	2	4	5	6	7	8	9	10	12	13
100											
125											
150											
200											
300											
400											
500											



Table 11: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 1 Percent Risk of Overreliance

					Actual	Number of De	viations Found	I			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	20	28.4	35.2	41.4	47.2	52.6	57.6	62.4	67	71.4	75.6
25	16.4	23.2	29	34.2	39.2	43.8	48.2	52.4	56.4	60.4	64
30	13.8	19.6	24.6	29	33.4	37.4	41.2	45	48.6	52	55.4
35	11.8	17	21.2	25.2	29	32.6	36	39.2	42.4	45.6	48.6
40	10.4	14.8	18.8	22.2	25.6	28.8	31.8	34.8	37.8	40.6	43.2
45	9.2	13.2	16.8	20	23	25.8	28.6	31.2	33.8	36.4	39
50	8.2	12	15	18	20.8	23.4	25.8	28.4	30.8	33	35.4
55	7.4	10.8	13.8	16.4	19	21.4	23.6	26	28.2	30.2	32.4
60	6.8	10	12.6	15	17.4	19.6	21.8	23.8	25.8	27.8	29.8
65	6.2	9.2	11.6	13.8	16	18.2	20.2	22	24	25.8	27.6
70	5.8	8.4	10.8	12.8	14.8	16.8	18.6	20.6	22.2	24	25.8
75	5.4	7.8	10	12	13.8	15.8	17.4	19.2	20.8	22.4	24
80	5	7.4	9.4	11.2	13	14.8	16.4	18	19.6	21	22.6
85	4.8	7	8.8	10.6	12.2	13.8	15.4	17	18.4	19.8	21.2
90	4.4	6.4	8.2	10	11.6	13	14.6	16	17.4	18.8	20.2
95	4.2	6.2	7.8	9.4	11	12.4	13.8	15.2	16.4	17.8	19
100	4	5.8	7.4	9	10.4	11.8	13	14.4	15.6	16.8	18
125	3	4.6	5.8	7	8.2	9.2	10.4	11.4	12.4	13.4	14.4
150	2.4	3.6	4.8	5.8	6.6	7.6	8.4	9.4	10.2	11	11.8
200	1.6	2.6	3.4	4	4.8	5.4	6.2	6.8	7.4	8	8.6
300	0.8	1.4	2	2.4	2.8	3.2	3.8	4.2	4.6	5	5.4
400	0.4	0.8	1.2	1.4	1.8	2.2	2.4	2.8	3	3.2	3.6
500											

This table presents upper limits (body of table) as percentages



Table 10: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 1 Percent Risk of Overreliance

					Actual	Number of De	viations Found				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	20.3	28.6	35.5	41.8	47.5	52.9	58.0	62.8	67.4	71.7	75.8
25	16.6	23.5	29.3	34.6	39.5	44.1	48.5	52.7	56.8	60.7	64.4
30	14.0	19.9	24.9	29.4	33.7	37.7	41.6	45.3	48.9	52.4	55.8
35	12.1	17.2	21.6	25.6	29.4	32.9	36.4	39.7	42.9	46.0	49.0
40	10.6	15.2	19.1	22.6	26.0	29.2	32.3	35.2	38.1	41.0	43.7
45	9.5	13.6	17.1	20.3	23.3	26.2	29.0	31.7	34.3	36.9	39.4
50	8.5	12.2	15.4	18.4	21.1	23.8	26.3	28.8	31.2	33.5	35.8
55	7.8	11.2	14.1	16.8	19.3	21.7	24.1	26.3	28.6	30.7	32.9
60	7.1	10.2	12.9	15.4	17.8	20.0	22.2	24.3	26.3	28.3	30.3
65	6.6	9.5	12.0	14.3	16.4	18.5	20.5	22.5	24.4	26.3	28.1
70	6.1	8.8	11.1	13.3	15.3	17.3	19.1	21.0	22.8	24.5	26.2
75	5.7	8.2	10.4	12.4	14.3	16.1	17.9	19.6	21.3	23.0	24.6
80	5.3	7.7	9.7	11.6	13.4	15.1	16.8	18.4	20.0	21.6	23.1
85	5.0	7.2	9.2	11.0	12.6	14.3	15.9	17.4	18.9	20.4	21.8
90	4.7	6.8	8.7	10.3	12.0	13.5	15.0	16.4	17.9	19.3	20.6
95	4.5	6.5	8.2	9.8	11.3	12.8	14.2	15.6	16.9	18.3	19.6
100	4.2	6.1	7.8	9.3	10.8	12.2	13.5	14.8	16.1	17.4	18.6
125	3.3	4.9	6.2	7.4	8.6	9.7	10.8	11.9	12.9	13.9	14.9
150	2.7	4.0	5.1	6.1	7.1	8.1	9.0	9.9	10.7	11.6	12.4
200	2.0	2.9	3.8	4.5	5.3	6.0	6.7	7.3	8.0	8.6	9.3
300	1.2	1.8	2.4	2.9	3.4	3.8	4.3	4.7	5.2	5.6	6.0
400	0.8	1.3	1.7	2.1	2.4	2.8	3.1	3.4	3.7	4.1	4.4
500	0.6	1.0	1.3	1.6	1.8	2.1	2.4	2.6	2.9	3.1	3.4